

Mohawk Finishing Products

Division of RPM Wood Finishes Group, Inc.

Product Data Sheet

No Blush™ Blender Flat

M103-0476 (13 oz. aerosol)

Product Description: Designed specifically for lower sheen finishes. No Blush™ Blender Flat smoothes and levels a finish with orange peel or light scratches. No Blush™ Blender Flat blends over spray with the existing finish on spot repair work for various non-gloss sheens. No Blush™ Blender Flat also works as a standard No Blush™ to remove trapped moisture without raising the sheen.

Advantages:

1. Easy to use.
2. Very effective.
3. Maintains low sheen

Characteristics:

Weight per gallon: 6.31 lbs/gal * (including propellant)
Solids % (wt): 1.2 *
Solids % (vol): .637 *
Dry time: Air dry @ 72 F, 35% relative humidity
 To touch: 20 minutes
 To handle: 45 minutes
 To package: overnight

PWR Category: WTR
PWR Category Limit: 1.5
PWR of product: 0.936*
Package life: 3 years
Spread rate: 10.2 sq ft @ 1 dry mil
*Varies between sheens, includes propellant.
All values theoretical; not intended to be exact QC specifications.

HMIS: Health – 2, Flammability – 4, Reactivity – 0, Personal Protection – X

Specifications:

Directions: SHAKE WELL BEFORE USING. Smoothes and levels a finish with orange peel or light scratches. Blends overspray with existing finish on spot repair work for various sheens. Works also as a standard No Blush™ to remove trapped moisture without raising sheen. Shake can vigorously. Spray thin coat and allow existing finish to flow and harden. If more reduction of blushing or better flow is needed, apply a second, somewhat heavier coat. Resulting higher sheen can be lowered with a final mist coat.

Clean spray button immediately after use by turning can upside down and pressing spray button for 5 seconds or until no more product comes out. If clogging develops, remove spray button with a twisting motion and clean. DO NOT stick pin or other object into can. Gently replace button with a twisting motion with top of can and spray button pointed away from you.

Safety and Other Precautions: Read MSDS for precautions before using product.

MSDS: If Material Safety Data Sheet is required, contact:

Mohawk Finishing Products
Division of RPM Wood Finishes Group, Inc.

P.O. Box 22000
Hickory, NC 28603

Phone: 1-800-545-0047
Fax: 1-800-721-1545

INFORMATION and LIMITED WARRANTY DISCLAIMER

To the best of our knowledge the technical data contained herein is true and accurate on the date of publication and is subject to change without prior notice. User must contact Mohawk Finishing Products to verify correctness before specifying or ordering. No guarantee of accuracy is given or implied. We assume no responsibility for coverage, performance or injuries resulting from use. The data on this sheet represents estimated and typical values. Since application variables are a major factor in product performance, this information should serve only as a general guide. We sell the products without warranty. Users assume all responsibility and liability for use. Loss or damage arising from the use of our products whether used alone or in combination with our products is the responsibility of the user. **MOHAWK FINISHING PRODUCTS MAKES NO WARRANTIES, EXPRESS OR IMPLIED, AND DISCLAIMS ALL IMPLIED WARRANTIES INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR FREEDOM FROM PATENT INFRINGEMENT. MOHAWK FINISHING PRODUCTS WILL NOT BE LIABLE FOR ANY SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES.** Your only remedy for any defect in this product is the replacement of the defective product, or a refund of its purchase price, at our option. The information on this sheet, as well as the products referenced herein, shall be considered "Confidential Information". Wet samples and uncured samples of these products shall be maintained as confidential and shall not be disclosed to any third party without the prior written permission of Mohawk Finishing Products.