



Installation Guide Pro 23 - US



Material	High Strength Reinforced Nylon
Colour	Black
Fixing Method	8G Screws (5x) or Glue


Striplox Liquidlox can also be used for mounting the Pro 23

Hold the component in place and fasten to the substrate with $5 \times 8G$ screws. Repeat for matching component. Ensure sufficient screw embedment in substrate.




Assembly the joint remembering the Pro 23 only needs to travel 1 pitch for full engagement. Alignment lines are deigned into the parts to help with assembly.


Flush Mounting



Mark center lines, vertical and horizontal, on both substrates. Flush mounting requires no additional preparation. Line the notches in each component (Hook shown here) with the center lines. Mark-Out Template can also be used.




Prior to assembly, establish whether the joint is to be permanent or disassemblable.



When assembled, the substrates with be separated by the thickness of the engaged Pro 23.

Rebate Mounting




Part Rebate - each substrate mounting face is rebating as shown. Ensure sufficient screw embedment in substrate.

2


Full Rebate - 1 of the substrate mounting faces is rebating the full depth as shown. Ensure sufficient screw embedment in substrate.

Set-Back Mounting



Setting back the mounting face of either the Hook (as shown) or Key by 3/8" results in a concealed joint without the need to cut rebates.

Installation Aids




Striplox Mark-Out Template Developed to aid in the installation of the Striplox Pro 23, Pro 55, 90D 98, Mini 60 and 120.



Striplox Liquidlox Instant adhesive with a 15 second cure time. Liquidlox delivers a strong and reliable connection between Striplox products and most substrates.

Visit **joinlox.com/striplox** or call **1800 JOINLOX** to find out more about these installation aids.

Load Capacity



Direction	Indic. Load Capacity
А	242 lb
В	209 lb
С	352 lb

- Tested using particle board and fixed with screws.
- Ensure sufficient screw embedment in substrate.