

POCKET HOLE SCREWS QUALITIES

COMPOSITION

ZINC PLATED = RECOMMENDED FOR INDOOR PROJECT , CAN'T BE USED OUTSIDE ,
STAINLESS STEEL = RECOMMENDED FOR OUTDOOR AND CORROSIVE APPLICATIONS

THREAD STYLE

FINE THREAD = RECOMMENDED FOR HARDWOODS LIKE MAPLE , OAK , BIRCH
COARSE THREAD = RECOMMENDED FOR SOFTWOOD LIKE PINE AND CEDAR, MELAMINE AND FIBERBOARD

THREAD LENGTH

THE HALF THREAD DESIGN OF RICHELIEU'S POCKET HOLE SCREW WILL HELP BY PULLING THE TWO PIECES OF WOOD TOGETHER

HEAD STYLE

PAN WASHER HEAD = CAN BE USED WITH MANY APPLICATIONS SINCE THE LARGE HEAD PROVIDE A MAXIMUM BEARING SURFACE
FILLISTER FLAT = RECOMMENDED FOR HARDWOOD , THIN PLANKS OF WOOD , REDUCE THE CHANCE OF SPLITTING

DRIVE

QUADREX = A COMBINATION BETWEEN A PHILLIPS AND A SQUARE/SQUARE DRIVE

POINT STYLE

TYPE - 17 = ALL OUR SCREWS HAVE A TYPE - 17 POINT , TYPE - 17 POINT IS VERY PERFORMING IN HARDWOOD AND ALSO REDUCE THE CHANCE OF SPLITTING THE WOOD

THE MOST IMPORTANT PART OF CHOOSING THE RIGHT SCREW FOR YOUR APPLICATION IS CHOOSING THE RIGHT SCREW LENGTH.

THE CHART BELOW IS SUGGESTING THE SCREW LENGTH TO BE USED WITH DIFFERENT THICKNESSES OF WOOD.

ÉPAISSEUR DU MATÉRIEL	1/2 po	5/8 po	3/4 po	7/8 po	1 po	1 1/8 po	1 1/4 po	1 3/8 po	1 1/2 po
LONGUEUR DE LA VIS	3/4 po	1 po	1 1/4 po	1 1/2 po	1 1/2 po	1 1/2 po	2 po	2 po	2 1/2 po

APPLICATIONS

ANGLES, TABLIERS, COINS BISEAUTÉS, COURBES, BANDES DE CHANT, JOINTEMENT DE BORDS, ARMOIRES DE TYPE EUROPÉEN, FAÇADES, RAILS, CADRES, ESCALIERS, MONTANTS DE FENÊTRE.

BÉNÉFICES POUR LE CLIENT

CRÉATION RAPIDE DU JOINT. IL SUFFIT DE PERCER LES TROUS ET DE VISSER LES PIÈCES ENSEMBLE. LE SEUL SERRAGE REQUIS CONSISTE À EMPÊCHER LES PIÈCES DE SE DÉPLACER LORS DU VISSAGE. L'AJOUT D'ADHÉSIF À DES FINS DE RENFORCEMENT DU JOINT NE NÉCESSITE AUCUNE ATTENTE.