Page 1 of 7

MATERIAL SAFETY DATA SHEET

SECTION 1 - IDENTIFICATION

Product identifier : ORANGE GLO - Wood Polish & Conditioner

Product Code(s) : 96020

Product Use : Wood polish and conditioner .

Chemical Family : Mixture.

Supplier's name and address: Manufacturer's name and address:

MF Distributions Inc. Refer to Supplier

140 Buttermill Ave. Concord, ON, Canada

L4K 3X6

Information Telephone # : (905) 660-7633 (8:00 AM to 5:PM EST)

24 Hr. Emergency Tel # : 905-265-2380 or consult local poison control centre immediately.

SECTION 2 - HAZARDS IDENTIFICATION

Classification : WHMIS information: This product is a WHMIS Controlled Product. It meets one or more of

the criteria for a controlled product provided in Part IV of the Canadian Controlled Products

Regulations (CPR). WHMIS classification:

Class B3 (Combustible Liquids);

Class D2B (Materials Causing Other Toxic Effects, Toxic Material).

OSHA: This material is classified as hazardous under OSHA regulations (29CFR

1910.1200).

Hazardous classification: Combustible liquid; Acute Health Hazard; Chronic Health Hazard.

Emergency Overview : Orange liquid. Citrus odour.

Warning! Combustible liquid and vapour. May be harmful or fatal if swallowed. Material is an aspiration hazard. Can enter the lungs and cause damage. May be harmful if inhaled. May cause respiratory irritation. May cause headache, nausea, dizziness and other symptoms of central nervous system depression. May cause eye and skin irritation.

POTENTIAL HEALTH EFFECTS:

Signs and symptoms of short-term (acute) exposure

Inhalation: May cause irritation to the nose, throat and upper respiratory tract. Symptoms may include coughing,

chest pain and shortness of breath. In extremely high concentrations, may also cause nausea, vomiting,

dizziness, drowsiness and other symptoms of central nervous system depression.

Skin : May cause mild to moderate irritation.

Eyes : May cause moderate eye irritation.

Ingestion: May cause irritation of mouth, throat, and stomach. Symptoms may include pain, headache, nausea,

vomiting, dizziness, drowsiness and other central nervous system effects. Material is an aspiration hazard. Aspiration into the lungs during swallowing or subsequent vomiting may cause chemical pneumonitis, which

can be fatal

Effects of long-term (chronic) exposure

: Prolonged or repeated contact may cause drying, cracking and defatting of the skin.

Carcinogenic status : See TOXICOLOGICAL INFORMATION, Section 11.

Additional health hazards : See TOXICOLOGICAL INFORMATION, Section 11.

Potential environmental effects

: See ECOLOGICAL INFORMATION, Section 12.

Page 2 of 7

SECTION 3 - COMPOSITION/INFORMATION ON INGREDIENTS

<u>Ingredients</u>	CAS#	Wt.%
Distillates (petroleum), hydrotreated light	64742-47-8	60.00 - 70.00
Orange oil	8028-48-6	5.00 - 10.00
Mineral oil	8012-95-1	10.00 - 15.00

SECTION 4 - FIRST AID MEASURES

Inhalation : Immediately remove person to fresh air. If breathing is difficult, give oxygen by qualified

medical personnel only. If breathing has stopped, give artificial respiration. Get medical

attention

Skin contact : Remove/Take off immediately all contaminated clothing. Wash exposed area thoroughly

with soap and water for at least 15 minutes. Get medical attention. Wash contaminated

clothing before reuse.

Eye contact : Immediately flush eyes with running water for at least 15 minutes. If irritation persists, seek

prompt medical attention.

Ingestion : Call a physician or poison control centre immediately. Do not induce vomiting. Never give

anything by mouth if victim is unconscious.

Notes For Physician : Treat symptomatically.

SECTION 5 - FIRE FIGHTING MEASURES

Fire hazards/conditions of flammability

: Combustible liquid and vapor. This material may be ignited by heat, sparks and direct flame. Vapours are heavier than air and collect in confined and low-lying areas. Material will float on water and can be re-ignited at the water's surface. Closed containers may rupture if exposed to excess heat or flame due to a build-up of internal pressure.

Flammability classification (OSHA 29 CFR 1910.1200)

: OSHA Combustible Liquid IIIA.

Oxidizing properties : None known.

Explosion data: Sensitivity to mechanical impact / static discharge

: May be sensitive to static discharge. Not expected to be sensitive to mechanical impact.

Suitable extinguishing media : Use water fog or fine spray, foams, carbon dioxide or dry chemical. Do not use water jet, as

this may spread burning material.

Special fire-fighting procedures/equipment

Firefighters should wear proper protective equipment and self-contained breathing apparatus with full face piece operated in positive pressure mode. Move containers from fire area if safe to do so. Use water to cool fire-exposed containers.

Hazardous combustion products

Carbon oxides; Nitrogen oxides (NOx); Polycyclic aromatic hydrocarbons; Reactive

hydrocarbons; Other unidentified organic compounds.

NFPA Rating 0 - Minimal 1 - Slight 2 - Moderate 3 - Serious 4 - Severe

Health: 2 Flammability: 2 Instability: 0 Special Hazards: None

SECTION 6 - ACCIDENTAL RELEASE MEASURES

Personal precautions : Restrict access to area until completion of clean-up. Ensure clean-up is conducted by trained personnel only. All persons dealing with the clean-up should wear the appropriate

chemically protective equipment. Refer to protective measures listed in sections 7 and 8.

Environmental precautions: Ensure spilled product does not enter drains, sewers, waterways, or confined spaces. If necessary, dike well ahead of the spill to prevent runoff into drains, sewers, or any natural

waterway or drinking supply.

Spill response/cleanup: Remove all sources of ignition. Ventilate area of release. Stop the spill at source if it is safe to do so. Use only non-sparking tools and equipment in the clean-up process. Contain and absorb spilled liquid with non-combustible, inert absorbent material (e.g. sand), then place absorbent material into a container for later disposal (see Section 13). Contaminated

absorbent material may pose the same hazards as the spilled product. Notify the appropriate authorities as required.

Prohibited materials : Do not use combustible absorbents, such as sawdust.

.html[12/01/16 16:24:56]

MSDS Revision Date (mm/dd/yyyy): 08/10/2011

Special spill response procedures

If a spill/release in excess of the EPA reportable quantity is made into the environment, immediately notify the national response center in the United States (phone:

1-800-424-8002)

US CERCLA Reportable quantity (RQ): None reported.

SECTION 7 - HANDLING AND STORAGE

Safe Handling procedures

Wear chemically resistant protective equipment during handling. Use only in well-ventilated areas. Avoid breathing vapour or mist. Avoid contact with skin, eyes and clothing. Wash thoroughly after handling. Keep away from heat, sparks, and open flames. Ground all equipment during handling. Keep away from incompatibles. Keep containers tightly closed when not in use. Empty containers retain residue (liquid and/or vapour) and can be dangerous.

Storage requirements

Store in a cool, dry, well ventilated area. Keep away from incompatibles. Storage area should be clearly identified, clear of obstruction and accessible only to trained and authorized personnel. Inspect periodically for damage or leaks. No smoking in the area. Do not freeze.

Incompatible materials

: Oxidizing agents.

Special packaging materials

: Always keep in containers made of the same materials as the supply container.

SECTION 8 - EXPOSURE CONTROLS AND PERSONAL PROTECTION

Exposure Limits				
	ACGIH TLV		OSHA PEL	
<u>Ingredients</u>	<u>TWA</u>	STEL	PEL	STEL
Distillates (petroleum), hydrotreated light	200 mg/m³ (skin)	N/Av	N/Av	N/Av
Orange oil	N/Av	N/Av	N/Av	N/Av
Mineral oil	5 mg/m³ (inhalable)	N/Av	5 mg/m³	N/Av

Ventilation and engineering measures

: Use only in well-ventilated areas. Use local exhaust if mist or spray is generated.

Respiratory protection

: Respiratory protection is required if the concentrations exceed the TLV. NIOSH-approved respirators are recommended. Seek advice from respiratory protection specialists Respirators should be selected based on the form and concentration of contaminants in air, and in accordance with OSHA (29 CFR 1910.134) or CSA Z94.4-02.

Skin protection

: Impervious gloves must be worn when using this product. Advice should be sought from glove suppliers.

Eye / face protection

Safety goggles or glasses as appropriate for the job.

Other protective equipment

Wear resistant clothing and boots. An eyewash station and safety shower should be made

available in the immediate working area.

General hygiene considerations

Avoid breathing vapour or mist. Avoid contact with skin, eyes and clothing. Do not eat, drink, smoke or use cosmetics while working with this product. Upon completion of work, wash hands before eating, drinking, smoking or use of toilet facilities. Remove soiled clothing and wash it thoroughly before reuse.

Solubility in water

SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

Liauid Physical state Appearance : Orange : Citrus odour. Odour threshold : N/Av Odour

: 6.32 рΗ

: 206°C (402.8°F) Boiling point : 0.8242 Specific gravity Melting/Freezing point : < - 60°C (- 76°F) Coefficient of water/oil distribution : N/Av

: Insoluble.

Vapour pressure (mmHg @ 20°C / 68°F)

: 7.6

Vapour density (Air = 1) : 1.4 Evaporation rate (n-Butyl acetate = 1)

: 0.25

Page 4 of 7 MSDS Revision Date (mm/dd/yyyy): 08/10/2011

Volatile organic Compounds (VOC's) Volatiles (% by weight) : N/Av

: < 0.0001

Flash point : 89°C (192.2°F)

Flash point Method Auto-ignition temperature N/Av : open cup Lower flammable limit (% by vol.) Upper flammable limit (% by vol.)

N/Av : N/Av Flame Projection Length Flashback observed : N/Ap : N/Ap

Section 10: Stability And Reactivity

Stability and reactivity : Stable under the recommended storage and handling conditions prescribed.

Hazardous polymerization

Conditions to avoid : Avoid heat and open flame. Keep away from incompatibles. Keep container tightly closed

when not in use.

Materials To Avoid And Incompatibility

: Incompatible materials (see Section 7).

Hazardous decomposition products

None known, refer to hazardous combustion products in Section 5.

SECTION 11 - TOXICOLOGICAL INFORMATION

Target organs : Eyes, skin, respiratory system and digestive system.

Routes of exposure Skin Absorption: NO : Inhalation: YES Skin & Eyes: YES Ingestion: YES Toxicological data

There is no available data for the product itself, only for the ingredients. See

below for individual ingredient acute toxicity data.

	LCso(4hr)	LD50	
<u>Ingredients</u>	inh, rat	(Oral, rat)	(Rabbit, dermal)
Distillates (petroleum), hydrotreated light	> 6.8 mg/L	> 5000 mg/kg	> 2000 mg/kg
Orange oil	N/Av	> 5000 mg/kg	> 5000 mg/kg
Mineral oil	> 2180 mg/m ³	> 5000 mg/kg	> 2000 mg/kg

Carcinogenic status : No components are listed as carcinogens by ACGIH, IARC, OSHA or NTP.

Reproductive effects : Not expected to have other reproductive effects.

Teratogenicity : Not expected to be a teratogen.

Mutagenicity : Not expected to be mutagenic in humans.

Epidemiology : Not available

Sensitization to material : No data available to indicate product or components may be respiratory sensitizers. May

cause an allergic skin reaction (e.g. hives, rash) in some hypersensitive individuals.

Synergistic materials Not available

Irritancy : Moderate skin irritant. Moderate eye irritant.

: CNS depression may result from extreme exposures. Other important hazards

Conditions aggravated by overexposure

: Pre-existing skin and respiratory disorders.

SECTION 12 - ECOLOGICAL INFORMATION

Ecotoxicity : No data is available on the product itself. The product should not be allowed to enter drains

or water courses, or be deposited where it can affect ground or surface waters.

Mobility : No data is available on the product itself.

: No data is available on the product itself. Contains: Orange oil; Distillates (petroleum), Persistence

hydrotreated light. Distillates (petroleum), hydrotreated light is not considered readily

biodegradable. Orange oil is considered to be readily biodegradable.

Bioaccumulation potential : No data is available on the product itself.

Other Adverse Environmental effects

: No data is available on the product itself.

.html[12/01/16 16:24:56]

Page 5 of 7

SECTION 13 - DISPOSAL CONSIDERATIONS

Handling for Disposal

: Handle waste according to recommendations in Section 7. Empty containers retain residue (liquid and/or vapour) and can be dangerous. Do not cut, weld, drill or grind on or near this container.

Methods of Disposal

Dispose in accordance with all applicable federal, state, provincial and local regulations. Contact your local, state, provincial or federal environmental agency for specific rules.

RCRA

: If this product, as supplied, becomes a waste in the United States, it may meet the criteria of a hazardous waste as defined under RCRA, Title 40 CFR 261. It is the responsibility of the waste generator to determine the proper waste identification and disposal method. For disposal of unused or waste material, check with local, state and federal environmental agencies.

SECTION 14: TRANPORT INFORMATION

Regulatory Information	UN Number	Shipping Name	Class	Packing Group	Label
TDG	None	Not regulated.	Not regulated	none	\otimes
TDG Additional information	None.				
49CFR/DOT	None	Not regulated	Not regulated.	None	\otimes
49CFR/DOT Additional information	As supplied, this	product is not regulated for road or rail shipment.			

SECTION 15 - REGULATORY INFORMATION

US Federal Information:

TSCA: All listed ingredients appear on the Toxic Substances Control Act (TSCA) inventory.

CERCLA Reportable Quantity (RQ) (40 CFR 117.302): None reported.

SARA TITLE III: Sec. 302, Extremely Hazardous Substances, 40 CFR 355: No Extremely Hazardous Substances are present in this material.

SARA TITLE III: Sec. 311 and 312, MSDS Requirements, 40 CFR 370 Hazard Classes: Immediate (Acute) health hazard; Chronic Health Hazard; Fire Hazard. Under SARA Sections 311 and 312, the EPA has established threshold quantities for the reporting of hazardous chemicals. The current thresholds are 500 pounds for the threshold planning quantity (TPQ), whichever is lower, for extremely hazardous substances and 10,000 pounds for all other hazardous chemicals.

SARA TITLE III: Sec. 313, Toxic Chemicals Notification, 40 CFR 372: This material is not subject to SARA notification requirements, since it does not contain any Toxic Chemical constituents above de minimus concentrations.

US State Right to Know Laws:

California Proposition 65: To the best of our knowledge, this product does not contain any chemicals known to the State of California to cause cancer or reproductive harm.

Other U.S. State "Right to Know" Lists: The following chemicals are specifically listed by individual States: Mineral oil (CA, MA, MN, NJ, PA, RI).

International Information:

Canadian WHMIS Classification: Refer to Section 2 for a WHMIS Classification for this product.

Canadian Environmental Protection Act (CEPA) information: All ingredients listed appear on the Domestic Substances List (DSL).

This product has been classified according to the hazard criteria of the CPR and the MSDS contains all of the information required by the CPR.

MSDS Revision Date (mm/dd/yyyy): 08/10/2011

SECTION 16 - OTHER INFORMATION

HMIS Rating : *- Chronic hazard 0 - Minimal 1 - Slight 2 - Moderate 3 - Serious 4 - Severe

Health: *2 Flammability: 2 Reactivity: 0

Legend : ACGIH: American Conference of Governmental Industrial Hygienists

CA: California

CAS: Chemical Abstract Services

CERCLA: Comprehensive Environmental Response, Compensation, and Liability Act of

1980

CFR: Code of Federal Regulations CNS: Central Nervous System DOT: Department of Transportation EPA: Environmental Protection Agency

EST: Eastern Standard Time

HMIS: Hazardous Materials Identification System HSDB: Hazardous Substances Data Bank IARC: International Agency for Research on Cancer

Inh: Inhalation

IUCLID: International Uniform ChemicaL Information Database

LC: Lethal Concentration LD: Lethal Dose MA: Massachusetts N/Ap: Not Applicable N/Av: Not Available

NFPA: National Fire Protection Association

NIOSH: National Institute of Occupational Safety and Health

NTP: National Toxicology Program

OSHA: Occupational Safety and Health Administration

PA: Pennsylvania

PEL: Permissible exposure limit

RCRA: Resource Conservation and Recovery Act

RI: Rhode Island

RTECS: Registry of Toxic Effects of Chemical Substances SARA: Superfund Amendments and Reauthorization Act

STEL: Short Term Exposure Limit

TDG: Canadian Transportation of Dangerous Goods Act & Regulations

TLV: Threshold Limit Values TSCA: Toxic Substance Control Act TWA: Time Weighted Average

WHMIS: Workplace Hazardous Materials Identification System

References : 1. ACGIH, Threshold Limit Values and Biological Exposure Indices for 2011.

2. International Agency for Research on Cancer Monographs, searched 2011.

3. Canadian Centre for Occupational Health and Safety, CCInfoWeb databases, 2011

(Chempendium, HSDB, RTECs).

Material Safety Data Sheet from manufacturer.
 US EPA Title III List of Lists - October 2006 version.
 California Proposition 65 List - July 29, 2011 version.

Prepared for:

MF Distributions Inc. 140 Buttermill Ave.

Concord, Ontario, Canada, L4K 3X6

Telephone: 905-660-7633

Please direct all enquiries to MF Distributions.

Prepared by:

ICC The Compliance Center Inc.

http://www.thecompliancecenter.com



Page 7 of 7

DISCLAIMER OF LIABILITY

This Material Safety Data Sheet was prepared by ICC The Compliance Center Inc. using information provided by / obtained from MF DIstributions Inc. and CCOHS' Web Information Service. The information in the Material Safety Data Sheet is offered for your consideration and guidance when exposed to this product. ICC The Compliance Center Inc and MF DIstributions Inc. expressly disclaim all expressed or implied warranties and assume no responsibilities for the accuracy or completeness of the data contained herein. The data in this MSDS does not apply to use with any other product or in any other process.

This Material Safety Data Sheet may not be changed, or altered in any way without the expressed knowledge and permission of ICC The Compliance Center Inc. and MF Distributions Inc.

Preparation Date (mm/dd/yyyy)

: 09/05/2007

MSDS Revision Date (mm/dd/yyyy)

: 08/10/2011

Revision No. : 3

Revision Information : (M)SDS sections updated:

2. HAZARDS IDENTIFICATION;

COMPOSITION/INFORMATION ON INGREDIENTS;
 EXPOSURE CONTROLS / PERSONAL PROTECTION;

11. TOXICOLOGICAL INFORMATION; 12. ECOLOGICAL INFORMATION 14. TRANSPORT INFORMATION.

END OF DOCUMENT

Customer Service | Shipping Policy | Privacy Policy | Retailers | MSDS | View Cart | Contact