

ENVIRONMENTAL DATA SHEET

(Certified Product Data Sheet)

Date of Preparation
Mar 15, 2021

14 00 [0741]

PRODUCT NUMBER

DM5329010

PRODUCT NAME

INNOVAT™ Clear Post-Catalyzed Topcoat, 10 Gloss

MANUFACTURER'S NAME

ACROMAPRO WOOD FINISHES
101 W. Prospect Avenue
Cleveland, OH 44115

This document includes all data required by 40 CFR 63.801(a) for a Certified Product Data Sheet under criteria specified in 40 CFR 63.805(a). All data given below are MAXIMUM THEORETICAL VALUES based on the product AS CURRENTLY FORMULATED. Variations may occur on individual batches due to adjustments made during production.

Hazard Category (for SARA 311.312)

DM5329010 = | Acute | Chronic | Fire |

Product Weight

8.31 lb/gal

Specific Gravity

1.00

FLASH POINT

55 °F PMCC

Volatile Ingredients

Chemical / Compound	SARA 302 EHS	CERCLA	SARA 313 TC	HAPS 112	% by Weight	% by Volume
Ethylbenzene 100-41-4	N	Y	Y	Y	3	4
Xylene 1330-20-7	N	Y	Y	Y	15	16
Heavy Aromatic Naphtha 64742-94-5	N	N	N	N	4	5
Naphthalene 91-20-3	N	Y	Y	Y	0.6	< 1
Ethanol 64-17-5	N	N	N	N	12	16
Formaldehyde (max.) 50-00-0	Y	Y	Y	Y	0.1	< 1
n-Butyl Acetate 123-86-4	N	Y	N	N	9	10
1-Methoxy-2-Propanol Acetate 108-65-6	N	N	N	N	5	5

Volatile Organic Compounds - U.S. EPA / Canada

	DM5329010	
	LB/Gal	g/L
Coating Density	8.31	995
	By wt	By vol
Total Volatiles	50.1%	57.8%
Federally exempt solvents		
Water	0.0%	0.0%
Organic Volatiles	50.1%	57.8%
Percent Non-Volatile	49.9%	42.2%
VOC Content	LB/Gal	g/L
Total	4.15	498
Less exempt solvents	4.15	498
Of solids	9.85	1180
Of solids	1.00 lb/lb	1.00 kg/kg
	By wt	
By wt LVP-VOC	45.1%	

Maximum Incremental Reactivity (MIR) (per US EPA Aerosol Ctg Rule, MIR Values 2009) **1.79**

Volatile Organic Compounds - California

	DM5329010	
	LB/Gal	g/L
Coating Density	8.31	995
	By wt	By vol
Total Volatiles	50.1%	57.8%
Exempt solvents		
Water	0.0%	0.0%
Organic Volatiles	50.1%	57.8%
Percent Non-Volatile	49.9%	42.2%
VOC Content	LB/Gal	g/L
Total	4.15	498
Less exempt solvents	4.15	498
Of solids	9.85	1180
Of solids	1.00 lb/lb	1.00 kg/kg
	By wt	
By wt LVP-VOC	45.1%	

Maximum Incremental Reactivity (MIR) (per California Air Resources Board Aerosol Products Regulation, MIR Values 2010) **1.78**

Volatile Organic Compounds - South Coast Air Quality Management District, California, US

	DM5329010	
	LB/Gal	g/L
Coating Density	8.31	995
	By wt	By vol
Total Volatiles	50.1%	57.8%
Exempt solvents		
Water	0.0%	0.0%
Organic Volatiles	50.1%	57.8%
Percent Non-Volatile	49.9%	42.2%
VOC Content	LB/Gal	g/L
Total	4.15	498
Less exempt solvents	4.15	498
Of solids	9.85	1180
Of solids	1.00 lb/lb	1.00 kg/kg

Volatile Organic Compounds - EU Directive 2004/42/EC

	DM5329010	
	By wt	By vol
Total Volatiles	50.1%	57.8%
VOC Content	LB/Gal	g/L
Total	4.15	498

Volatile Organic Compounds - EU Directive 2010/75/EU

	DM5329010	
	By wt	By vol
Total Volatiles	50.1%	57.8%
VOC Content	LB/Gal	g/L
Total	4.15	498

Volatile Organic Compounds - Mexico

	DM5329010	
	LB/Gal	g/L
Coating Density	8.31	995
	By wt	By vol
Total Volatiles	50.1%	57.8%
Exempt solvents		
Water	0.0%	0.0%
Organic Volatiles	50.1%	57.8%
Percent Non-Volatile	49.9%	42.2%
VOC Content	LB/Gal	g/L
Total	4.15	498
Less exempt solvents	4.15	498
Of solids	9.85	1180
Of solids	1.00 lb/lb	1.00 kg/kg

Hazardous Air Pollutants (Clean Air Act, Section 112(b))

	DM5329010	
	LB/Gal	kg/L
Volatile HAPS	1.57	0.188
Of solids	3.72	0.446
Of solids	0.37 lb/lb	0.37 kg/kg

Air Quality Data

Density of Organic Solvent Blend

7.20 lb/gal

Photochemically Reactive

Yes

Additional Regulatory Information

US EPA TSCA:

Not Applicable

Relevant identified uses of the substance or mixture and uses advised against:

Not Applicable

Waste Disposal

Waste from this product may be hazardous as defined under the Resource Conservation and Recovery Act (RCRA) 40 CFR 261. Waste must be tested for ignitability to determine the applicable EPA hazardous waste numbers.

Addition of reducers or other additives to this product may substantially alter the above data. Since conditions of use are outside our control, we make no warranties, express or implied, and assume no liability in connection with any use of this information.