ENVIRONMENTAL DATA SHEET

(Certified Product Data Sheet)

Date of Preparation

Dec 5, 2020

12 00 [3380]

PRODUCT NUMBER

ND5203001

PRODUCT NAME

Ultra Hide Precat Primer

MANUFACTURER'S NAME

ACROMAPRO WOOD FINISHES 101 W. Prospect Avenue Cleveland, OH 44115

This document includes all data required by 40 CFR 63.801(a) for a Certified Product Data Sheet under criteria specified in 40 CFR 63.805(a). All data given below are MAXIMUM THEORETICAL VALUES based on the product AS CURRENTLY FORMULATED. Variations may occur on individual batches due to adjustments made during production.

Hazard Category (for SARA 311.312)

ND5203001 = | Acute | Chronic | Fire |

Product WeightSpecific GravityFLASH POINT9.11 lb/gal1.1052 °F PMCC

Volatile Ingredients

Chemical / Compound	SARA 302 EHS	CERCLA	SARA 313 TC	HAPS 112	% by Weight	% by Volume
Ethylbenzene 100-41-4	N	Υ	Υ	Υ	3	4
Xylene 1330-20-7	N	Υ	Υ	Υ	16	21
Ethanol 64-17-5	N	N	N	N	12	16
2-Propanol 67-63-0	N	N	N	N	9	12
1-Butanol 71-36-3	N	Υ	Υ	N	3	3
n-Butyl Acetate 123-86-4	N	Υ	N	N	15	19

Volatile Organic Compounds - U.S. EPA / Canada

	ND5203001		
	LB/Gal	g/L	
Coating Density	9.11	1091	
	By wt	By vol	
Total Volatiles	58.2%	76.0%	
Federally exempt solvents			
Water	0.0%	0.0%	
Organic Volatiles	58.2%	76.0%	
Percent Non-Volatile	41.8%	24.0%	
VOC Content	LB/Gal	g/L	
Total	5.30	635	
Less exempt solvents	5.30	635	
Of solids	22.10	2648	
Of solids	1.39 lb/lb	1.39 kg/kg	
	By wt		
By wt LVP-VOC	58.2%		

Maximum Incremental Reactivity (MIR) (per US EPA Aerosol Ctg Rule, MIR Values 2009) 1.81

Volatile Organic Compounds - California

	ND5203001	
	LB/Gal	g/L
Coating Density	9.11	1091
	By wt	By vol
Total Volatiles	58.2%	76.0%
Exempt solvents		
Water	0.0%	0.0%
Organic Volatiles	58.2%	76.0%
Percent Non-Volatile	41.8%	24.0%
VOC Content	LB/Gal	g/L
Total	5.30	635
Less exempt solvents	5.30	635
Of solids	22.10	2648
Of solids	1.39 lb/lb	1.39 kg/kg
	By wt	
By wt LVP-VOC	58.2%	

Maximum Incremental Reactivity (MIR) (per California Air Resources Board Aerosol Products Regulation, MIR Values 2010) 1.77

Volatile Organic Compounds - South Coast Air Quality Management District, California, US

	ND5203001		
	LB/Gal	g/L	
Coating Density	9.11	1091	
	By wt	By vol	
Total Volatiles	58.2%	76.0%	
Exempt solvents			
Water	0.0%	0.0%	
Organic Volatiles	58.2%	76.0%	
Percent Non-Volatile	41.8%	24.0%	
VOC Content	LB/Gal	g/L	
Total	5.30	635	
Less exempt solvents	5.30	635	
Of solids	22.10	2648	
Of solids	1.39 lb/lb	1.39 kg/kg	

Volatile Organic Compounds - EU Directive 2004/42/EC

	ND5203001	
	By wt	By vol
Total Volatiles	58.2%	76.0%
VOC Content	LB/Gal	g/L
Total	5.30	635

Volatile Organic Compounds - EU Directive 2010/75/EU

	ND5203001	
	By wt	By vol
Total Volatiles	58.2%	76.0%
VOC Content	LB/Gal	g/L
Total	5.30	635

Volatile Organic Compounds - Mexico

	ND5203001		
	LB/Gal	g/L	
Coating Density	9.11	1091	
	By wt	By vol	
Total Volatiles	58.2%	76.0%	
Exempt solvents			
Water	0.0%	0.0%	
Organic Volatiles	58.2%	76.0%	
Percent Non-Volatile	41.8%	24.0%	
VOC Content	LB/Gal	g/L	
Total	5.30	635	
Less exempt solvents	5.30	635	
Of solids	22.10	2648	
Of solids	1.39 lb/lb	1.39 kg/kg	

Hazardous Air Pollutants (Clean Air Act, Section 112(b))

	ND5203001	
	LB/Gal	kg/L
Volatile HAPS	1.75	0.209
Of solids	7.29	0.873
Of solids	0.46 lb/lb	0.46 kg/kg

Air Quality Data

Density of Organic Solvent Blend

6.98 lb/gal

Photochemically Reactive

Yes

Additional Regulatory Information

US EPA TSCA:

Not Applicable

Relevant identified uses of the substance or mixture and uses advised against:

Not Applicable

Waste Disposal

Waste from this product may be hazardous as defined under the Resource Conservation and Recovery Act (RCRA) 40 CFR 261. Waste must be tested for ignitability to determine the applicable EPA hazardous waste numbers.

Addition of reducers or other additives to this product may substantially alter the above data. Since conditions of use are outside our control, we make no warranties, express or implied, and assume no liability in connection with any use of this information.