



Face Frame SYNCHRONIZED Slide with Soft-Close



Features & Benefits

Synchronized

All drawer members interact fluidly and seamlessly

Soft-Close

Drawers close smoothly even when forced shut

Full extension

Drawers come completely out of the cabinet giving full access

Front locking device options

4 or 6-way, tool free, adjustments

Load rating

100 lb (45 kg)



Description

Full extension, concealed, undermount slide featuring a continuous synchronized movement.

No.	Description
825305	305 mm (12")
825381	381 mm (15")
825457	457 mm (18")
825533	533 mm (21")
8284103	Front locking device 4-way, left
8284102	Front locking device 4-way, right
8286103	Front locking device 6-way, left
8286102	Front locking device 6-way, right





(Canada) 1 800 361-6000


(US) 1 800 619-5446


www.richelieu.com

Components




	Slides left/right (for a maximum of 16 mm drawer thickness)
Item No.	Nominal Length
825305	12" (305 mm)
825381	15" (381 mm)
825457	18" (457 mm)
825533	21" (533 mm)

	Front Locking Devices
Item No.	Description
8284103 (left)	4-way , Lateral and vertical adjustments
8284102 (right)	
8286103 (left)	6-way , Lateral, vertical and depth adjustments
8286102 (right)	


	Metal Rear Bracket
Item No.	Description
8082G	For face-frame application

Installation Dimensions (mm)




Drawer Dimensions(mm)


Drawer Width




Locking Device Mounting




Drawer vs. Cabinet Depth



Drawer Back Drilling & Notching






Rear Bracket Mounting



Item Code	825305	825381	825457	825533
Slides Nominal Length (NL)	12"	15"	18"	21"
Drawer Length (SKL)	305	381	457	533
Min. Inside Cabinet Length (LT min)	340	416	494	568
Max. Inside Cabinet Length (LT max)	360	436	514	588

Drawer Adjustment



* Side adjustment ±1.5mm, provided that the drawer size is within tolerance.