

LWY100 IDROVER Fondo trasp. TIX esterno - Clear WB sealer TIX external

Safety Data Sheet dated 5/10/2018, version 1

1. IDENTIFICATION	
Product identifier	
Mixture identification:	
Trade name:	IDROVER Fondo trasp. TIX esterno - Clear WB sealer TIX external
Other means of identification:	
Trade code:	LWY100
Recommended use of the chemical and restricti	ions on use
Recommended use:	
Industrial and professional uses (SU3	- SU22)
Varnish for wood	hamiaal manufacturar importar, ar other reconcicle parts
Company:	hemical manufacturer, importer, or other responsible party
	10 - 20010 BAREGGIO (MI) - Tel. +39 02 90304.1
Importer:	
Quincaillerie Richelieu Ltée/Richelieu H	lardware Ltd.
7900 Henri-Bourassa Blvd. W.	
Montreal, Quebec, Canada, H4S 1V4	
Tel:+1-860-529-7704	
Distrubutor: Quincaillerie Richelieu Ltée/Richelieu H	lardwara I tel
7900 Henri-Bourassa Blvd. W.	laidware Liu.
Montreal, Quebec, Canada, H4S 1V4	
Tel:+1-860-529-7704	
Competent person responsible for the safety da	ta sheet:
msds@sivam.it	
Emergency phone number	
	90304.1 (Monday - Friday 8.00 - 15.00)
Poison Centre - Ospedale di Niguarda -	· Milan - Tei. +39 02 66101029 (24 h)
2. HAZARD(S) IDENTIFICATION	
Classification of the chemical	
The product is not classified as danger	ous according to OSHA Hazard Communication Standard (29 CFR 1910.1200).
Label elements	andians to OCULA Userand Communication Standard (20 CED 4040 4000)
Hazard pictograms:	ording to OSHA Hazard Communication Standard (29 CFR 1910.1200).
None	
Hazard statements:	
None	
Precautionary statements:	

Precautionary statements: None Special Provisions: None Hazards not otherwise classified identified during the classification process: None Ingredient(s) with unknown acute toxicity: None. Additional classification information NFPA rating:



HMIS rating:

LWY100/1 Page n. 1 of 7



LWY100 IDROVER Fondo trasp. TIX esterno - Clear WB sealer TIX external



3. COMPOSITION/INFORMATION ON INGREDIENTS

Substances N.A.

Mixtures

Hazardous components within the meaning of 29 CFR 1910.1200 and related classification:

Qty	Name	Ident. Number		Classification
>= 0.3% - < 0.5%	2,4,7,9-tetramethyldec-5-yne- 4,7-diol	CAS: EC: REACH No.:	126-86-3 204-809-1 01-2119954390- 39	 A.3/1 Eye Dam. 1 H318 A.4.2/1B Skin Sens. 1B H317 US-HAE/C3 Aquatic Chronic 3 H412
174 ppm	1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one	Index number: CAS: EC:	613-088-00-6 2634-33-5 220-120-9	 ♠ A.2/2 Skin Irrit. 2 H315 ♠ A.3/1 Eye Dam. 1 H318 ♠ A.4.2/1 Skin Sens. 1 H317 ♦ US-HAE/A1 Aquatic Acute 1 H400 ♠ A.1/4/Oral Acute Tox. 4 H302

4. FIRST-AID MEASURES

Description of necessary measures

In case of skin contact:

Wash with plenty of water and soap.

In case of eyes contact:

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

In case of Ingestion:

Do not under any circumstances induce vomiting. OBTAIN A MEDICAL EXAMINATION IMMEDIATELY.

In case of Inhalation:

Remove casualty to fresh air and keep warm and at rest.

Most important symptoms/effects, acute and delayed

None Indication of immediate medical attention and special treatment needed Treatment:

None

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media:	
Water.	
Carbon dioxide (CO2).	
Unsuitable extinguishing media:	
None in particular.	
Specific hazards arising from the	e chemical
Do not inhale explosion	and combustion gases.
Burning produces heavy	y smoke.
Hazardous combustion products	8:
None	
Explosive properties:	N.D. in volume
Oxidizing properties:	N.D.
Special protective equipment an	d precautions for fire-fighters
Use suitable breathing a	apparatus.

LWY100/1

Page n. 2 of 7



LWY100 IDROVER Fondo trasp. TIX esterno - Clear WB sealer TIX external

Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Move undamaged containers from immediate hazard area if it can be done safely.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment, and emergency procedures Wear personal protection equipment. Remove all sources of ignition. Wear breathing apparatus if exposed to vapours/dusts/aerosols. Provide adequate ventilation. Remove persons to safety. Use appropriate respiratory protection. See protective measures under point 7 and 8. Methods and materials for containment and cleaning up Wash with plenty of water.

7. HANDLING AND STORAGE

Precautions for safe handling Avoid contact with skin and eyes, inhalation of vapours and mists. Do not use on extensive surface areas in premises where there are occupants. Do not eat or drink while working. See also section 8 for recommended protective equipment. Conditions for safe storage, including any incompatibilities Keep away from food, drink and feed. Incompatible materials: None in particular. Instructions as regards storage premises: Adequately ventilated premises. Storage temperature: Store at ambient temperature.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters No occupational exposure limit available DNEL Exposure Limit Values Ń.A. **PNEC Exposure Limit Values** N.A. Appropriate engineering controls: None Individual protection measures Eye protection: Eye glasses with side protection. (EN166) Protection for skin: No special precaution must be adopted for normal use. Protection for hands: Suitable gloves type:(EN374) Respiratory protection: Not needed for normal use. Thermal Hazards: None

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance and colour:	opalescent fluid	
Odour:	typical	
Odour threshold:	N.D.	
pH:	8.5	
Melting point / freezing point:	N.D. °C	
Initial boiling point and boiling range:	> 100 °C	
Solid/gas flammability:	N.A.	
Upper/lower flammability or explosive lim	its: N.D.	
Vapour density:	>1	
Flash point:	N.A.	
Evaporation rate:	N.D.	
Vapour pressure:	N.D. (20 °C)	
Relative density:	1.030 - 1.050	
-		

LWY100/1

Page n. 3 of 7



LWY100 IDROVER Fondo trasp. TIX esterno - Clear WB sealer TIX

external

Solubility in water: Solubility in oil: Partition coefficient (n-octanol/water):	miscible partial N.D.
Auto-ignition temperature:	N.D. °C
Decomposition temperature:	N.D. °C
Viscosity:	N.D.
Miscibility:	N.D.
Fat Solubility:	N.D.
Conductivity:	N.D.
Substance Groups relevant properties	N.A.

10. STABILITY AND REACTIVITY

Reactivity Stable under normal conditions

Chemical stability

Stable under normal conditions

Possibility of hazardous reactions

It may generate flammable gases on contact with elementary metals (alkalis and alkaline earth), nitrides, and powerful reducing agents.

It may catch fire on contact with oxidising mineral acids, elementary metals (alkalis and alkaline earth), nitrides, organic peroxides and hydroperoxides, oxidising agents, and reducing agents.

Conditions to avoid

Stable under normal conditions.

Incompatible materials

None in particular. Hazardous decomposition products

None.

11. TOXICOLOGICAL INFORMATION

LWY100/1

Page n. 4 of 7



LWY100 IDROVER Fondo trasp. TIX esterno - Clear WB sealer TIX external

1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one - CAS: 2634-33-5

a) acute toxicity: Test: LD50 - Route: Oral - Species: Rat = 1193 mg/kg Test: LD50 - Route: Skin - Species: Rat = 4115 mg/kg

Substance(s) listed on the NTP report on Carcinogens: None. Substance(s) listed on the IARC Monographs: None. Substance(s) listed as OSHA Carcinogen(s): None. Substance(s) listed as NIOSH Carcinogen(s): None.

12. ECOLOGICAL INFORMATION

Ecotoxicity

Adopt good working practices, so that the product is not released into the environment. IDROVER Fondo trasp. TIX esterno - Clear WB sealer TIX external Not classified for environmental hazards No data available for the product 2,4,7,9-tetramethyldec-5-yne-4,7-diol - CAS: 126-86-3 a) Aquatic acute toxicity: Endpoint: EC50 - Species: Algae = 15 mg/l - Duration h: 72 Endpoint: EC50 - Species: Daphnia = 91 mg/l - Duration h: 48 Endpoint: LC50 - Species: Fish = 36 mg/l - Duration h: 96 Endpoint: LC50 - Species: Fish = 42 mg/l - Duration h: 24 1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one - CAS: 2634-33-5 a) Aquatic acute toxicity: Endpoint: LC50 - Species: Fish = 2.18 mg/l - Duration h: 96 Endpoint: EC50 - Species: Daphnia = 2.94 mg/l - Duration h: 48 Endpoint: EC50 - Species: Algae = 0.11 mg/l - Duration h: 72 b) Aquatic chronic toxicity: Endpoint: NOEC - Species: Daphnia = 1.2 mg/l - Notes: 21 d Endpoint: NOEC - Species: Fish = 0.21 mg/l - Notes: 28 d Persistence and degradability NΑ **Bioaccumulative potential** N.A. Mobility in soil N.A. Other adverse effects None

13. DISPOSAL CONSIDERATIONS

Waste treatment and disposal methods Recover if possible. In so doing, comply with the local and national regulations currently in force.

14. TRANSPORT INFORMATION

UN number Not classified as dangerous in the meaning of transport regulations. UN proper shipping name N.A. Transport hazard class(es) N.A. Packing group N.A. Environmental hazards ADR-Enviromental Pollutant: No IMDG-Marine pollutant: No Transport in bulk (according to Annex II of MARPOL 73/78 and the IBC Code) N.A. Special precautions

LWY100/1

Page n. 5 of 7



LWY100 IDROVER Fondo trasp. TIX esterno - Clear WB sealer TIX external

N.A.

15. REGULATORY INFORMATION

USA - Federal regulations TSCA - Toxic Substances Control Act TSCA inventory: all the components are listed on the TSCA inventory. TSCA listed substances: 2,4,7,9-tetramethyldec-5-yne-4,7-diol is listed in TSCA Section 8b 1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one is listed in TSCA Section 8b. SARA - Superfund Amendments and Reauthorization Act Section 302 - Extremely Hazardous Substances: no substances listed. Section 304 - Hazardous substances: no substances listed. Section 313 - Toxic chemical list: no substances listed. CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act No substances listed. CAA - Clean Air Act CAA listed substances: None. CWA - Clean Water Act CWA listed substances: None. USA - State specific regulations California Proposition 65 Substance(s) listed under California Proposition 65: None. Massachusetts Right to know Substance(s) listed under Massachusetts Right to know: No substances listed. New Jersey Right to know Substance(s) listed under New Jersey Right to know: No substances listed. Pennsylvania Right to know Substance(s) listed under Pennsylvania Right to know: No substances listed.

Volatile Organic compounds - VOCs = 3.34 %Volatile Organic compounds - VOCs = 35.03 g/tVolatile CMR substances = 0.00 %Organic Carbon - C = 0.02

16. OTHER INFORMATION

Full text of phrases referred to in Section 3:

- H318 Causes serious eye damage.
- H317 May cause an allergic skin reaction.
- H412 Harmful to aquatic life with long lasting effects.
- H315 Causes skin irritation.
- H400 Very toxic to aquatic life.
- H302 Harmful if swallowed.

Safety Data Sheet dated 5/10/2018, version 1 Disclaimer:

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality. The information relates only to the specific material and may not be valid for such material used in combination with any other material or in any process. This Safety Data Sheet cancels and replaces any preceding release.

ADR: CAS:	European Agreement concerning the International Carriage of Dangerous Goods by Road. Chemical Abstracts Service (division of the American Chemical Society).
CLP:	Classification, Labeling, Packaging.
DNEL:	Derived No Effect Level.
EINECS:	European Inventory of Existing Commercial Chemical Substances.
GHS:	Globally Harmonized System of Classification and Labeling of Chemicals.
HMIS:	Hazardous Materials Identification System
IARC:	International Agency for Research on Cancer
IATA:	International Air Transport Association.

LWY100/1

Page n. 6 of 7



LWY100 IDROVER Fondo trasp. TIX esterno - Clear WB sealer TIX

external

•

IATA-DGR:	Dangerous Goods Regulation by the "International Air Transport Association" (IATA).
ICAO:	International Civil Aviation Organization.
ICAO-TI:	Technical Instructions by the "International Civil Aviation Organization" (ICAO).
IMDG:	International Maritime Code for Dangerous Goods.
INCI:	International Nomenclature of Cosmetic Ingredients.
KSt:	Explosion coefficient.
LC50:	Lethal concentration, for 50 percent of test population.
LD50:	Lethal dose, for 50 percent of test population.
NFPA:	National Fire Protection Association
NIOSH:	National Institute for Occupational Safety and Health
NTP:	National Toxicology Program
OSHA:	Occupational Safety and Health Administration.
PNEC:	Predicted No Effect Concentration.
RID:	Regulation Concerning the International Transport of Dangerous Goods by Rail.
STEL:	Short Term Exposure limit.
STOT:	Specific Target Organ Toxicity.
TLV:	Threshold Limiting Value.
TWA:	Time-weighted average