



LWY023 IDROFLAT 30 Larice TIX esterni - Larch WB top coat TIX external

Safety Data Sheet dated 7/2/2018, version 1

1. IDENTIFICA	TION	
Product ident	fier	
Mixtu	re identification:	
Trade	e name:	IDROFLAT 30 Larice TIX esterni - Larch WB top coat TIX external
Othe	means of identification:	
Trade	e code:	LWY023
Recommende	ed use of the chemical and res	strictions on use
Reco	mmended use:	
	strial and professional uses (S	SU3 - SU22)
	r-based paint	he chemical manufacturer, important, ar other reaponable party
Name, addres		he chemical manufacturer, importer, or other responsible party
		viso, 10 - 20010 BAREGGIO (MI) - Tel. +39 02 90304.1
Impo	•	VISO, 10 - 20010 BAREGOIO (IVII) - 161. +39 02 90304.1
	caillerie Richelieu Ltée/Richeli	eu Hardware I td
	Henri-Bourassa Blvd. W.	
	real, Quebec, Canada, H4S 1	V4
	1-860-529-7704	
	ubutor:	
	caillerie Richelieu Ltée/Richeli	eu Hardware Ltd.
7900	Henri-Bourassa Blvd. W.	
Mont	real, Quebec, Canada, H4S 1	V4
	1-860-529-7704	
Competent pe	erson responsible for the safet	y data sheet:
msds	@sivam.it	·
Emergency p	hone number	
ŇÚŎ	VA S.I.V.A.M. SpA - Tel. +39	02 90304.1 (Monday - Friday 8.00 - 15.00)
Poice	n Centre - Ospedale di Nigua	rda - Milan - Tel. +39 02 66101029 (24 h)

Classification of the chemical

Warning, Skin Sens. 1, May cause an allergic skin reaction. Aquatic Acute 3, Harmful to aquatic life. Aquatic Chronic 3, Harmful to aquatic life with long lasting effects.

Label elements Hazard pictograms:



Warning Hazard statements:

H317 May cause an allergic skin reaction.

H402 Harmful to aquatic life.

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements:

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P272 Contaminated work clothing should not be allowed out of the workplace.

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352 IF ON SKIN: Wash with plenty of soap and water.

P321 Specific treatment (see ... On this label).

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P363 Wash contaminated clothing before reuse.

P501 Dispose of contents/container in accordance with applicable regulations. Special Provisions:

None

Hazards not otherwise classified identified during the classification process: None

LWY023/1

Page n. 1 of 8



LWY023 IDROFLAT 30 Larice TIX esterni - Larch WB top coat TIX

external

Ingredient(s) with unknown acute toxicity: None. Additional classification information NFPA rating:



HMIS rating:



3. COMPOSITION/INFORMATION ON INGREDIENTS

Substances N.A.

Mixtures

Hazardous components within the meaning of 29 CFR 1910.1200 and related classification:

Qty	Name	Ident. Number		Classification
>= 0.5% - < 1%	Hydroxyphenyl-benzotriazole derivatives EC No. 400-830-67	Index number: EC: REACH No.:	607-176-00-3 400-830-7 01-0000015075- 76	A.4.2/1 Skin Sens. 1 H317 US-HAE/C2 Aquatic Chronic 2 H411
>= 0.1% - < 0.3%	Reaction mass of Bis(1,2,2,6, 6-pentamethyl-4-piperidyl) sebacate and Methyl 1,2,2,6, 6-pentamethyl-4-piperidyl sebacate	EC: REACH No.:	915-687-0 01-2119491304- 40	A.4.2/1 Skin Sens. 1 H317 US-HAE/A1 Aquatic Acute 1 H400 US-HAE/C1 Aquatic Chronic 1 H410
245 ppm	1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one	Index number: CAS: EC:	613-088-00-6 2634-33-5 220-120-9	 A.2/2 Skin Irrit. 2 H315 A.3/1 Eye Dam. 1 H318 A.4.2/1 Skin Sens. 1 H317 US-HAE/A1 Aquatic Acute 1 H400 A.1/4/Oral Acute Tox. 4 H302
7 ppm	reaction mass of: 5-chloro-2- methyl-4-isothiazolin-3-one [EC no. 247-500-7]; and 2- methyl-2H -isothiazol-3-one [EC no. 220-239-6] (3:1)	Index number: CAS:	613-167-00-5 55965-84-9	 A.2/1B Skin Corr. 1B H314 A.3/1 Eye Dam. 1 H318 A.4.2/1 Skin Sens. 1 H317 US-HAE/A1 Aquatic Acute 1 H400 US-HAE/C1 Aquatic Chronic 1 H410 A.1/3/Oral Acute Tox. 3 H301 A.1/3/Inhal Acute Tox. 3 H331



LWY023 IDROFLAT 30 Larice TIX esterni - Larch WB top coat TIX external

4. FIRST-AID MEASURES

Description of necessary measures

In case of skin contact:

Immediately take off all contaminated clothing.

Remove contaminated clothing immediately and dispose off safely.

In case of eyes contact:

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

- In case of Ingestion: Do not under any circumstances induce vomiting. OBTAIN A MEDICAL EXAMINATION IMMEDIATELY.
- In case of Inhalation:

Remove casualty to fresh air and keep warm and at rest.

Most important symptoms/effects, acute and delayed

None

Indication of immediate medical attention and special treatment needed

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible). Treatment:

None

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media: Water. Carbon dioxide (CO2). Unsuitable extinguishing media: None in particular. Specific hazards arising from the chemical Do not inhale explosion and combustion gases. Burning produces heavy smoke. Hazardous combustion products: None Explosive properties: N.D. in volume Oxidizing properties: N.D. Special protective equipment and precautions for fire-fighters Use suitable breathing apparatus . Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Move undamaged containers from immediate hazard area if it can be done safely.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment, and emergency procedures Wear personal protection equipment. Remove all sources of ignition. Wear breathing apparatus if exposed to vapours/dusts/aerosols. Provide adequate ventilation. Remove persons to safety. Use appropriate respiratory protection. See protective measures under point 7 and 8. Methods and materials for containment and cleaning up Wash with plenty of water.

7. HANDLING AND STORAGE

Precautions for safe handling Avoid contact with skin and eyes, inhalation of vapours and mists. Do not use on extensive surface areas in premises where there are occupants. Don't use empty container before they have been cleaned. Before making transfer operations, assure that there aren't any incompatible material residuals in the containers. Contamined clothing should be changed before entering eating areas. Do not eat or drink while working. See also section 8 for recommended protective equipment. Conditions for safe storage, including any incompatibilities Keep away from food, drink and feed. Incompatible materials: None in particular. Instructions as regards storage premises: Adequately ventilated premises. Storage temperature: Store at ambient temperature. LWY023/1

Page n. 3 of 8



LWY023 IDROFLAT 30 Larice TIX esterni - Larch WB top coat TIX external

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters , reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]; and 2-methyl-2H -isothiazol-3-one [EC no. 220-239-6] (3:1) - CAS: 55965-84-9 TLV TWA - 0,05 mg/m3 TLV STEL - 0,23 mg/m3 **DNEL Exposure Limit Values** Hydroxyphenyl-benzotriazole derivatives EC No. 400-830-67 - Index number: 607-176-00-3 Worker Industry: 0.398 mg/m3 - Worker Professional: 0.398 mg/m3 - Consumer: 0.099 mg/m3 - Exposure: Human Inhalation - Frequency: Long Term, systemic effects Worker Industry: 0.25 mg/kg - Worker Professional: 0.25 mg/kg - Consumer: 0.025 mg/kg - Exposure: Human Dermal - Frequency: Long Term, systemic effects Consumer: 0.025 mg/kg - Exposure: Human Oral - Frequency: Long Term, systemic effects Reaction mass of Bis(1,2,2,6,6-pentamethyl-4-piperidyl) sebacate and Methyl 1,2,2,6,6-pentamethyl-4-piperidyl sebacate Worker Industry: 3.53 mg/m3 - Worker Professional: 3.53 mg/m3 - Consumer: 0.87 mg/m3 - Exposure: Human Inhalation - Frequency: Long Term, systemic effects Worker Industry: 2 mg/kg - Worker Professional: 2 mg/kg - Consumer: 1 mg/kg - Exposure: Human Dermal -Frequency: Long Term, systemic effects Consumer: 0.5 mg/kg - Exposure: Human Oral - Frequency: Long Term, systemic effects **PNEC Exposure Limit Values** Hydroxyphenyl-benzotriazole derivatives EC No. 400-830-67 - Index number: 607-176-00-3 Target: Fresh Water - Value: 0.023 mg/l Target: Marine water - Value: 0.00023 mg/l Target: Freshwater sediments - Value: 7.26 mg/l Target: Marine water sediments - Value: 0.726 mg/l Target: Intermittent emission - Value: 0.023 mg/l Target: Microorganisms in sewage treatments - Value: 100 mg/l Reaction mass of Bis(1,2,2,6,6-pentamethyl-4-piperidyl) sebacate and Methyl 1,2,2,6,6-pentamethyl-4-piperidyl sebacate Target: Fresh Water - Value: 0.0022 mg/l Target: Marine water - Value: 0.00022 mg/l Target: Intermittent emission - Value: 0.009 mg/l Target: Marine water sediments - Value: 0.11 mg/kg Target: Soil (agricultural) - Value: 0.21 mg/kg Target: Microorganisms in sewage treatments - Value: 1 mg/l Appropriate engineering controls: None Individual protection measures Eye protection: Eye glasses with side protection. (EN166) Protection for skin: Use clothing that provides comprehensive protection to the skin, e.g. cotton, rubber, PVC or viton. Protection for hands: Suitable gloves type:(EN374) Respiratory protection: Not needed for normal use. Thermal Hazards: None

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance and colour: Odour:	coloured fluid typical
Odour threshold:	N.D.
pH:	8.5
Melting point / freezing point:	N.D. °C
Initial boiling point and boiling range:	> 100 °C
Solid/gas flammability:	N.A.
Upper/lower flammability or explosive limits: N.E	
Vapour density:	>1
Flash point:	N.A.
Evaporation rate:	N.D.
Vapour pressure:	N.D. (20 °C)
Relative density:	1.030 - 1.050
Solubility in water:	miscible
Solubility in oil:	partial
Partition coefficient (n-octanol/water):	N.D.

LWY023/1

Page n. 4 of 8



LWY023 IDROFLAT 30 Larice TIX esterni - Larch WB top coat TIX

°C °C

external

Auto-ignition temperature:	N.D.
Decomposition temperature:	N.D.
Viscosity:	N.D.
Miscibility:	N.D.
Fat Solubility:	N.D.
Conductivity:	N.D.
Substance Groups relevant properties	N.A.

10. STABILITY AND REACTIVITY

Reactivity

Stable under normal conditions

Chemical stability

Stable under normal conditions Possibility of hazardous reactions

It may generate flammable gases on contact with elementary metals (alkalis and alkaline earth), nitrides, and powerful reducing agents.

It may catch fire on contact with oxidising mineral acids, elementary metals (alkalis and alkaline earth), nitrides, organic peroxides and hydroperoxides, oxidising agents, and reducing agents.

Conditions to avoid Stable under normal conditions.

Incompatible materials

None in particular.

Hazardous decomposition products

None.

11. TOXICOLOGICAL INFORMATION

Information on toxicological effects Toxicological information of the product:

IDROFLAT 30 Larice TIX esterni - Larch WB top coat TIX external a) acute toxicity Not classified No data available for the product b) skin corrosion/irritation Not classified No data available for the product c) serious eye damage/irritation Not classified No data available for the product d) respiratory or skin sensitisation The product is classified: Skin Sens. 1 H317 e) germ cell mutagenicity Not classified No data available for the product f) carcinogenicity Not classified No data available for the product g) reproductive toxicity Not classified No data available for the product h) STOT-single exposure Not classified No data available for the product i) STOT-repeated exposure Not classified No data available for the product j) aspiration hazard Not classified No data available for the product Toxicological information of the main substances found in the product: Reaction mass of Bis(1,2,2,6,6-pentamethyl-4-piperidyl) sebacate and Methyl 1,2,2,6,6-pentamethyl-4-piperidyl sebacate a) acute toxicity: Test: LD50 - Route: Oral - Species: Rat > 2000 mg/kg Test: LD50 - Route: Skin - Species: Rabbit > 3000 mg/kg 1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one - CAS: 2634-33-5 a) acute toxicity: Test: LD50 - Route: Oral - Species: Rat = 1193 mg/kg

LWY023/1

Page n. 5 of 8



LWY023 IDROFLAT 30 Larice TIX esterni - Larch WB top coat TIX external

Test: LD50 - Route: Skin - Species: Rat = 4115 mg/kg reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]; and 2-methyl-2H -isothiazol-3-one [EC no. 220-239-6] (3:1) - CAS: 55965-84-9 a) acute toxicity: Test: LC50 - Route: Inhalation - Species: Rat = 0.31 mg/l - Duration: 4h Test: LC50 - Route: Oral - Species: Rat = 53 mg/kg Substance(s) listed on the NTP report on Carcinogens: None.

Substance(s) listed on the IARC Monographs: None.

Substance(s) listed as OSHA Carcinogen(s):

None.

Substance(s) listed as NIOSH Carcinogen(s): None.

12. ECOLOGICAL INFORMATION

Ecotoxicity Adopt good working practices, so that the product is not released into the environment. IDROFLAT 30 Larice TIX esterni - Larch WB top coat TIX external The product is classified: Aquatic Acute 3 - H402; Aquatic Chronic 3 - H412 Hydroxyphenyl-benzotriazole derivatives EC No. 400-830-67 - Index number: 607-176-00-3 a) Aquatic acute toxicity: Endpoint: LC50 - Species: Fish = 2.8 mg/l - Duration h: 96 Endpoint: EC50 - Species: Daphnia = 4 mg/l - Duration h: 48 Endpoint: EC50 - Species: Algae = 9 mg/l - Duration h: 72 b) Aquatic chronic toxicity: Endpoint: NOEC - Species: Daphnia = 0.23 mg/l - Notes: 21 day Endpoint: NOEC - Species: Fish = 1.2 mg/l - Duration h: 96 Reaction mass of Bis(1,2,2,6,6-pentamethyl-4-piperidyl) sebacate and Methyl 1,2,2,6,6-pentamethyl-4-piperidyl sebacate a) Aquatic acute toxicity: Endpoint: LC50 - Species: Fish = 0.9 mg/l - Duration h: 72 Endpoint: EC50 - Species: Daphnia = 1.68 mg/l - Duration h: 72 b) Aquatic chronic toxicity: Endpoint: NOEC - Species: Daphnia = 1 mg/l - Notes: 21 day Endpoint: NOEC - Species: Algae = 0.22 mg/l - Duration h: 72 1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one - CAS: 2634-33-5 a) Aquatic acuté toxicity: Endpoint: LC50 - Species: Fish = 2.18 mg/l - Duration h: 96 Endpoint: EC50 - Species: Daphnia = 2.94 mg/l - Duration h: 48 Endpoint: EC50 - Species: Algae = 0.11 mg/l - Duration h: 72 b) Aquatic chronic toxicity: Endpoint: NOEC - Species: Daphnia = 1.2 mg/l - Notes: 21 d Endpoint: NOEC - Species: Fish = 0.21 mg/l - Notes: 28 d reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EČ no. 247-500-7]; and 2-methyl-2H -isothiazol-3-one [EC no. 220-239-6] (3:1) - CAS: 55965-84-9 a) Aquatic acute toxicity: Endpoint: EC50 - Species: Algae = 0.018 mg/l - Duration h: 72 Endpoint: EC50 - Species: Daphnia = 0.126 mg/l - Duration h: 48 Endpoint: LC50 - Species: Fish = 0.188 mg/l - Duration h: 96 b) Aquatic chronic toxicity: Endpoint: NOEC - Species: Algae = 0.0012 mg/l - Duration h: 72 - Notes: OECD 201 Endpoint: NOEC - Species: Daphnia = 0.004 mg/l - Notes: 21d - OECD 211 Endpoint: NOEC - Species: Fish = 0.098 mg/l - Notes: 28d - OECD 210 Persistence and degradability Reaction mass of Bis(1,2,2,6,6-pentamethyl-4-piperidyl) sebacate and Methyl 1,2,2,6,6-pentamethyl-4-piperidyl sebacate Biodegradability: Non-readily biodegradable - Test: Biochemical oxigen demand - Duration h: 28 days - %: 38 -Notes: OECD 301F Bioaccumulative potential N.A. Mobility in soil N.A. Other adverse effects None

13. DISPOSAL CONSIDERATIONS

LWY023/1 Page n. 6 of 8



LWY023 IDROFLAT 30 Larice TIX esterni - Larch WB top coat TIX external

Waste treatment and disposal methods

Recover if possible. In so doing, comply with the local and national regulations currently in force.

14. TRANSPORT INFORMATION

UN number Not classified as dangerous in the meaning of transport regulations. UN proper shipping name N.A. Transport hazard class(es) N.A. Packing group N.A. Environmental hazards ADR-Enviromental Pollutant: No IMDG-Marine pollutant: No Transport in bulk (according to Annex II of MARPOL 73/78 and the IBC Code) N.A. Special precautions N.A.

15. REGULATORY INFORMATION

USA - Federal regulations

TSCA - Toxic Substances Control Act List of substances included in the TSCA inventory: 1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one. List of substances not included in the TSCA inventory: Hydroxyphenyl-benzotriazole derivatives EC No. 400-830-67, Reaction mass of Bis(1,2,2,6,6-pentamethyl-4-piperidyl) sebacate and Methyl 1,2,2,6,6-pentamethyl-4-piperidyl sebacate, reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]; and 2-methyl-2H -isothiazol-3-one [EC no. 220-239-6] (3:1). TSCA listed substances: 1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one is listed in TSCA Section 8b. SARA - Superfund Amendments and Reauthorization Act Section 302 - Extremely Hazardous Substances: no substances listed. Section 304 - Hazardous substances: no substances listed. Section 313 - Toxic chemical list: no substances listed. CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act No substances listed. CAA - Clean Air Act CAA listed substances: None. CWA - Clean Water Act CWA listed substances: None. USA - State specific regulations California Proposition 65 Substance(s) listed under California Proposition 65: None. Massachusetts Right to know Substance(s) listed under Massachusetts Right to know: No substances listed. New Jersey Right to know Substance(s) listed under New Jersey Right to know: No substances listed. Pennsylvania Right to know Substance(s) listed under Pennsylvania Right to know: No substances listed. Volatile Organic compounds - VOCs = 3.07 %

Volatile Organic compounds - VOCs = 32.25 g/l Volatile CMR substances = 0.00 % Organic Carbon - C = 0.02

LWY023/1 Page n. 7 of 8



LWY023 IDROFLAT 30 Larice TIX esterni - Larch WB top coat TIX external

16. OTHER INFORMATION

Full text of phrases referred to in Section 3:

- H317 May cause an allergic skin reaction.
- H411 Toxic to aquatic life with long lasting effects.
- H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects.
- H315 Causes skin irritation.
- H318 Causes serious eye damage.
- H302 Harmful if swallowed.
- H314 Causes severe skin burns and eye damage.
- H301 Toxic if swallowed.
- H311 Toxic in contact with skin.
- H331 Toxic if inhaled.

Safety Data Sheet dated 7/2/2018, version 1

Disclaimer:

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality. The information relates only to the specific material and may not be valid for such material used in combination with any other material or in any process. This Safety Data Sheet cancels and replaces any preceding release.

ADR: CAS: CLP: DNEL:	European Agreement concerning the International Carriage of Dangerous Goods by Road. Chemical Abstracts Service (division of the American Chemical Society). Classification, Labeling, Packaging. Derived No Effect Level.
EINECS:	European Inventory of Existing Commercial Chemical Substances.
GHS:	Globally Harmonized System of Classification and Labeling of Chemicals.
HMIS:	Hazardous Materials Identification System
IARC:	International Agency for Research on Cancer
IATA:	International Air Transport Association.
IATA-DGR:	Dangerous Goods Regulation by the "International Air Transport Association" (IATA).
ICAO:	International Civil Aviation Organization.
ICAO-TI:	Technical Instructions by the "International Civil Aviation Organization" (ICAO).
IMDG:	International Maritime Code for Dangerous Goods.
INCI:	International Nomenclature of Cosmetic Ingredients.
KSt:	Explosion coefficient.
LC50:	Lethal concentration, for 50 percent of test population.
LD50:	Lethal dose, for 50 percent of test population.
NFPA:	National Fire Protection Association
NIOSH:	National Institute for Occupational Safety and Health
NTP:	National Toxicology Program
OSHA:	Occupational Safety and Health Administration.
PNEC:	Predicted No Effect Concentration.
RID:	Regulation Concerning the International Transport of Dangerous Goods by Rail.
STEL:	Short Term Exposure limit.
STOT:	Specific Target Organ Toxicity.
TLV:	Threshold Limiting Value.
TWA:	Time-weighted average