ENVIRONMENTAL DATA SHEET

(Certified Product Data Sheet)

Date of Preparation

Apr 22, 2021

09 00 [1121]

PRODUCT NUMBER

DV5940000

PRODUCT NAME

Catalyst 2750

MANUFACTURER'S NAME

ACROMAPRO WOOD FINISHES 101 W. Prospect Avenue Cleveland, OH 44115

This document includes all data required by 40 CFR 63.801(a) for a Certified Product Data Sheet under criteria specified in 40 CFR 63.805(a). All data given below are MAXIMUM THEORETICAL VALUES based on the product AS CURRENTLY FORMULATED. Variations may occur on individual batches due to adjustments made during production.

Hazard Category (for SARA 311.312)

DV5940000 = | Acute | Chronic | Fire |

Product WeightSpecific GravityFLASH POINT7.29 lb/gal0.8843 °F PMCC

Volatile Ingredients

Chemical / Compound	SARA 302 EHS	CERCLA	SARA 313 TC	HAPS 112	% by Weight	% by Volume
Toluene	N	Υ	Υ	Υ	38	39
108-88-3						
Ethanol 64-17-5	N	N	N	N	45	50
2-Propanol 67-63-0	N	N	N	N	2	2
Sulfuric Acid 7664-93-9	Y	Υ	Υ	N	2	1

Volatile Organic Compounds - U.S. EPA / Canada

	DV5940000		
	LB/Gal	g/L	
Coating Density	7.29	873	
	By wt	By vol	
Total Volatiles	88.1%	92.5%	
Federally exempt solvents			
Water	0.4%	0.3%	
Non-Organic Volatiles			
Sulfuric Acid	2.2%	1.1%	
Organic Volatiles	85.5%	91.1%	
Percent Non-Volatile	11.9%	7.5%	
VOC Content	LB/Gal	g/L	
Total	6.22	746	
Less exempt solvents	6.24	748	
Of solids	83.16	9965	
Of solids	7.16 lb/lb	7.16 kg/kg	
	By wt		
By wt LVP-VOC	85.5%		

Maximum Incremental Reactivity (MIR) (per US EPA Aerosol Ctg Rule, MIR Values 2009) 2.30

Volatile Organic Compounds - California

	DV5940000	
	LB/Gal	g/L
Coating Density	7.29	873
	By wt	By vol
Total Volatiles	88.1%	92.5%
Exempt solvents		
Water	0.4%	0.3%
Non-Organic Volatiles		
Sulfuric Acid	2.2%	1.1%
Organic Volatiles	85.5%	91.1%
Percent Non-Volatile	11.9%	7.5%
VOC Content	LB/Gal	g/L
Total	6.22	746
Less exempt solvents	6.24	748
Of solids	83.16	9965
Of solids	7.16 lb/lb	7.16 kg/kg
	By wt	
By wt LVP-VOC	85.5%	

Maximum Incremental Reactivity (MIR) (per California Air Resources Board Aerosol Products Regulation, MIR Values 2010) 2.23

Volatile Organic Compounds - South Coast Air Quality Management District, California, US

	DV5940000		
	LB/Gal	g/L	
Coating Density	7.29	873	
	By wt	By vol	
Total Volatiles	88.1%	92.5%	
Exempt solvents			
Water	0.4%	0.3%	
Non-Organic Volatiles			
Sulfuric Acid	2.2%	1.1%	
Organic Volatiles	85.5%	91.1%	
Percent Non-Volatile	11.9%	7.5%	
VOC Content	LB/Gal	g/L	
Total	6.22	746	
Less exempt solvents	6.24	748	
Of solids	83.16	9965	
Of solids	7.16 lb/lb	7.16 kg/kg	

Volatile Organic Compounds - EU Directive 2004/42/EC

	DV5940000	
	By wt	By vol
Total Volatiles	85.9%	91.4%
VOC Content	LB/Gal	g/L
Total	6.22	746

Volatile Organic Compounds - EU Directive 2010/75/EU

	DV5940000	
	By wt	By vol
Total Volatiles	88.1%	92.5%
VOC Content	LB/Gal	g/L
Total	6.38	765

Volatile Organic Compounds - Mexico

	DV5940000		
	LB/Gal	g/L	
Coating Density	7.29	873	
	By wt	By vol	
Total Volatiles	88.1%	92.5%	
Exempt solvents			
Water	0.4%	0.3%	
Organic Volatiles	87.7%	92.2%	
Percent Non-Volatile	11.9%	7.5%	
VOC Content	LB/Gal	g/L	
Total	6.38	765	
Less exempt solvents	6.40	768	
Of solids	85.30	10221	
Of solids	7.35 lb/lb	7.35 kg/kg	

Hazardous Air Pollutants (Clean Air Act, Section 112(b))

	DV5940000		
	LB/Gal	kg/L	
Volatile HAPS	2.80	0.335	
Of solids	37.44	4.486	
Of solids	3.22 lb/lb	3.22 kg/kg	

Air Quality Data

Density of Organic Solvent Blend

6.93 lb/gal

Photochemically Reactive

Yes

Additional Regulatory Information

US EPA TSCA:

Not Applicable

Relevant identified uses of the substance or mixture and uses advised against:

Not Applicable

Waste Disposal

Waste from this product may be hazardous as defined under the Resource Conservation and Recovery Act (RCRA) 40 CFR 261. Waste must be tested for ignitability to determine the applicable EPA hazardous waste numbers.

Addition of reducers or other additives to this product may substantially alter the above data. Since conditions of use are outside our control, we make no warranties, express or implied, and assume no liability in connection with any use of this information.