

Dalety Data Oi



# LWY253 IDROFLAT Opaco trasp. pennello EX - Clear WB matt by brush EX

Safety Data Sheet dated 3/18/2020, version 1

### 1. IDENTIFICATION

Product identifier

Mixture identification:

Trade name: IDROFLAT Opaco trasp. pennello EX - Clear WB matt by brush

EX

Other means of identification:

Trade code: LWY253

Recommended use of the chemical and restrictions on use

Recommended use:

Industrial and professional uses (SU3 - SU22)

Varnish for wood

Name, address, and telephone number of the chemical manufacturer, importer, or other responsible party

Company:

NUOVA S.I.V.A.M. SpA - Via Monviso, 10 - 20010 BAREGGIO (MI) - Tel. +39 02 90304.1

Importer:

Richelieu America Itd, 7021 Sterling Ponds Blvd, Sterling Heights, MI 48312-5809 U.S. Tel:

+1-800-361-6000.

Emergency phone number for U.S.A.: Chemtrec +1-800-424-9300

Distributor:

Richelieu America Itd, 7021 Sterling Ponds Blvd, Sterling Heights, MI 48312-5809 U.S. Tel:

+1-800-361-6000.

Emergency phone number for U.S.A.: Chemtrec +1-800-424-9300

Competent person responsible for the safety data sheet:

msds@sivam.it

Emergency phone number

NUÓVA S.I.V.A.M. SpA - Tel. +39 02 90304.1 (Monday - Friday 8.00 - 15.00)

Poison Centre - Ospedale di Niguarda - Milan - Tel. +39 02 66101029 (24 h)

### 2. HAZARD(S) IDENTIFICATION

Classification of the chemical

◆ Warning, Skin Sens. 1, May cause an allergic skin reaction.

Aquatic Acute 3, Harmful to aquatic life.

Aquatic Chronic 3, Harmful to aquatic life with long lasting effects.

#### Label elements

Hazard pictograms:



Warning

Hazard statements:

H317 May cause an allergic skin reaction.

H402 Harmful to aquatic life.

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements:

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P272 Contaminated work clothing should not be allowed out of the workplace.

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352 IF ON SKIN: Wash with plenty of soap and water.

LWY253/1

Page n. 1 of 13



.

# LWY253 IDROFLAT Opaco trasp. pennello EX - Clear WB matt by brush EX

P321 Specific treatment (see ... On this label).

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P363 Wash contaminated clothing before reuse.

P501 Dispose of contents/container in accordance with applicable regulations.

**Special Provisions:** 

None

Hazards not otherwise classified identified during the classification process:

None

Ingredient(s) with unknown acute toxicity:

None.

Additional classification information

NFPA rating:

HMIS rating:

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substances

N.A.

Mixtures

Hazardous components within the meaning of 29 CFR 1910.1200 and related classification:

Qty	Name	Ident. Number		Classification
>= 1% - < 2.5%	2-(2-butoxyethoxy) ethanol; diethylene glycol monobutyl ether	Index number: CAS: EC: REACH No.:	112-34-5 203-961-6	
>= 0.5% - < 1%	Hydroxyphenyl- benzotriazole derivatives EC No. 400- 830-67 (CAS 104810- 47-1 + CAS 104810- 48-2)	Index number: EC: REACH No.:	400-830-7	<ul><li>♠ A.4.2/1 Skin Sens. 1 H317</li><li>♠ US-HAE/C2 Aquatic Chronic 2 H411</li></ul>
>= 0.25% - < 0.3%	Reaction mass of Bis(1,2,2,6,6- pentamethyl-4- piperidyl) sebacate and Methyl 1,2,2,6,6- pentamethyl-4- piperidyl sebacate (CAS 41556-26-7 + CAS 82919-37-7)	EC: REACH No.:	915-687-0 01- 2119491304 -40	<ul> <li>♣ A.4.2/1 Skin Sens. 1 H317</li> <li>♣ US-HAE/A1 Aquatic Acute 1 H400</li> <li>♣ US-HAE/C1 Aquatic Chronic 1 H410</li> </ul>
>= 0.1% - < 0.25%	ammonia%	Index number: CAS: EC:	007-001-01-2 1336-21-6 215-647-6	<ul> <li>♦ A.2/1B Skin Corr. 1B H314</li> <li>♦ A.8/3 STOT SE 3 H335</li> <li>♦ US-HAE/A1 Aquatic Acute 1 H400</li> </ul>

LWY253/1



## LWY253 IDROFLAT Opaco trasp. pennello EX - Clear WB matt by brush EX

		REACH No.:	01-	
			2119982985 -14	
191 ppm	octhilinone (ISO); 2- octyl-2H-isothiazol-3- one	Index number: CAS: EC:	613-112-00-5 26530-20-1 247-761-7	<ul> <li>A.2/1B Skin Corr. 1B H314</li> <li>A.4.2/1 Skin Sens. 1 H317</li> <li>US-HAE/A1 Aquatic Acute 1 H400</li> <li>US-HAE/C1 Aquatic Chronic 1 H410</li> <li>A.1/3/Dermal Acute Tox. 3 H311</li> <li>A.1/4/Oral Acute Tox. 4 H302</li> </ul>
60 ppm	1,2-benzisothiazol- 3(2H)-one; 1,2- benzisothiazolin-3-one	Index number: CAS: EC: REACH No.:	613-088-00-6 2634-33-5 220-120-9 01- 2120761540 -60	<ul> <li>♠ A.1/4/Oral Acute Tox. 4 H302</li> <li>♠ A.2/2 Skin Irrit. 2 H315</li> <li>♠ A.3/1 Eye Dam. 1 H318</li> <li>♠ A.4.2/1 Skin Sens. 1 H317</li> <li>♠ US-HAE/A1 Aquatic Acute 1 H400</li> <li>♠ US-HAE/C2 Aquatic Chronic 2 H411</li> </ul>
10 ppm	2-methyl-2H-isothiazol- 3-one	CAS: EC: REACH No.:	2682-20-4 220-239-6 01- 2120764690 -50	<ul> <li>A.1/2/Inhal Acute Tox. 2 H330</li> <li>A.1/3/Dermal Acute Tox. 3 H311</li> <li>A.1/3/Oral Acute Tox. 3 H301</li> <li>A.2/1B Skin Corr. 1B H314</li> <li>A.4.2/1A Skin Sens. 1A H317</li> <li>US-HAE/A1 Aquatic Acute 1 H400</li> <li>US-HAE/C1 Aquatic Chronic 1 H410</li> </ul>
8 ppm	mixture of: 5-chloro-2- methyl-4-isothiazolin-3- one [EC no. 247-500-7] and 2-methyl-2H - isothiazol-3-one [EC no. 220-239-6] (3:1) (CAS 26172-55-4 + CAS 2682-20-4)	Index number: CAS: REACH No.:	55965-84-9	<ul> <li>A.2/1B Skin Corr. 1B H314</li> <li>A.3/1 Eye Dam. 1 H318</li> <li>A.4.2/1 Skin Sens. 1 H317</li> <li>US-HAE/A1 Aquatic Acute 1 H400</li> <li>US-HAE/C1 Aquatic Chronic 1 H410</li> <li>A.1/3/Oral Acute Tox. 3 H301</li> <li>A.1/3/Dermal Acute Tox. 3 H311</li> <li>A.1/2/Inhal Acute Tox. 2 H330</li> </ul>
4 ppm	Dodecamethylcyclohex asiloxane (D6)	CAS: EC: REACH No.:	540-97-6 208-762-8 01- 2119517435 -42	The product is not classified as dangerous according to OSHA Hazard Communication Standard (29 CFR 1910.1200).
4 ppm	Decamethylcyclopentas iloxane (D5)	CAS: EC: REACH No.:	541-02-06 208-764-9 01- 2119511367 -43	The product is not classified as dangerous according to OSHA Hazard Communication Standard (29 CFR 1910.1200).
4 ppm	octamethylcyclotetrasilo	Index	014-018-00-1	◆ B.6/3 Flam. Liq. 3 H226



# LWY253 IDROFLAT Opaco trasp. pennello EX - Clear WB matt by brush

xane (D4)	number: CAS: EC: REACH No.:	209-136-7	A.7/2 Repr. 2 H361 US-HAE/C4 Aquatic Chronic 4 H413
-----------	--------------------------------------	-----------	---

### 4. FIRST-AID MEASURES

Description of necessary measures

In case of skin contact:

Immediately take off all contaminated clothing.

Remove contaminated clothing immediately and dispose off safely.

In case of eyes contact:

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

In case of Ingestion:

Do not under any circumstances induce vomiting. OBTAIN A MEDICAL EXAMINATION IMMEDIATELY.

In case of Inhalation:

Remove casualty to fresh air and keep warm and at rest.

Most important symptoms/effects, acute and delayed

Indication of immediate medical attention and special treatment needed

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

Treatment:

None

### 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media:

Water.

Carbon dioxide (CO2).

Unsuitable extinguishing media:

None in particular.

Specific hazards arising from the chemical

Do not inhale explosion and combustion gases.

Burning produces heavy smoke.

Hazardous combustion products:

None

Explosive properties: N.D. in volume

Oxidizing properties: N.D.

Special protective equipment and precautions for fire-fighters

Use suitable breathing apparatus

Collect contaminated fire extinguishing water separately. This must not be discharged into

drains.

Move undamaged containers from immediate hazard area if it can be done safely.

### **6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment, and emergency procedures

Wear personal protection equipment.

Remove persons to safety.

See protective measures under point 7 and 8.

Methods and materials for containment and cleaning up

Wash with plenty of water.



.

# LWY253 IDROFLAT Opaco trasp. pennello EX - Clear WB matt by brush EX

### 7. HANDLING AND STORAGE

Precautions for safe handling

Avoid contact with skin and eyes, inhalation of vapours and mists.

Do not use on extensive surface areas in premises where there are occupants.

Don't use empty container before they have been cleaned.

Before making transfer operations, assure that there aren't any incompatible material residuals in the containers.

See also section 8 for recommended protective equipment.

Advice on general occupational hygiene:

Contamined clothing should be changed before entering eating areas.

Do not eat or drink while working.

Conditions for safe storage, including any incompatibilities

Keep away from food, drink and feed.

Incompatible materials:

None in particular.

Instructions as regards storage premises:

Adequately ventilated premises.

Storage temperature:

Store at ambient temperature.

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

2-(2-butoxyethoxy)ethanol; diethylene glycol monobutyl ether - CAS: 112-34-5

EU - TWA(8h): 67.5 mg/m3, 10 ppm - STEL: 101.2 mg/m3, 15 ppm

ACGIH - TWA(8h): 10 ppm - Notes: (IFV) - Hematologic, liver and kidney eff

ammonia ...% - CAS: 1336-21-6

ACGIH - TWA: 18 mg/m3, 25 ppm - STEL: 27 mg/m3, 35 ppm

octhilinone (ISO); 2-octyl-2H-isothiazol-3-one - CAS: 26530-20-1

TLV TWA - 0,2 mg/m3

TLV STEL - 0,6 mg/m3

mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H -isothiazol-3-one [EC no. 220-239-6] (3:1) (CAS 26172-55-4 + CAS 2682-20-4) - CAS: 55965-84-9

TLV TWA - 0,05 mg/m3

TLV STEL - 0,23 mg/m3

Decamethylcyclopentasiloxane (D5) - CAS: 541-02-06

ACGIH - TWA(8h): 10 ppm

octamethylcyclotetrasiloxane (D4) - CAS: 556-67-2

ACGIH - TWA(8h): 123 mg/m3, 10 ppm

**DNEL Exposure Limit Values** 

2-(2-butoxyethoxy)ethanol; diethylene glycol monobutyl ether - CAS: 112-34-5

Worker Industry: 101.2 mg/m3 - Worker Professional: 101.2 mg/m3 - Consumer: 34

mg/m3 - Exposure: Human Inhalation - Frequency: Short Term, local effects

Worker Industry: 67.5 mg/m3 - Worker Professional: 67.5 mg/m3 - Consumer: 34 mg/m3

- Exposure: Human Inhalation - Frequency: Long Term, systemic effects

Worker Industry: 20 mg/kg - Worker Professional: 20 mg/kg - Consumer: 10 mg/kg -

Exposure: Human Dermal - Frequency: Long Term, systemic effects

Consumer: 1.25 mg/kg - Exposure: Human Oral - Frequency: Long Term, systemic effects

Hydroxyphenyl-benzotriazole derivatives EC No. 400-830-67 (CAS 104810-47-1 + CAS 104810-48-2) - Index number: 607-176-00-3

Worker Industry: 0.398 mg/m3 - Worker Professional: 0.398 mg/m3 - Consumer: 0.099 mg/m3 - Exposure: Human Inhalation - Frequency: Long Term, systemic effects

Worker Industry: 0.25 mg/kg - Worker Professional: 0.25 mg/kg - Consumer: 0.025 mg/kg

- Exposure: Human Dermal - Frequency: Long Term, systemic effects

Consumer: 0.025 mg/kg - Exposure: Human Oral - Frequency: Long Term, systemic

LWY253/1 Page n. 5 of 13



## LWY253 IDROFLAT Opaco trasp. pennello EX - Clear WB matt by brush EX

effects

Reaction mass of Bis(1,2,2,6,6-pentamethyl-4-piperidyl) sebacate and Methyl 1,2,2,6,6-pentamethyl-4-piperidyl sebacate (CAS 41556-26-7 + CAS 82919-37-7)

Worker Industry: 3.53 mg/m3 - Worker Professional: 3.53 mg/m3 - Consumer: 0.87 mg/m3 - Exposure: Human Inhalation - Frequency: Long Term, systemic effects Worker Industry: 2 mg/kg - Worker Professional: 2 mg/kg - Consumer: 1 mg/kg -

Exposure: Human Dermal - Frequency: Long Term, systemic effects

Consumer: 0.5 mg/kg - Exposure: Human Oral - Frequency: Long Term, systemic effects ammonia ...% - CAS: 1336-21-6

Worker Industry: 6.8 mg/kg - Worker Professional: 6.8 mg/kg - Exposure: Human Dermal - Frequency: Short Term, systemic effects

Worker Industry: 6.8 mg/kg - Worker Professional: 6.8 mg/kg - Exposure: Human Dermal - Frequency: Long Term, systemic effects

Worker Industry: 47.6 mg/m3 - Worker Professional: 47.6 mg/m3 - Consumer: 23.8 mg/m3 - Exposure: Human Inhalation - Frequency: Short Term, systemic effects Worker Industry: 47.6 mg/m3 - Worker Professional: 47.6 mg/m3 - Consumer: 23.8 mg/m3 - Exposure: Human Inhalation - Frequency: Long Term, systemic effects Worker Industry: 36 mg/m3 - Worker Professional: 36 mg/m3 - Exposure: Human Inhalation - Frequency: Short Term, local effects

Worker Industry: 14 mg/m3 - Worker Professional: 14 mg/m3 - Consumer: 2.8 mg/m3 -

Exposure: Human Inhalation - Frequency: Long Term, local effects

Consumer: 6.8 mg/kg - Exposure: Human Oral - Frequency: Short Term, systemic effects Consumer: 6.8 mg/kg - Exposure: Human Oral - Frequency: Long Term, systemic effects octamethylcyclotetrasiloxane (D4) - CAS: 556-67-2

Worker Industry: 73 mg/m3 - Worker Professional: 73 mg/m3 - Consumer: 13 mg/m3 -

Exposure: Human Inhalation - Frequency: Long Term, systemic effects

Worker Industry: 73 mg/kg - Worker Professional: 73 mg/kg - Consumer: 13 mg/kg -

Exposure: Human Inhalation - Frequency: Short Term, systemic effects

Consumer: 3.7 mg/kg - Exposure: Human Oral - Frequency: Long Term, systemic effects Consumer: 3.7 mg/kg - Exposure: Human Oral - Frequency: Short Term, systemic effects **PNEC Exposure Limit Values** 

2-(2-butoxyethoxy)ethanol; diethylene glycol monobutyl ether - CAS: 112-34-5

Target: Fresh Water - Value: 1.1 mg/l Target: Marine water - Value: 0.11 mg/l

Target: Freshwater sediments - Value: 4.4 mg/kg

Target: Marine water sediments - Value: 0.44 mg/kg

Target: Microorganisms in sewage treatments - Value: 200 mg/l

Target: Soil (agricultural) - Value: 0.32 mg/kg

Target: Food chain - Value: 56 mg/kg

Hydroxyphenyl-benzotriazole derivatives EC No. 400-830-67 (CAS 104810-47-1 + CAS

104810-48-2) - Index number: 607-176-00-3 Target: Fresh Water - Value: 0.023 mg/l

Target: Marine water - Value: 0.00023 mg/l

Target: Freshwater sediments - Value: 7.26 mg/l

Target: Marine water sediments - Value: 0.726 mg/l

Target: Intermittent emission - Value: 0.023 mg/l

Target: Microorganisms in sewage treatments - Value: 100 mg/l Reaction mass of Bis(1,2,2,6,6-pentamethyl-4-piperidyl) sebacate and Methyl

1,2,2,6,6-pentamethyl-4-piperidyl sebacate (CAS 41556-26-7 + CAS 82919-37-7)

Target: Fresh Water - Value: 0.0022 mg/l

Target: Marine water - Value: 0.00022 mg/l Target: Intermittent emission - Value: 0.009 mg/l

Target: Freshwater sediments - Value: 1.05 mg/kg

Target: Marine water sediments - Value: 0.11 mg/kg

Target: Microorganisms in sewage treatments - Value: 1 mg/l

Target: Soil (agricultural) - Value: 0.21 mg/kg



.

# LWY253 IDROFLAT Opaco trasp. pennello EX - Clear WB matt by brush EX

ammonia ...% - CAS: 1336-21-6

Target: Fresh Water - Value: 0.0011 mg/l Target: Marine water - Value: 0.0011 mg/l

Target: Intermittent emission - Value: 0.0068 mg/l

octamethylcyclotetrasiloxane (D4) - CAS: 556-67-2

Target: Fresh Water - Value: 0.00044 mg/l Target: Marine water - Value: 0.000044 mg/l

Target: Freshwater sediments - Value: 0.128 mg/kg

Target: Marine water sediments - Value: 0.013 mg/kg Target: Microorganisms in sewage treatments - Value: 100 mg/kg

Target: Soil (agricultural) - Value: 0.136 mg/kg

Appropriate engineering controls:

None

Individual protection measures

Eye protection:

Eye glasses with side protection. (EN166)

Protection for skin:

Use clothing that provides comprehensive protection to the skin, e.g. cotton, rubber, PVC or

viton.

Protection for hands:

Suitable gloves type:(EN374)

Respiratory protection:

Not needed for normal use.

Thermal Hazards:

None

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance and colour: opalescent fluid

Odour: typical
Odour threshold: N.D.
pH: 8.5
Melting point / freezing point: N.D. °C

Initial boiling point and boiling range: > 100 °C

Solid/gas flammability: N.A.

Upper/lower flammability or explosive limits: N.D.

Vapour density: > 1
Flash point: N.A. °C
Evaporation rate: N.D.
Vapour pressure: N.D. (20 °C)

Relative density:

Solubility in water:

Solubility in oil:

Partition coefficient (n-octanol/water):

Auto-ignition temperature:

Decomposition temperature:

Viscosity:

N.D.

N.D.

N.D.

N.D.

N.D.

N.D.

N.D.

N.D.

Viscosity: N.D.
Miscibility: N.D.
Fat Solubility: N.D.
Conductivity: N.D.
Substance Groups relevant properties

Substance Groups relevant properties N.A.

#### 10. STABILITY AND REACTIVITY

Reactivity

Stable under normal conditions

Chemical stability

Stable under normal conditions

LWY253/1

Page n. 7 of 13



.

# LWY253 IDROFLAT Opaco trasp. pennello EX - Clear WB matt by brush EX

Possibility of hazardous reactions

Conditions to avoid

Stable under normal conditions.

Incompatible materials

None in particular.

Hazardous decomposition products

None.

## 11. TOXICOLOGICAL INFORMATION

Information on toxicological effects

Toxicological information of the product:

IDROFLAT Opaco trasp. pennello EX - Clear WB matt by brush EX

a) acute toxicity

Not classified

No data available for the product

b) skin corrosion/irritation

Not classified

No data available for the product

c) serious eye damage/irritation

Not classified

No data available for the product

d) respiratory or skin sensitisation

The product is classified: Skin Sens. 1 H317

e) germ cell mutagenicity

Not classified

No data available for the product

f) carcinogenicity

Not classified

No data available for the product

g) reproductive toxicity

Not classified

No data available for the product

h) STOT-single exposure

Not classified

No data available for the product

i) STOT-repeated exposure

Not classified

No data available for the product

j) aspiration hazard

Not classified

No data available for the product

Toxicological information of the main substances found in the product:

2-(2-butoxyethoxy)ethanol; diethylene glycol monobutyl ether - CAS: 112-34-5

a) acute toxicity:

Test: LD50 - Route: Oral - Species: Rat = 2410 mg/kg - Source: OCSE 401

Test: LD50 - Route: Skin - Species: Rabbit = 2764 mg/kg - Source: OCSE 402

Reaction mass of Bis(1,2,2,6,6-pentamethyl-4-piperidyl) sebacate and Methyl

1,2,2,6,6-pentamethyl-4-piperidyl sebacate (CAS 41556-26-7 + CAS 82919-37-7)

a) acute toxicity:

Test: LD50 - Route: Oral - Species: Rat = 3230 mg/kg

Test: LD50 - Route: Skin - Species: Rabbit > 3000 mg/kg

octhilinone (ISO); 2-octyl-2H-isothiazol-3-one - CAS: 26530-20-1

a) acute toxicity:

Test: LD50 - Route: Oral - Species: Rat = 318 mg/kg Test: LD50 - Route: Skin - Species: Rabbit = 311 mg/kg

Test: LC50 - Route: Inhalation - Species: Rat = 0.58 mg/l - Duration: 4h

LWY253/1 Page n. 8 of 13



.

# LWY253 IDROFLAT Opaco trasp. pennello EX - Clear WB matt by brush EX

```
1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one - CAS: 2634-33-5
            a) acute toxicity:
                  Test: LD50 - Route: Oral - Species: Rat = 670 mg/kg
                  Test: LD50 - Route: Skin - Species: Rat = 4115 mg/kg
            2-methyl-2H-isothiazol-3-one - CAS: 2682-20-4
            a) acute toxicity:
                  Test: LD50 - Route: Oral - Species: Rat = 285 mg/kg
            mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H
            -isothiazol-3-one [EC no. 220-239-6] (3:1) (CAS 26172-55-4 + CAS 2682-20-4) - CAS:
            55965-84-9
            a) acute toxicity:
                  Test: LC50 - Route: Inhalation - Species: Rat = 0.31 mg/l - Duration: 4h
                  Test: LC50 - Route: Oral - Species: Rat = 53 mg/kg
            octamethylcyclotetrasiloxane (D4) - CAS: 556-67-2
            a) acute toxicity:
                  Test: LD50 - Route: Oral - Species: Rat > 4800 mg/kg
                  Test: LC50 - Route: Inhalation - Species: Rat = 12.17 mg/l - Duration: 4h
                  Test: LD50 - Route: Skin - Species: Rabbit = 2.5 mg/kg
      Substance(s) listed on the NTP report on Carcinogens:
            None.
      Substance(s) listed on the IARC Monographs:
            None.
      Substance(s) listed as OSHA Carcinogen(s):
            None.
      Substance(s) listed as NIOSH Carcinogen(s):
            None.
12. ECOLOGICAL INFORMATION
      Ecotoxicity
            Adopt good working practices, so that the product is not released into the environment.
      IDROFLAT Opaco trasp. pennello EX - Clear WB matt by brush EX
            The product is classified: Aquatic Acute 3 - H402; Aquatic Chronic 3 - H412
      Hydroxyphenyl-benzotriazole derivatives EC No. 400-830-67 (CAS 104810-47-1 + CAS 104810-48-2)
      - Index number: 607-176-00-3
            a) Aquatic acute toxicity:
                  Endpoint: LC50 - Species: Fish = 2.8 mg/l - Duration h: 96
                  Endpoint: EC50 - Species: Daphnia = 4 mg/l - Duration h: 48
                  Endpoint: EC50 - Species: Algae = 9 mg/l - Duration h: 72
            b) Aquatic chronic toxicity:
                  Endpoint: NOEC - Species: Daphnia = 0.23 mg/l - Notes: 21 day
                  Endpoint: NOEC - Species: Fish = 1.2 mg/l - Duration h: 96
      Reaction mass of Bis(1,2,2,6,6-pentamethyl-4-piperidyl) sebacate and Methyl
      1,2,2,6,6-pentamethyl-4-piperidyl sebacate (CAS 41556-26-7 + CAS 82919-37-7)
            a) Aquatic acute toxicity:
                  Endpoint: LC50 - Species: Fish = 0.9 mg/l - Duration h: 96 - Notes: OECD 203
                  Endpoint: EC50 - Species: Daphnia = 20 mg/l - Duration h: 24 - Notes: OECD 202
                  Endpoint: EC50 - Species: Algae = 1.68 mg/l - Duration h: 72 - Notes: OECD 201
            b) Aquatic chronic toxicity:
                  Endpoint: NOEC - Species: Algae = 1 mg/l - Duration h: 504 - Notes: OECD 211 (21 day)
      ammonia ...% - CAS: 1336-21-6
            a) Aquatic acute toxicity:
                  Endpoint: EC50 - Species: Daphnia = 24 mg/l - Duration h: 48
```

Endpoint: LC50 - Species: Fish = 0.53 mg/l - Duration h: 96

Endpoint: NOEC - Species: Daphnia = 0.79 mg/l - Duration h: 96

LWY253/1 Page n. 9 of 13

b) Aquatic chronic toxicity:



.

# LWY253 IDROFLAT Opaco trasp. pennello EX - Clear WB matt by brush EX

Endpoint: NOEC - Species: Fish = 0.022 mg/l - Notes: 73d

1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one - CAS: 2634-33-5

a) Aquatic acute toxicity:

Endpoint: LC50 - Species: Fish = 2.18 mg/l - Duration h: 96 Endpoint: EC50 - Species: Daphnia = 2.94 mg/l - Duration h: 48 Endpoint: EC50 - Species: Algae = 0.11 mg/l - Duration h: 72

b) Aquatic chronic toxicity:

Endpoint: NOEC - Species: Daphnia = 1.2 mg/l - Notes: 21 d Endpoint: NOEC - Species: Fish = 0.21 mg/l - Notes: 28 d

2-methyl-2H-isothiazol-3-one - CAS: 2682-20-4

a) Aquatic acute toxicity:

Endpoint: LC50 - Species: Fish = 0.3 mg/l - Duration h: 96 Endpoint: EC50 - Species: Daphnia = 0.93 mg/l - Duration h: 48

mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H

-isothiazol-3-one [EC no. 220-239-6] (3:1) (CAS 26172-55-4 + CAS 2682-20-4) - CAS: 55965-84-9

a) Aquatic acute toxicity:

Endpoint: EC50 - Species: Algae = 0.018 mg/l - Duration h: 72 Endpoint: EC50 - Species: Daphnia = 0.126 mg/l - Duration h: 48 Endpoint: LC50 - Species: Fish = 0.188 mg/l - Duration h: 96

b) Aquatic chronic toxicity:

Endpoint: NOEC - Species: Algae = 0.0012 mg/l - Duration h: 72 - Notes: OECD 201

Endpoint: NOEC - Species: Daphnia = 0.004 mg/l - Notes: 21d - OECD 211 Endpoint: NOEC - Species: Fish = 0.098 mg/l - Notes: 28d - OECD 210

Persistence and degradability

2-(2-butoxyethoxy)ethanol; diethylene glycol monobutyl ether - CAS: 112-34-5

Biodegradability: Readily biodegradable - Duration h: 28 days - %: 90 - Notes: OECD TG 301 C

Reaction mass of Bis(1,2,2,6,6-pentamethyl-4-piperidyl) sebacate and Methyl

1,2,2,6,6-pentamethyl-4-piperidyl sebacate (CAS 41556-26-7 + CAS 82919-37-7)

Biodegradability: Non-readily biodegradable - Test: Biochemical oxigen demand -

Duration h: 28 days - %: 38 - Notes: OECD 301F

1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one - CAS: 2634-33-5

Biodegradability: Readily biodegradable - Test: CO2 production - Duration h: 28 days - %: 100 - Notes: OECD 301B

octamethylcyclotetrasiloxane (D4) - CAS: 556-67-2

Biodegradability: Non-readily biodegradable - Duration h: 28 days - %: 3.7 - Notes: OECD 310

Bioaccumulative potential

Dodecamethylcyclohexasiloxane (D6) - CAS: 540-97-6

Bioaccumulation: Bioaccumulative

Decamethylcyclopentasiloxane (D5) - CAS: 541-02-06

Bioaccumulation: Bioaccumulative

octamethylcyclotetrasiloxane (D4) - CAS: 556-67-2

Bioaccumulation: Bioaccumulative

Mobility in soil

2-(2-butoxyethoxy)ethanol; diethylene glycol monobutyl ether - CAS: 112-34-5

Mobility in soil: Mobile

Other adverse effects

None

### 13. DISPOSAL CONSIDERATIONS

Waste treatment and disposal methods

Recover if possible. In so doing, comply with the local and national regulations currently in force.

#### 14. TRANSPORT INFORMATION

LWY253/1 Page n. 10 of 13



.

# LWY253 IDROFLAT Opaco trasp. pennello EX - Clear WB matt by brush EX

**UN** number

Not classified as dangerous in the meaning of transport regulations.

UN proper shipping name

N.A.

Transport hazard class(es)

N.A.

Packing group

Ň.Ă.

Environmental hazards

ADR-Enviromental Pollutant: No IMDG-Marine pollutant: No

Transport in bulk (according to Annex II of MARPOL 73/78 and the IBC Code)

N.A.

Special precautions

N.A.

### 15. REGULATORY INFORMATION

USA - Federal regulations

TSCA - Toxic Substances Control Act

TSCA inventory: all the components are listed on the TSCA inventory.

TSCA listed substances:

2-(2-butoxyethoxy)ethanol; diethylene glycol monobutyl ether is listed in TSCA Section 8b Hydroxyphenyl-benzotriazole derivatives EC No. 400-830-67 (CAS 104810-47-1 + CAS 104810-48-2) is listed in TSCA Section 8b

Reaction mass of Bis(1,2,2,6,6-pentamethyl-4-piperidyl) sebacate and Methyl

1,2,2,6,6-pentamethyl-4-piperidyl sebacate (CAS 41556-26-7 + CAS 82919-37-7) is listed in TSCA Section 8b

ammonia ...% is listed in TSCA Section 8b

octhilinone (ISO); 2-octyl-2H-isothiazol-3-one is listed in TSCA Section 8b, Section 8d HSDR, Section 8a - CAIR

1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one is listed in TSCA Section 8b 2-methyl-2H-isothiazol-3-one is listed in TSCA Section 12b, Section 8b

mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H -isothiazol-3-one [EC no. 220-239-6] (3:1) (CAS 26172-55-4 + CAS 2682-20-4) is listed in TSCA Section 12b, Section 8b

Dodecamethylcyclohexasiloxane (D6) is listed in TSCA Section 8a - PAIR, Section 8b, Section 8d HSDR

Decamethylcyclopentasiloxane (D5) is listed in TSCA Section 8a - PAIR, Section 8b, Section 8d HSDR

octamethylcyclotetrasiloxane (D4) is listed in TSCA Section 12b, Section 4 Test, Section 8a - PAIR, Section 8b, Section 8d HSDR.

SARA - Superfund Amendments and Reauthorization Act

Section 302 – Extremely Hazardous Substances: no substances listed.

Section 304 – Hazardous substances: ammonia ...%.

Section 313 - Toxic chemical list: ammonia ...%.

CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act Substance(s) listed under CERCLA: ammonia ...% - Reportable quantity: 1000 pounds. Reportable quantity for mixture: 529352.6018 pounds.

CAA - Clean Air Act

CAA listed substances:

2-(2-butoxyethoxy)ethanol; diethylene glycol monobutyl ether is listed in CAA Section 111, Section 112(b) - HON, Section 112(b) - HAP.

CWA - Clean Water Act

CWA listed substances:

LWY253/1 Page n. 11 of 13



•

# LWY253 IDROFLAT Opaco trasp. pennello EX - Clear WB matt by brush EX

ammonia ...% is listed in CWA Section 311 octhilinone (ISO); 2-octyl-2H-isothiazol-3-one is listed in CWA Section 304.

USA - State specific regulations

California Proposition 65

Substance(s) listed under California Proposition 65:

None

Massachusetts Right to know

Substance(s) listed under Massachusetts Right to know:

ammonia ...%.

New Jersey Right to know

Substance(s) listed under New Jersey Right to know:

ammonia ...%.

Pennsylvania Right to know

Substance(s) listed under Pennsylvania Right to know:

ammonia ...%.

Volatile Organic compounds - VOCs = 4.80 % Volatile Organic compounds - VOCs = 50.43 g/l Volatile CMR substances = 0.00 % Organic Carbon - C = 0.03

### **16. OTHER INFORMATION**

Full text of phrases referred to in Section 3:

H319 Causes serious eye irritation.

H317 May cause an allergic skin reaction.

H411 Toxic to aquatic life with long lasting effects.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

H314 Causes severe skin burns and eye damage.

H335 May cause respiratory irritation.

H311 Toxic in contact with skin.

H331 Toxic if inhaled.

H302 Harmful if swallowed.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H330 Fatal if inhaled.

H301 Toxic if swallowed.

H226 Flammable liquid and vapour.

H361 Suspected of damaging fertility or the unborn child.

H413 May cause long lasting harmful effects to aquatic life.

Safety Data Sheet dated 3/18/2020, version 1

Disclaimer:

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality. The information relates only to the specific material and may not be valid for such material used in combination with any other material or in any process.

This Safety Data Sheet cancels and replaces any preceding release.

ADR: European Agreement concerning the International Carriage of

Dangerous Goods by Road.

ATE: Acute Toxicity Estimate

ATEmix: Acute toxicity Estimate (Mixtures)

CAS: Chemical Abstracts Service (division of the American Chemical

Society).

LWY253/1

Page n. 12 of 13



٠

# LWY253 IDROFLAT Opaco trasp. pennello EX - Clear WB matt by brush EX

CLP: Classification, Labeling, Packaging.

DNEL: Derived No Effect Level.

EINECS: European Inventory of Existing Commercial Chemical Substances.
GHS: Globally Harmonized System of Classification and Labeling of

Chemicals:

HMIS: Hazardous Materials Identification System IARC: International Agency for Research on Cancer IATA: International Air Transport Association.

IATA-DGR: Dangerous Goods Regulation by the "International Air Transport

Association" (IATA).

ICAO: International Civil Aviation Organization.

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization"

(ICAO)

IMDG: International Maritime Code for Dangerous Goods. INCI: International Nomenclature of Cosmetic Ingredients.

KSt: Explosion coefficient.

LC50: Lethal concentration, for 50 percent of test population.

LD50: Lethal dose, for 50 percent of test population.

NFPA: National Fire Protection Association

NIOSH: National Institute for Occupational Safety and Health

NTP: National Toxicology Program

OSHA: Occupational Safety and Health Administration.

PNEC: Predicted No Effect Concentration.

RID: Regulation Concerning the International Transport of Dangerous Goods

by Rail.

STEL: Short Term Exposure limit.
STOT: Specific Target Organ Toxicity.
TLV: Threshold Limiting Value.
TWA: Time-weighted average