

# SAFETY DATA SHEET

**Revision Number** 1

# 1. IDENTIFICATION

**Product identifier** 

Product Name LIONGRIP ELITE

PVA TYPE 3 WOOD GLUE / COLLE A BOIS PVA TYPE 3

Other means of identification

Product Code(s) R7300111, R7300411

Product Type Adhesive.

Recommended use of the chemical and restrictions on use

Recommended Use For industrial use only.
Uses advised against No information available

Details of the supplier of the safety data sheet

Quincaillerie Richelieu Richelieu America

7900 Boul. Henri-Bourassa Ouest 7021 Sterling Ponds
Montréal, Québec, H4S 1V4 Sterling Heights, MI 48312

 1.800.361.6000
 1.800.361.6000

 www.richelieu.com
 www.richelieu.com

Emergency telephone number

Emergency Telephone Number CANUTEC 613-996-6666

# 2. HAZARDS IDENTIFICATION

#### Classification

### **OSHA Regulatory Status**

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

#### **WHMIS Statement**

Classification complies with Canadian Hazardous Products Regulations (WHMIS 2015).

Skin sensitization Category 1A

### Label elements

#### **Emergency Overview**

Signal Word Warning

#### **Hazard Statements**

May cause an allergic skin reaction.



Appearance Creamy Yellow Physical state Liquid Odor Slight Sweet

#### **Precautionary Statements**

#### **Precautionary Statements - Prevention**

Avoid breathing dust/fume/gas/mist/vapors/spray. Contaminated work clothing must not be allowed out of the workplace. Wear protective gloves.

#### **Precautionary Statements - Response**

Specific treatment (see Section 4 on this SDS).

In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

IF ON SKIN: Wash with plenty of water and soap. If skin irritation or rash occurs: Get medical advice/attention. Wash contaminated clothing before reuse.

#### **Precautionary Statements - Storage**

Keep from freezing.

#### **Precautionary Statements - Disposal**

Dispose of in accordance with federal, state and local regulations.

#### Hazards not otherwise classified (HNOC)

None under normal processing.

#### Other information

Unknown acute toxicity 0 % of the mixture consists of ingredient(s) of unknown toxicity

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### **Substance**

Chemical name	CAS No	Weight-%	Trade Secret
Methyl alcohol	67-56-1	0.1 - 1.0	*
3(2H)-Isothiazolone, 5-chloro-2-methyl-	26172-55-4	< 0.1%	*

<sup>\*</sup>The exact percentage (concentration) of composition has been withheld as a trade secret.

# 4. FIRST AID MEASURES

#### **Description of first aid measures**

Eye Contact Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids.

Consult a physician.

**Skin Contact** Wash off immediately with soap and plenty of water. Take off contaminated clothing and

wash before reuse. In the case of skin irritation or allergic reactions see a physician.

**Inhalation** Remove to fresh air.

**Ingestion** Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Clean

mouth with water and drink afterwards plenty of water. Consult a physician if necessary.

None under normal use conditions.

Notes to Physician Treat symptomatically.

# 5. FIRE-FIGHTING MEASURES

#### **Suitable Extinguishing Media**

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment

#### **Unsuitable Extinguishing Media**

Specific test data for the substance or mixture is not available.

#### **Specific Hazards Arising from the Chemical**

Do not allow run-off from fire-fighting to enter drains or water courses. Dried product is capable of burning. Sealed containers may rupture when heated.

#### **Explosion data**

Sensitivity to mechanical impact None. Sensitivity to static discharge None.

# **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

### 6. ACCIDENTAL RELEASE MEASURES

# Personal precautions, protective equipment and emergency procedures

Personal Precautions Use personal protection equipment. Ensure adequate ventilation. If exposure limits are

exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Respiratory protection must be provided in accordance with current local

regulations.

Environmental precautions

**Environmental precautions**See Section 12 for additional Ecological Information.

Methods and material for containment and cleaning up

**Methods for Cleaning Up**Pick up and transfer to properly labeled containers. Prevent environmental discharge

consistent with regulatory requirements. Disposal should be in accordance with applicable

regional, national and local laws and regulations.

# 7. HANDLING AND STORAGE

#### Precautions for safe handling

**Handling** Handle in accordance with good industrial hygiene and safety practice. Avoid contact with

eyes, skin and clothing.

Conditions for safe storage, including any incompatibilities

Storage Keep containers tightly closed in a cool, well-ventilated place. Keep from freezing.

Incompatible Products WATER REACTIVE MATERIALS.

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

# Control parameters

**Exposure Guidelines** 

Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH	AIHA - WEEL
Methyl alcohol	STEL: 250 ppm	TWA: 200 ppm	IDLH: 6000 ppm	-
67-56-1	TWA: 200 ppm	TWA: 260 mg/m <sup>3</sup>	TWA: 200 ppm	
	S*	(vacated) TWA: 200 ppm	TWA: 260 mg/m <sup>3</sup>	
		(vacated) TWA: 260 mg/m <sup>3</sup>	STEL: 250 ppm	
		(vacated) STEL: 250 ppm	STEL: 325 mg/m <sup>3</sup>	
		(vacated) STEL: 325 mg/m <sup>3</sup>		
		Skin		

#### **Appropriate engineering controls**

Engineering Measures Showers

Eyewash stations Ventilation systems.

#### Individual protection measures, such as personal protective equipment

**Eye/Face Protection** Avoid contact with eyes. Eye protection.

**Skin and Body Protection** Wear protective gloves/protective clothing.

Respiratory Protection If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved

respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

provided in accordance with current local regulations.

Hygiene Measures Do not eat, drink or smoke when using this product. Take off contaminated clothing and

wash before reuse. Handle in accordance with good industrial hygiene and safety practice.

@ 25 °C

Wash hands before breaks and immediately after handling the product.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

# Information on basic physical and chemical properties

Physical state Liquid

AppearanceCreamy YellowOdorSlight SweetColorYellowOdor thresholdNo data available

 Property
 Values
 Remarks
 • Method

 pH
 4.75
 Range: 4.0 - 5.5

Melting point / freezing point
Boiling Point / Boiling Range
Flash point
Evaporation rate
Flammability

No data available
No information available
No information available
No information available

Flammability Limit in Air

Upper flammability or explosive No information available

limits

Lower flammability or explosive No information available

limits

Vapor pressure Negligible

Relative vapor density No information available

Specific Gravity 1.08

Water Solubility Miscible with water

Solubility in other solvents Specific test data for the substance or

mixture is not available No information available No data available

Autoignition temperature

Decomposition temperature

Kinematic viscosity

No data available
No information available
No information available

**Dynamic viscosity** 5000 - 6000 cps **Explosive Properties** No information available

**Explosive Properties**No information available
No information available

Other information

Partition coefficient

Softening Point Specific test data for the substance or mixture is not available

**Solids** 40 - 42 %

# 10. STABILITY AND REACTIVITY

Reactivity

None under normal processing

**Chemical stability** 

Stable under recommended storage conditions.

#### Possibility of hazardous reactions

None under normal processing.

#### Conditions to avoid

Extremes of temperature and direct sunlight. Do not freeze.

#### Incompatible materials

WATER REACTIVE MATERIALS.

#### **Hazardous decomposition products**

Thermal decomposition can lead to release of irritating gases and vapors. Carbon oxides.

# 11. TOXICOLOGICAL INFORMATION

#### Information on likely routes of exposure

**Inhalation** May cause irritation of respiratory tract.

**Eye Contact** Contact with eyes may cause irritation.

Skin Contact Repeated exposure may cause skin dryness or cracking. Repeated or prolonged skin

contact may cause allergic reactions with susceptible persons.

**Ingestion** May be harmful if swallowed. Not an expected route of exposure.

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Methyl alcohol 67-56-1	= 6200 mg/kg (Rat)	= 15840 mg/kg ( Rabbit )	= 22500 ppm (Rat) 8 h
3(2H)-Isothiazolone, 5-chloro-2-methyl- 26172-55-4	= 481 mg/kg ( Rat ) = 53 mg/kg ( Rat )	= 87.12 mg/kg(Rabbit)	= 1.23 mg/L (Rat)4 h

#### Symptoms related to the physical, chemical and toxicological characteristics

**Symptoms** Specific test data for the substance or mixture is not available.

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Sensitization** May cause sensitization in susceptible persons.

Mutagenic Effects Specific test data for the substance or mixture is not available.

**Carcinogenicity** Contains no ingredients above reportable quantities listed as a carcinogen.

Reproductive Toxicity
STOT - single exposure
STOT - repeated exposure
Aspiration Hazard
No information available.
No information available.
No information available.

Numerical measures of toxicity - Product Information

# 12. ECOLOGICAL INFORMATION

#### **Ecotoxicity**

0 % of the mixture consists of component(s) of unknown hazards to the aquatic environment

Chemical name	Algae/aquatic plants	Fish	Crustacea
Methyl alcohol - 67-56-1	Not applicable	LC50: 13500 - 17600mg/L (96h,	Not applicable
		Lepomis macrochirus)	
		LC50: 18 - 20mL/L (96h,	
		Oncorhynchus mykiss)	
		LC50: 19500 - 20700mg/L (96h,	
		Oncorhynchus mykiss)	
		LC50: =28200mg/L (96h,	
		Pimephales promelas)	
		LC50: >100mg/L (96h, Pimephales	
		promelas)	
3(2H)-Isothiazolone,	EC50: 0.03 - 0.13mg/L (96h,	LC50: =1.6mg/L (96h, Oncorhynchus	EC50: 0.12 - 0.3mg/L (48h, Daphnia
5-chloro-2-methyl 26172-55-4	Pseudokirchneriella subcapitata)	mykiss)	magna)
	EC50: 0.11 - 0.16mg/L (72h,		EC50: 0.71 - 0.99mg/L (48h,
	Pseudokirchneriella subcapitata)		Daphnia magna)
			EC50: =4.71mg/L (48h, Daphnia
			magna)

#### Persistence and Degradability

No information available.

No information available.

Chemical name	Partition coefficient
Methyl alcohol 67-56-1	-0.77
3(2H)-Isothiazolone, 5-chloro-2-methyl- 26172-55-4	0.75

Other adverse effects No information available

# 13. DISPOSAL CONSIDERATIONS

**Disposal methods** 

Disposal Methods This material, as supplied, is not a hazardous waste according to Federal regulations (40

CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional, or local

regulations for additional requirements.

**Contaminated Packaging** Do not reuse empty containers.

# 14. TRANSPORT INFORMATION

**DOT** Not regulated

IATA Not regulated

IMDG Not regulated

# 15. REGULATORY INFORMATION

TSCA 8(b) All components are listed or exempt

At least one component is not listed

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

#### **US Federal Regulations**

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

# SARA 311/312 Hazard Categories

Acute health hazard	Yes
Chronic Health Hazard	No
Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

#### U.S. - CAA (Clean Air Act) - 1990 Hazardous Air Pollutants

This product contains the following substances which are listed hazardous air pollutants (HAPS) under Section 112 of the Clean Air Act:

Chemical name	Weight-%	HAPS data
Methyl alcohol	0.1 - 1.0	Present
67-56-1		
Vinyl acetate	< 0.1%	Present

108-05-4		
Ethylene glycol	< 0.1%	Present
107-21-1		
Acetaldehyde	< 0.1%	Present
75-07-0		
Formaldehyde	< 0.1%	Present
50-00-0		

#### **CWA (Clean Water Act)**

See information supplied by the manufacturer

#### **CERCLA**

See information supplied by the manufacturer

# **US State Regulations**

### **California Proposition 65**

WARNING: This product can expose you to one or more chemicals known to the State of California to cause cancer, birth defects, or other reproductive harm. For more information go to www.P65Warnings.ca.gov. See section 3 of the SDS for Proposition 65 substances present at or above 0.1 weight percent. Please contact the Regulatory Department if additional information is required.

#### U.S. EPA Label Information

# 16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

NFPA Health hazards 2 Flammability 0 Instability 0 Special hazards - HMIS Health hazards 2 Flammability 0 Physical hazards 0 Personal Precautions X

Revision date 21-Jul-2022

**Revision Note** 

No information available

**Disclaimer** 

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

**End of Safety Data Sheet**