

PMS – 891 – Blade & Bit

Date: 11/22/19

## 1. PRODUCT AND COMPANY IDENTIFICATION

### Product Identifier

**Product Name** Blade & Bit

### Other Means of Identification

**Product Code** 891

### Recommended Use of the Chemical and Restrictions on Use

**Recommended Use** Blade and Bit maintenance.

**Uses Advised Against** For industrial and institutional use only.

### Details of the Supplier of the Safety Data Sheet

**Manufactured for Address** PMS Products, Inc.  
76 Veterans Dr. #110  
Holland, MI 49423

### Emergency Telephone Number

**Company Phone Number** 800-962-1732  
**Emergency Telephone** INFOTRAC 1-352-323-3500 (International)  
1-800-535-5053 (North America)

## 2. HAZARDS IDENTIFICATION

### Classification

Skin Corrosion/Irritation	Category 1 Sub-category B
Serious Eye Damage/Eye Irritation	Category 1

**Signal Word** DANGER

### Hazard Statements

Causes severe skin burns and eye damage  
Harmful if swallowed



**Appearance** Pale yellow liquid

**Physical State** Liquid

**Odor** Mild

**Precautionary Statements - Prevention**

D Wear protective gloves/protective clothing/eye protection/face protection  
 o not breathe dust/fume/gas/mist/vapors/spray  
 Wash face, hands and any exposed skin thoroughly after handling  
 Keep away from heat/sparks/open flames/hot surfaces. — No smoking  
 Do not taste or swallow

**Precautionary Statements - Response**

**IF IN EYES:** Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician  
**IF ON SKIN (or hair):** Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse. If irritation develops or persists, seek medical attention.  
**IF INHALED:** Remove victim to fresh air and keep at rest in a position comfortable for breathing. If irritation develops or persists, seek medical attention.  
**IF SWALLOWED:** Rinse mouth. DO NOT induce vomiting. Immediately call a POISON CENTER or doctor/physician

**Precautionary Statements - Storage**

Store locked up  
 Store in a well-ventilated place.

**Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

**3. COMPOSITION/INFORMATION ON INGREDIENTS**

Chemical Name	CAS No	Weight-%
Diethylene glycol monobutyl ether	112-34-5	0 - 15
Glycol Ether DPM	34590-94-8	0 - 15
Isopropyl alcohol	67-63-0	0 - 5
Potassium hydroxide	1310-58-3	0 - 5

**4. FIRST AID MEASURES**

**First Aid Measures**

- General Advice** Provide this SDS to medical personnel for treatment.
- Inhalation** Remove victim to fresh air and keep at rest in a position comfortable for breathing. Seek immediate medical attention/advice.
- Eye Contact** Flush material out immediately with large amounts of water for at least 15 minutes, holding eye lids apart to insure flushing of the entire surface. Washing eyes within several seconds is essential to achieve maximum effectiveness. Get medical attention immediately.
- Ingestion** Never give anything by mouth to an unconscious person. If swallowed, do not induce vomiting. Drink 1-2 glasses of water. If vomiting occurs spontaneously, keep airway clear. Get medical attention immediately.
- Skin Contact** Immediately remove contaminated clothing and flush affected areas with plenty of water for at least 15 minutes. Wash contaminated clothing before reuse. If irritation develops or persists, seek medical attention.

**Most Important Symptoms and Effects, both Acute and Delayed**

- Symptoms** If in eyes may cause redness and burning. Prolonged skin contact may cause redness and dryness.

**Indication of any Immediate Medical Attention and Special Treatment Needed**

**Note to Physicians** Treat symptomatically.

**5. FIRE-FIGHTING MEASURES**

**Suitable Extinguishing Media**

Carbon dioxide, dry chemical, water fog, foam.

**Unsuitable Extinguishing Media** Not determined.

**Specific Hazards Arising from the Chemical**

None known.

**Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

**6. ACCIDENTAL RELEASE MEASURES**

**Personal Precautions, Protective Equipment and Emergency Procedures**

**Personal Precautions** Wear protective clothing as required.

**Methods and Material for Containment and Cleaning Up**

**Methods for Containment** Prevent further leakage or spillage if safe to do so. Absorb spill with inert material (e.g. dry sand or earth).

**Methods for Cleaning Up** Sweep up and shovel into suitable containers for disposal.

**7. HANDLING AND STORAGE**

**Precautions for Safe Handling**

**Advice on Safe Handling** Handle in accordance with good industrial hygiene and safety practice. Do not breathe dust/fume/gas/mist/vapors/spray. Wear appropriate personal protective equipment. Wash face, hands, and any exposed skin thoroughly after handling. Avoid contact with skin, eyes or clothing.

**Conditions for Safe Storage, Including any Incompatibilities**

**Storage Conditions** Keep containers tightly closed in a dry, cool and well-ventilated place. Storage temperature should be between 50°F - 120°F. Keep locked up and out of reach of children.

**Incompatible Materials** Strong oxidizing agents. Acids. Metals.

**8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

**Exposure Guidelines**

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Potassium hydroxide 1310-58-3	2 mg/m <sup>3</sup>	2 mg/m <sup>3</sup>	2 mg/m <sup>3</sup>
Isopropyl alcohol 67-63-0	STEL: 400 ppm TWA: 200 ppm	TWA: 400 ppm	-

**Appropriate Engineering Controls**

**Engineering Controls** Apply technical measures to comply with the occupational exposure limits. Provide eye wash and safety shower.

**Individual Protection Measures, such as Personal Protective Equipment**

**Eye/Face Protection** Wear approved safety goggles.

**Skin and Body Protection** Wear protective gloves and protective clothing.

**Respiratory Protection** No special equipment needed.

**General Hygiene Considerations** Handle in accordance with good industrial hygiene and safety practice.

**9. PHYSICAL AND CHEMICAL PROPERTIES**

**Information on Basic Physical and Chemical Properties**

<b>Physical State</b>	Liquid	<b>Odor</b>	Mild
<b>Appearance</b>	Pale yellow liquid	<b>Odor Threshold</b>	Not determined
<b>Color</b>	Pale yellow		
<b><u>Property</u></b>	<b><u>Values</u></b>	<b><u>Remarks • Method</u></b>	
<b>pH</b>	11.5 - 12.5		
<b>Melting Point/Freezing Point</b>	Not available		
<b>Boiling Point/Boiling Range</b>	Not determined		
<b>Flash Point</b>	>180° F		
<b>Evaporation Rate</b>	1	(butyl acetate = 1)	
<b>Flammability (Solid, Gas)</b>	Not determined		
<b>Upper Flammability Limits</b>	Not determined		
<b>Lower Flammability Limit</b>	Not determined		
<b>Vapor Pressure</b>	Not determined		
<b>Vapor Density</b>	Not determined		
<b>Specific Gravity</b>	1.02		
<b>Water Solubility</b>	Completely soluble		
<b>Solubility in Other Solvents</b>	Not determined		
<b>Partition Coefficient</b>	Not determined		
<b>Auto ignition Temperature</b>	Not determined		
<b>Decomposition Temperature</b>	Not determined		
<b>Kinematic Viscosity</b>	Not determined		
<b>Dynamic Viscosity</b>	Not determined		
<b>Explosive Properties</b>	Not determined		
<b>Oxidizing Properties</b>	Not determined		

**10. STABILITY AND REACTIVITY**

**Reactivity**

Not reactive under normal conditions.

**Chemical Stability**

Stable under recommended storage conditions.

**Possibility of Hazardous Reactions**

None under normal processing.

**Hazardous Polymerization** Hazardous polymerization does not occur.

**Conditions to Avoid**

Excessive heat or cold. Contamination of any kind.

**Incompatible Materials**

Strong oxidizing agents. Acids. Metals.

**Hazardous Decomposition Products**

None known based on information supplied.

**11. TOXICOLOGICAL INFORMATION**

**Information on Likely Routes of Exposure**

**Product Information**

<b>Inhalation</b>	May cause irritation to the mucous membranes and upper respiratory tract.
<b>Eye Contact</b>	Causes serious eye damage.
<b>Skin Contact</b>	Causes serious skin irritation.
<b>Ingestion</b>	Causes severe gastrointestinal irritation.

**Component Information**

<b>Chemical Name</b>	<b>Oral LD50</b>	<b>Dermal LD50</b>	<b>Inhalation LC50</b>
Diethylene glycol monobutyl ether 112-34-5	2410 mg/kg (Mouse)	2764 mg/kg (Rabbit)	>2.1 mg/l (Rat) 4 h
Potassium hydroxide 1310-58-3	365 mg/kg (Rat)	-	-
Isopropyl alcohol 67-63-0	5050 mg/kg (Rat)	12800 mg/kg (Rabbit)	

**Information on Physical, Chemical and Toxicological Effects**

<b>Symptoms</b>	If in eyes may cause redness and burning. Prolonged skin contact may cause redness and dryness. Do not taste or swallow.
-----------------	--

**Delayed and Immediate Effects as well as Chronic Effects from Short and Long-term Exposure**

<b>Carcinogenicity</b>	No components of this product have been identified as carcinogens or potential carcinogens by ACGIH, IARC, NTP or OSHA.
------------------------	---

**Numerical Measures of Toxicity**

Not determined

**12. ECOLOGICAL INFORMATION**

**Ecotoxicity**

<b>Chemical Name</b>	<b>Algae/aquatic plants</b>	<b>Fish</b>	<b>Toxicity to microorganisms</b>	<b>Crustacea</b>
Isopropyl alcohol 67-63-0		LC50: Fish 9640 mg/l 96 h		EC50: Crustacean 1400 mg/l 48 h
Potassium Hydroxide 1310-58-3	EC50: Selenastrum Capricornutum 61 mg/l 96 h	LC50: Fathead Minnow 179 mg/l 96 h		EC50: Daphnia Magna 60 mg/l 48 h

**Persistence and Degradability**

Not determined

**Bioaccumulation**

Not determined

**Mobility**

Not determined

**Other Adverse Effects**

Not determined

**13. DISPOSAL CONSIDERATIONS**

**Waste Treatment Methods**

<b>Disposal of Wastes</b>	Disposal should be in accordance with applicable regional, national and local laws and regulations.
<b>Contaminated Packaging</b>	Do not reuse container. Triple rinse empty container with water. Plastic containers may be offered for recycling.

**14. TRANSPORT INFORMATION**

**Note** Shipping descriptions may vary based on mode transport, quantities, package size, and/or origin and destination. Check with a trained hazardous materials transportation expert for information specific to your situation.

**DOT**

<b>UN/ID No</b>	UN 1760
<b>Proper Shipping Name</b>	Corrosive Liquid
<b>Hazard Class</b>	8
<b>Packing Group</b>	II
<b>Special Provisions</b>	B2, IB2, T7, TP2

**IATA**

<b>UN/ID No</b>	UN 1760
<b>Proper Shipping Name</b>	Corrosive Liquid
<b>Hazard Class</b>	8
<b>Packing Group</b>	II
<b>Special Provisions</b>	B2, IB2, T7, TP2

**IMDG**

<b>UN/ID No</b>	UN 1760
<b>Proper Shipping Name</b>	Corrosive Liquid
<b>Hazard Class</b>	8
<b>Packing Group</b>	II
<b>Special Provisions</b>	B2, IB2, T7, TP2

**15. REGULATORY INFORMATION**

**International Inventories**

<b>TSCA</b>	Listed
<b>DSL</b>	Listed
<b>NDSL</b>	Listed

**Legend:**

- TSCA - United States Toxic Substances Control Act Section 8(b) Inventory*
- DSL/NDL - Canadian Domestic Substances List/Non-Domestic Substances List*
- EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances*
- ENCS - Japan Existing and New Chemical Substances*
- IECSC - China Inventory of Existing Chemical Substances*
- KECL - Korean Existing and Evaluated Chemical Substances*
- PICCS - Philippines Inventory of Chemicals and Chemical Substances*

**US Federal Regulations**

**SARA 313**

Chemical Name	CAS No	Weight-%	SARA 313 - Threshold Values %
Isopropyl alcohol	67-63-0	<5	1.0

**CERCLA**

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Potassium hydroxide 1310-58-3	1000 lb		RQ 1000 lb final RQ RQ 454 kg final RQ

**US State Regulations**

**U.S. State Right-to-Know Regulations**

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Diethylene glycol monobutyl ether 112-34-5	X		X
Potassium hydroxide 1310-58-3	X	X	X
Isopropyl alcohol 67-63-0	X	X	X

**16. OTHER INFORMATION**

<b><u>NFPA</u></b>	<b>Health Hazards</b>	<b>Flammability</b>	<b>Instability</b>	<b>Special Hazards</b>
	2	2	0	Not determined
<b><u>HMIS</u></b>	<b>Health Hazards</b>	<b>Flammability</b>	<b>Physical Hazards</b>	<b>Personal Protection</b>
	2	2	0	B

**Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**