

# LWM054 IDROFIX 20 Polivalente acqua interno - Clear WB self-seal interior

### Safety Data Sheet dated 7/3/2019, version 1

#### **1. IDENTIFICATION** Product identifier Mixture identification: IDROFIX 20 Polivalente acqua interno - Clear WB self-seal interior Trade name: Other means of identification: LW M054 Trade code: Recommended use of the chemical and restrictions on use Recommended use: Industrial and professional uses (SU3 - SU22) Varnish for wood Name, address, and telephone number of the chemical manufacturer, importer, or other responsible party Company NUOVA S.I.V.A.M. SpA - Via Monviso, 10 - 20010 BAREGGIO (MI) - Tel. +39 02 90304.1 Importer: Quincaillerie Richelieu Ltée/Richelieu Hardware Ltd. 7900 Henri-Bourassa Blvd. W. Montreal, Quebec, Canada, H4S 1V4 Tel:+1-860-529-7704 Distributor: Quincaillerie Richelieu Ltée/Richelieu Hardware Ltd. 7900 Henri-Bourassa Blvd. W. Montreal, Quebec, Canada, H4S 1V4 Tel:+1-860-529-7704 Competent person responsible for the safety data sheet: msds@sivam.it Emergency phone number NUOVA S.I.V.A.M. SpA - Tel. +39 02 90304.1 (Monday - Friday 8.00 - 15.00) Poison Centre - Ospedale di Niguarda - Milan - Tel. +39 02 66101029 (24 h)

#### 2. HAZARD(S) IDENTIFICATION

#### Classification of the chemical

The product is not classified as dangerous according to OSHA Hazard Communication Standard (29 CFR 1910.1200).

Label elements The product is not classified as dangerous according to OSHA Hazard Communication Standard (29 CFR 1910.1200). Hazard pictograms: None Hazard statements: None Precautionary statements:

None Special Provisions: None Hazards not otherwise classified identified during the classification process: None Ingredient(s) with unknown acute toxicity: None. Additional classification information NFPA rating:



HMIS rating:

LWM054/1 Page n. 1 of 8



# LWM054 IDROFIX 20 Polivalente acqua interno - Clear WB self-seal interior



### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substances N.A.

Mixtures

Hazardous components within the meaning of 29 CFR 1910.1200 and related classification:

| Qty                  | Name   | Ident. Number                              |  | Classification  |
|----------------------|--|--|--|---|
| >= 0.1% -<br>< 0.25% | ammonia%   | Index number:<br>CAS:<br>EC:<br>REACH No.: | 007-001-01-2<br>1336-21-6<br>215-647-6<br>01-2119982985-<br>14 | <ul> <li>A.2/1B Skin Corr. 1B H314</li> <li>A.8/3 STOT SE 3 H335</li> <li>US-HAE/A1 Aquatic Acute 1 H400</li> </ul>   |
| 5 ppm                | mixture of: 5-chloro-2-methyl-<br>4-isothiazolin-3-one [EC no.<br>247-500-7] and 2-methyl-2H -<br>isothiazol-3-one [EC no. 220-<br>239-6] (3:1) (CAS 26172-55-<br>4 + CAS 2682-20-4) | Index number:<br>CAS:                      | 613-167-00-5<br>55965-84-9                                     | <ul> <li>A.2/1B Skin Corr. 1B H314</li> <li>A.3/1 Eye Dam. 1 H318</li> <li>A.4.2/1 Skin Sens. 1 H317</li> <li>US-HAE/A1 Aquatic Acute 1 H400</li> <li>US-HAE/C1 Aquatic Chronic 1 H410</li> <li>A.1/3/Oral Acute Tox. 3 H301</li> <li>A.1/3/Inhal Acute Tox. 3 H331</li> </ul>            |
| 2 ppm                | 1,2-benzisothiazol-3(2H)-one;<br>1,2-benzisothiazolin-3-one  | Index number:<br>CAS:<br>EC:<br>REACH No.: | 613-088-00-6<br>2634-33-5<br>220-120-9<br>01-2120761540-<br>60 | <ul> <li>A.2/2 Skin Irrit. 2 H315</li> <li>A.3/1 Eye Dam. 1 H318</li> <li>A.4.2/1 Skin Sens. 1 H317</li> <li>US-HAE/A1 Aquatic Acute 1 H400</li> <li>A.1/4/Oral Acute Tox. 4 H302</li> </ul>  |
| 349 ppb              | 2-metil-2H-isotiazol-3-one   | CAS:<br>EC:<br>REACH No.:                  | 2682-20-4<br>220-239-6<br>01-2120764690-<br>50                 | <ul> <li>A.1/2/Inhal Acute Tox. 2 H330</li> <li>A.1/3/Dermal Acute Tox. 3 H311</li> <li>A.1/3/Oral Acute Tox. 3 H301</li> <li>A.2/1B Skin Corr. 1B H314</li> <li>A.4.2/1A Skin Sens. 1A H317</li> <li>US-HAE/A1 Aquatic Acute 1 H400</li> <li>US-HAE/C1 Aquatic Chronic 1 H410</li> </ul> |

#### 4. FIRST-AID MEASURES

Description of necessary measures

In case of skin contact:

Wash with plenty of water and soap.

In case of eyes contact:

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

In case of Ingestion:

Do not under any circumstances induce vomiting. OBTAIN A MEDICAL EXAMINATION IMMEDIATELY. In case of Inhalation:

Remove casualty to fresh air and keep warm and at rest.

Most important symptoms/effects, acute and delayed

None

Indication of immediate medical attention and special treatment needed Treatment:

LWM054/1

Page n. 2 of 8



# LWM054 IDROFIX 20 Polivalente acqua interno - Clear WB self-seal interior

None

#### 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media: Water. Carbon dioxide (CO2). Unsuitable extinguishing media: None in particular. Specific hazards arising from the chemical Do not inhale explosion and combustion gases. Burning produces heavy smoke. Hazardous combustion products: None Explosive properties: N.D. in volume Oxidizing properties: N.D. Special protective equipment and precautions for fire-fighters Use suitable breathing apparatus . Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Move undamaged containers from immediate hazard area if it can be done safely.

#### 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment, and emergency procedures Wear personal protection equipment. Remove persons to safety. See protective measures under point 7 and 8. Methods and materials for containment and cleaning up Wash with plenty of water.

#### 7. HANDLING AND STORAGE

Precautions for safe handling

Avoid contact with skin and eyes, inhalation of vapours and mists. Do not use on extensive surface areas in premises where there are occupants. Do not eat or drink while working. See also section 8 for recommended protective equipment. Conditions for safe storage, including any incompatibilities Keep away from food, drink and feed. Incompatible materials: None in particular. Instructions as regards storage premises: Adequately ventilated premises. Storage temperature: Store at ambient temperature.

#### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Control parameters

ammonia ...% - CAS: 1336-21-6

ACGIH - TWA: 18 mg/m3, 25 ppm - STEL: 27 mg/m3, 35 ppm

mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H -isothiazol-3-one [EC no. 220-239-6] (3:1) (CAS 26172-55-4 + CAS 2682-20-4) - CAS: 55965-84-9

TLV TWA - 0,05 mg/m3

TLV STEL - 0,23 mg/m3

DNEL Exposure Limit Values

ammonia ...% - CAS: 1336-21-6

Worker Industry: 6.8 mg/kg - Worker Professional: 6.8 mg/kg - Exposure: Human Dermal - Frequency: Short Term, systemic effects

Worker Industry: 6.8 mg/kg - Worker Professional: 6.8 mg/kg - Exposure: Human Dermal - Frequency: Long Term, systemic effects

Worker Industry: 47.6 mg/m3 - Worker Professional: 47.6 mg/m3 - Consumer: 23.8 mg/m3 - Exposure: Human Inhalation - Frequency: Short Term, systemic effects

Worker Industry: 47.6 mg/m3 - Worker Professional: 47.6 mg/m3 - Consumer: 23.8 mg/m3 - Exposure: Human Inhalation - Frequency: Long Term, systemic effects

Worker Industry: 36 mg/m3 - Worker Professional: 36 mg/m3 - Exposure: Human Inhalation - Frequency: Short Term, local effects

Worker Industry: 14 mg/m3 - Worker Professional: 14 mg/m3 - Consumer: 2.8 mg/m3 - Exposure: Human Inhalation - Frequency: Long Term, local effects

#### LWM054/1 Page n. 3 of 8



# LWM054 IDROFIX 20 Polivalente acqua interno - Clear WB self-seal interior

Consumer: 6.8 mg/kg - Exposure: Human Oral - Frequency: Short Term, systemic effects Consumer: 6.8 mg/kg - Exposure: Human Oral - Frequency: Long Term, systemic effects PNEC Exposure Limit Values ammonia ...% - CAS: 1336-21-6 Target: Fresh Water - Value: 0.0011 mg/l Target: Marine water - Value: 0.0011 mg/l Target: Intermittent emission - Value: 0.0068 mg/l Appropriate engineering controls: None Individual protection measures Eye protection: Eye glasses with side protection. (EN166) Protection for skin: No special precaution must be adopted for normal use. Protection for hands: Suitable gloves type:(EN374) Respiratory protection: Not needed for normal use. Thermal Hazards: None

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

| Appearance and colour:                    | opalescent fluid |
|---|------------------|
| Odour:                                    | typical          |
| Odour threshold:                          | N.D.             |
| pH:                                       | 8.5              |
| Melting point / freezing point:           | N.D. °C          |
| Initial boiling point and boiling range:  | > 100 °C         |
| Solid/gas flammability:                   | N.A.             |
| Upper/lower flammability or explosive lim | its: N.D.        |
| Vapour density:                           | > 1              |
| Flash point:                              | N.A.             |
| Evaporation rate:                         | N.D.             |
| Vapour pressure:                          | N.D. (20 °C)     |
| Relative density:                         | 1.010 - 1.030    |
| Solubility in water:                      | miscible         |
| Solubility in oil:                        | partial          |
| Partition coefficient (n-octanol/water):  | N.D.             |
| Auto-ignition temperature:                | N.D. °C          |
| Decomposition temperature:                | N.D. °C          |
| Viscosity:                                | N.D.             |
| Miscibility:                              | N.D.             |
| Fat Solubility:                           | N.D.             |
| Conductivity:                             | N.D.             |
| Substance Groups relevant properties      | N.A.             |

#### **10. STABILITY AND REACTIVITY**

Reactivity

Stable under normal conditions Chemical stability Stable under normal conditions Possibility of hazardous reactions It may generate flammable gases on contact with elementary metals (alkalis and alkaline earth), nitrides, and powerful reducing agents. It may catch fire on contact with oxidising mineral acids, elementary metals (alkalis and alkaline earth), nitrides, organic peroxides and hydroperoxides, oxidising agents, and reducing agents. Conditions to avoid Stable under normal conditions. Incompatible materials None in particular.

#### **11. TOXICOLOGICAL INFORMATION**

Information on toxicological effects

Hazardous decomposition products

None.

#### LWM054/1

Page n. 4 of 8



# LWM054 IDROFIX 20 Polivalente acqua interno - Clear WB self-seal

### interior

| Toxicological information of the product:  |
|--|
| IDROFIX 20 Polivalente acqua interno - Clear WB self-seal interior   |
| a) acute toxicity  |
| Not classified   |
| No data available for the product  |
| b) skin corrosion/irritation   |
| Not classified   |
| No data available for the product  |
| c) serious eye damage/irritation   |
| Not classified   |
| No data available for the product  |
| d) respiratory or skin sensitisation   |
| Not classified   |
| No data available for the product  |
| e) germ cell mutagenicity  |
| Not classified   |
| No data available for the product  |
| f) carcinogenicity   |
| Not classified   |
| No data available for the product  |
| g) reproductive toxicity   |
| Not classified   |
| No data available for the product  |
| •  |
| h) STOT-single exposure<br>Not classified  |
|  |
| No data available for the product  |
| i) STOT-repeated exposure  |
| Not classified   |
| No data available for the product  |
| j) aspiration hazard   |
| Not classified   |
| No data available for the product  |
| Toxicological information of the main substances found in the product:   |
| mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H -isothiazol-3-one [EC no. 220-239-6] |
| (3:1) (CAS 26172-55-4 + CAS 2682-20-4) - CAS: 55965-84-9   |
| a) acute toxicity:   |
| Test: LC50 - Route: Inhalation - Species: Rat = 0.31 mg/l - Duration: 4h   |
| Test: LC50 - Route: Oral - Species: Rat = 53 mg/kg   |
| 1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one - CAS: 2634-33-5  |
| a) acute toxicity:   |
| Test: LD50 - Route: Oral - Species: Rat = 670 mg/kg  |
| Test: LD50 - Route: Skin - Species: Rat = 4115 mg/kg   |
| 2-metil-2H-isotiazol-3-one - CAS: 2682-20-4  |
| a) acute toxicity:   |
| Test: LD50 - Route: Oral - Species: Rat = 285 mg/kg  |
| Substance(s) listed on the NTP report on Carcinogens:  |
| None.  |
| Substance(s) listed on the IARC Monographs:  |
| None.  |
| Substance(s) listed as OSHA Carcinogen(s):   |
| None.  |
| Substance(s) listed as NIOSH Carcinogen(s):  |
| None.  |
|  |

#### **12. ECOLOGICAL INFORMATION**

Ecotoxicity Adopt good working practices, so that the product is not released into the environment. IDROFIX 20 Polivalente acqua interno - Clear WB self-seal interior Not classified for environmental hazards No data available for the product ammonia ...% - CAS: 1336-21-6 a) Aquatic acute toxicity: Endpoint: EC50 - Species: Daphnia = 24 mg/l - Duration h: 48 Endpoint: LC50 - Species: Fish = 0.53 mg/l - Duration h: 96 b) Aquatic chronic toxicity: Endpoint: NOEC - Species: Daphnia = 0.79 mg/l - Duration h: 96

#### LWM054/1

Page n. 5 of 8



# LWM054 IDROFIX 20 Polivalente acqua interno - Clear WB self-seal interior

Endpoint: NOEC - Species: Fish = 0.022 mg/l - Notes: 73d mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H -isothiazol-3-one [EC no. 220-239-6] (3:1) (CAS 26172-55-4 + CAS 2682-20-4) - CAS: 55965-84-9 a) Aquatic acute toxicity: Endpoint: EC50 - Species: Algae = 0.018 mg/l - Duration h: 72 Endpoint: EC50 - Species: Daphnia = 0.126 mg/l - Duration h: 48 Endpoint: LC50 - Species: Fish = 0.188 mg/l - Duration h: 96 b) Aquatic chronic toxicity: Endpoint: NOEC - Species: Algae = 0.0012 mg/l - Duration h: 72 - Notes: OECD 201 Endpoint: NOEC - Species: Daphnia = 0.004 mg/l - Notes: 21d - OECD 211 Endpoint: NOEC - Species: Fish = 0.098 mg/l - Notes: 28d - OECD 210 1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one - CAS: 2634-33-5 a) Aquatic acute toxicity: Endpoint: LC50 - Species: Fish = 2.18 mg/l - Duration h: 96 Endpoint: EC50 - Species: Daphnia = 2.94 mg/l - Duration h: 48 Endpoint: EC50 - Species: Algae = 0.11 mg/l - Duration h: 72 b) Aquatic chronic toxicity: Endpoint: NOEC - Species: Daphnia = 1.2 mg/l - Notes: 21 d Endpoint: NOEC - Species: Fish = 0.21 mg/l - Notes: 28 d 2-metil-2H-isotiazol-3-one - CAS: 2682-20-4 a) Aquatic acute toxicity: Endpoint: LC50 - Species: Fish = 0.3 mg/l - Duration h: 96 Endpoint: EC50 - Species: Daphnia = 0.93 mg/l - Duration h: 48 Persistence and degradability 1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one - CAS: 2634-33-5 Biodegradability: Readily biodegradable - Test: CO2 production - Duration h: 28 days - %: 100 - Notes: OECD 301B **Bioaccumulative potential** N.A. Mobility in soil N.A. Other adverse effects None

#### **13. DISPOSAL CONSIDERATIONS**

Waste treatment and disposal methods

Recover if possible. In so doing, comply with the local and national regulations currently in force.

#### **14. TRANSPORT INFORMATION**

| UN number  |    |
|--|----|
| Not classified as dangerous in the meaning of transport regulations.     |    |
| UN proper shipping name  |    |
| N.A.   |    |
| Transport hazard class(es)   |    |
| N.A.   |    |
| Packing group  |    |
| N.A.   |    |
| Environmental hazards  |    |
| ADR-Enviromental Pollutant: No   |    |
| IMDG-Marine pollutant: No  |    |
| Transport in bulk (according to Annex II of MARPOL 73/78 and the IBC Cod | e) |
| N.A.   |    |
| Special precautions  |    |
| <br>N.A.   |    |

#### **15. REGULATORY INFORMATION**

USA - Federal regulations TSCA - Toxic Substances Control Act TSCA inventory: all the components are listed on the TSCA inventory. TSCA listed substances: ammonia ...% is listed in TSCA Section 8b mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H -isothiazol-3-one [EC no. 220-239-6] (3:1) (CAS 26172-55-4 + CAS 2682-20-4) is listed in TSCA Section 12b, Section 8b



# LWM054 IDROFIX 20 Polivalente acqua interno - Clear WB self-seal interior

| 1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one is listed in TSCA Section 8b |
|---|
| 2-metil-2H-isotiazol-3-one is listed in TSCA Section 12b, Section 8b.                 |
| SARA - Superfund Amendments and Reauthorization Act                                   |
| Section 302 – Extremely Hazardous Substances: no substances listed.                   |
| Section 304 – Hazardous substances: ammonia%.   |
| Section 313 – Toxic chemical list: ammonia%.  |
| CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act        |
| Substance(s) listed under CERCLA: ammonia% - Reportable quantity: 1000 pounds.        |
| Reportable quantity for mixture: 693481.276 pounds.                                   |
| CAA - Clean Air Act   |
| CAA listed substances:  |
| None.   |
| CWA - Clean Water Act   |
| CWA listed substances:  |
| ammonia% is listed in CWA Section 311.  |
| USA - State specific regulations  |
| California Proposition 65   |
| Substance(s) listed under California Proposition 65:                                  |
| None.   |
| Massachusetts Right to know   |
| Substance(s) listed under Massachusetts Right to know:                                |
| ammonia%.   |
| New Jersey Right to know  |
| Substance(s) listed under New Jersey Right to know:                                   |
| ammonia%.   |
| Pennsylvania Right to know  |
| Substance(s) listed under Pennsylvania Right to know:                                 |
| ammonia%.   |
| Volatile Organic compounds - VOCs = 3.84 %  |
| Volatile Organic compounds - VOCs = 39.54 g/l   |
|   |

Volatile CMR substances = 0.00 %Organic Carbon - C = 0.02

#### **16. OTHER INFORMATION**

Full text of phrases referred to in Section 3: H314 Causes severe skin burns and eye damage. H335 May cause respiratory irritation. H400 Very toxic to aquatic life. H318 Causes serious eye damage. H317 May cause an allergic skin reaction. H410 Very toxic to aquatic life with long lasting effects. H301 Toxic if swallowed. H311 Toxic in contact with skin. H331 Toxic if inhaled. H315 Causes skin irritation. H302 Harmful if swallowed. H330 Fatal if inhaled.
Safety Data Sheet dated 7/3/2019, version 1

Disclaimer:

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality. The information relates only to the specific material and may not be valid for such material used in combination with any other material or in any process. This Safety Data Sheet cancels and replaces any preceding release.

| ADR:<br>CAS:   | European Agreement concerning the International Carriage of Dangerous Goods by Road.<br>Chemical Abstracts Service (division of the American Chemical Society). |
|----------------|---|
| CAS:<br>CLP:   | Classification, Labeling, Packaging.  |
| DNEL:          | Derived No Effect Level.  |
| EINECS:        | European Inventory of Existing Commercial Chemical Substances.  |
| GHS:           | Globally Harmonized System of Classification and Labeling of Chemicals.   |
| HMIS:          | Hazardous Materials Identification System   |
| IARC:          | International Agency for Research on Cancer   |
| IARC.<br>IATA: | International Agency for Research on Cancer<br>International Air Transport Association.   |
|                | · · · · · · · · · · · · · · · · · · ·   |
| IATA-DGR:      | Dangerous Goods Regulation by the "International Air Transport Association" (IATA).   |

#### LWM054/1

Page n. 7 of 8



# LWM054 IDROFIX 20 Polivalente acqua interno - Clear WB self-seal

# interior

•

| ICAO:    | International Civil Aviation Organization.  |
|----------|---|
| ICAO-TI: | Technical Instructions by the "International Civil Aviation Organization" (ICAO). |
| IMDG:    | International Maritime Code for Dangerous Goods.                                  |
| INCI:    | International Nomenclature of Cosmetic Ingredients.                               |
| KSt:     | Explosion coefficient.  |
| LC50:    | Lethal concentration, for 50 percent of test population.                          |
| LD50:    | Lethal dose, for 50 percent of test population.                                   |
| NFPA:    | National Fire Protection Association  |
| NIOSH:   | National Institute for Occupational Safety and Health                             |
| NTP:     | National Toxicology Program   |
| OSHA:    | Occupational Safety and Health Administration.                                    |
| PNEC:    | Predicted No Effect Concentration.  |
| RID:     | Regulation Concerning the International Transport of Dangerous Goods by Rail.     |
| STEL:    | Short Term Exposure limit.  |
| STOT:    | Specific Target Organ Toxicity.   |
| TLV:     | Threshold Limiting Value.   |
| TWA:     | Time-weighted average   |