

## Safety Data Sheet

# LWM056 IDROFIX 5 Polivalente acqua interno - Clear WB self-seal interior

Safety Data Sheet dated 12/12/2019, version 1

### 1. Identification

GHS Product identifier  
 Mixture identification:  
 Trade name: IDROFIX 5 Polivalente acqua interno - Clear WB self-seal interior  
 Other means of identification  
 Trade code: LWM056

Recommended use and restrictions on use  
 Recommended use:  
 Industrial and professional uses (SU3 - SU22)  
 Water-based paint

Supplier's details  
 Company:  
 NUOVA S.I.V.A.M. SpA - Via Monviso, 10 - 20010 BAREGGIO (MI) - Tel. +39 02 90304.1  
 Importer:  
 Quincaillerie Richelieu Ltée/Richelieu Hardware Ltd.  
 7900 Henri-Bourassa Blvd. W.  
 Montreal, Quebec, Canada, H4S 1V4  
 Tel :+1-800-361-6000  
 Emergency phone number for Canada: Canutec (613) 996-6666  
 Distributor:  
 Quincaillerie Richelieu Ltée/Richelieu Hardware Ltd.  
 7900 Henri-Bourassa Blvd. W.  
 Montreal, Quebec, Canada, H4S 1V4  
 Tel :+1-800-361-6000  
 Emergency phone number for Canada: Canutec (613) 996-6666

Competent person responsible for the safety data sheet:  
 msds@sivam.it

Emergency phone number  
 NUOVA S.I.V.A.M. SpA - Tel. +39 02 90304.1 (Monday - Friday 8.00 - 15.00)  
 Poison Centre - Ospedale di Niguarda - Milan - Tel. +39 02 66101029 (24 h)

### 2. Hazard identification

Classification of the hazardous product  
 The product is not classified as dangerous according to WHMIS 2015.

GHS label elements, including precautionary statements  
 The product is not classified as dangerous according to WHMIS 2015.

Hazard pictograms:  
 None

Hazard statements:  
 None

Precautionary statements:  
 None

Special provisions  
 None




Other hazards  
 None

Ingredient(s) with unknown acute toxicity  
 None.

### 3. Composition/Information on ingredients
























Substances  
 N.A.

Mixtures  
 Hazardous components within the meaning of WHMIS 2015 and related classification:

Qty	Name	Ident. Number	Classification
>= 0.1% - < 1%	ammonia ...%	Index number: 007-001-01-2 CAS: 1336-21-6 EC: 215-647-6 REACH No.: 01-	 A.2/1B Skin Corr. 1B H314  A.8/3 STOT SE 3 H335  CAN-HAE/A1 Aquatic Acute 1 H400

## Safety Data Sheet

### LWM056 IDROFIX 5 Polivalente acqua interno - Clear WB self-seal interior

			2119982985-14	
40 ppm	octamethylcyclotetrasiloxane (D4)	Index number: CAS: EC: REACH No.:	014-018-00-1 556-67-2 209-136-7 01-2119529238-36	 B.6/3 Flam. Liq. 3 H226  A.7/2 Repr. 2 H361 CAN-HAE/C4 Aquatic Chronic 4 H413
40 ppm	Decamethylcyclopentasiloxane (D5)	CAS: EC: REACH No.:	541-02-6 208-764-9 01-2119511367-43	The product is not classified as dangerous according to WHMIS 2015.
36 ppm	Dodecamethylcyclohexasiloxane (D6)	CAS: EC: REACH No.:	540-97-6 208-762-8 01-2119517435-42	The product is not classified as dangerous according to WHMIS 2015.
5 ppm	mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) (CAS 26172-55-4 + CAS 2682-20-4)	Index number: CAS:	613-167-00-5 55965-84-9	 A.2/1B Skin Corr. 1B H314  A.4.2/1 Skin Sens. 1 H317  A.3/1 Eye Dam. 1 H318  CAN-HAE/A1 Aquatic Acute 1 H400  CAN-HAE/C1 Aquatic Chronic 1 H410  A.1/3/Oral Acute Tox. 3 H301  A.1/3/Dermal Acute Tox. 3 H311  A.1/2/Inhal Acute Tox. 2 H330
2 ppm	1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one	Index number: CAS: EC: REACH No.:	613-088-00-6 2634-33-5 220-120-9 01-2120761540-60	 A.1/4/Oral Acute Tox. 4 H302  A.2/2 Skin Irrit. 2 H315  A.4.2/1 Skin Sens. 1 H317  A.3/1 Eye Dam. 1 H318  CAN-HAE/A1 Aquatic Acute 1 H400  CAN-HAE/C2 Aquatic Chronic 2 H411
367 ppb	2-methyl-2H-isothiazol-3-one	CAS: EC: REACH No.:	2682-20-4 220-239-6 01-2120764690-50	 A.1/2/Inhal Acute Tox. 2 H330  A.1/3/Dermal Acute Tox. 3 H311  A.1/3/Oral Acute Tox. 3 H301  A.2/1B Skin Corr. 1B H314  A.4.2/1A Skin Sens. 1A H317  CAN-HAE/A1 Aquatic Acute 1 H400  CAN-HAE/C1 Aquatic Chronic 1 H410

The actual concentration of the components listed above is withheld as a trade secret.

The actual concentration of the components listed above is withheld as a trade secret.

#### 4. First-aid measures

Description of necessary first-aid measures

In case of skin contact:

Wash with plenty of water and soap.

In case of eyes contact:

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

In case of Ingestion:

Do not under any circumstances induce vomiting. OBTAIN A MEDICAL EXAMINATION IMMEDIATELY.

In case of Inhalation:

Remove casualty to fresh air and keep warm and at rest.

Most important symptoms/effects, acute and delayed

None

Indication of immediate medical attention and special treatment needed, if necessary

Treatment:

None

#### 5. Fire-fighting measures

Suitable and unsuitable extinguishing media

Suitable extinguishing media:

Water.

## Safety Data Sheet

### LWM056 IDROFIX 5 Polivalente acqua interno - Clear WB self-seal interior

Carbon dioxide (CO<sub>2</sub>).  
 Unsuitable extinguishing media:  
 None in particular.  
 Specific hazards arising from the hazardous product  
 Do not inhale explosion and combustion gases.  
 Burning produces heavy smoke.  
 Hazardous combustion products:  
 None  
 Explosive properties: N.D. in volume  
 Oxidizing properties: N.D.  
 Special protective equipment and precautions for fire-fighters  
 Use suitable breathing apparatus .  
 Collect contaminated fire extinguishing water separately. This must not be discharged into drains.  
 Move undamaged containers from immediate hazard area if it can be done safely.

#### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures  
 Wear personal protection equipment.  
 Remove persons to safety.  
 See protective measures under point 7 and 8.  
 Methods and material for containment and cleaning up  
 Wash with plenty of water.

#### 7. Handling and storage

Precautions for safe handling  
 Avoid contact with skin and eyes, inhalation of vapours and mists.  
 Do not use on extensive surface areas in premises where there are occupants.  
 See also section 8 for recommended protective equipment.  
 Advice on general occupational hygiene:  
 Do not eat or drink while working.  
 Conditions for safe storage, including any incompatibilities  
 Keep away from food, drink and feed.  
 Incompatible materials:  
 None in particular.  
 Instructions as regards storage premises:  
 Adequately ventilated premises.  
 Storage temperature:  
 Store at ambient temperature.

#### 8. Exposure controls/personal protection

Control parameters  
 ammonia ...% - CAS: 1336-21-6  
 ACGIH - TWA: 18 mg/m<sup>3</sup>, 25 ppm - STEL: 27 mg/m<sup>3</sup>, 35 ppm  
 octamethylcyclotetrasiloxane (D4) - CAS: 556-67-2  
 ACGIH - TWA(8h): 123 mg/m<sup>3</sup>, 10 ppm  
 Decamethylcyclopentasiloxane (D5) - CAS: 541-02-6  
 ACGIH - TWA(8h): 10 ppm  
 mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H -isothiazol-3-one [EC no. 220-239-6] (3:1) (CAS 26172-55-4 + CAS 2682-20-4) - CAS: 55965-84-9  
 TLV TWA - 0,05 mg/m<sup>3</sup>  
 TLV STEL - 0,23 mg/m<sup>3</sup>  
 DNEL Exposure Limit Values  
 ammonia ...% - CAS: 1336-21-6  
 Worker Industry: 6.8 mg/kg - Worker Professional: 6.8 mg/kg - Exposure: Human Dermal - Frequency: Short Term, systemic effects  
 Worker Industry: 6.8 mg/kg - Worker Professional: 6.8 mg/kg - Exposure: Human Dermal - Frequency: Long Term, systemic effects  
 Worker Industry: 47.6 mg/m<sup>3</sup> - Worker Professional: 47.6 mg/m<sup>3</sup> - Consumer: 23.8 mg/m<sup>3</sup> - Exposure: Human Inhalation - Frequency: Short Term, systemic effects  
 Worker Industry: 47.6 mg/m<sup>3</sup> - Worker Professional: 47.6 mg/m<sup>3</sup> - Consumer: 23.8 mg/m<sup>3</sup> - Exposure: Human Inhalation - Frequency: Long Term, systemic effects  
 Worker Industry: 36 mg/m<sup>3</sup> - Worker Professional: 36 mg/m<sup>3</sup> - Exposure: Human Inhalation - Frequency: Short Term, local effects  
 Worker Industry: 14 mg/m<sup>3</sup> - Worker Professional: 14 mg/m<sup>3</sup> - Consumer: 2.8 mg/m<sup>3</sup> - Exposure: Human Inhalation - Frequency: Long Term, local effects  
 Consumer: 6.8 mg/kg - Exposure: Human Oral - Frequency: Short Term, systemic effects  
 Consumer: 6.8 mg/kg - Exposure: Human Oral - Frequency: Long Term, systemic effects  
 octamethylcyclotetrasiloxane (D4) - CAS: 556-67-2

## Safety Data Sheet

### LWM056 IDROFIX 5 Polivalente acqua interno - Clear WB self-seal interior

Worker Industry: 73 mg/m<sup>3</sup> - Worker Professional: 73 mg/m<sup>3</sup> - Consumer: 13 mg/m<sup>3</sup> - Exposure: Human

Inhalation - Frequency: Long Term, systemic effects

Worker Industry: 73 mg/kg - Worker Professional: 73 mg/kg - Consumer: 13 mg/kg - Exposure: Human

Inhalation - Frequency: Short Term, systemic effects

Consumer: 3.7 mg/kg - Exposure: Human Oral - Frequency: Long Term, systemic effects

Consumer: 3.7 mg/kg - Exposure: Human Oral - Frequency: Short Term, systemic effects

#### PNEC Exposure Limit Values

ammonia ...% - CAS: 1336-21-6

Target: Fresh Water - Value: 0.0011 mg/l

Target: Marine water - Value: 0.0011 mg/l

Target: Intermittent emission - Value: 0.0068 mg/l

octamethylcyclotetrasiloxane (D4) - CAS: 556-67-2

Target: Fresh Water - Value: 0.00044 mg/l

Target: Marine water - Value: 0.000044 mg/l

Target: Freshwater sediments - Value: 0.128 mg/kg

Target: Marine water sediments - Value: 0.013 mg/kg

Target: Microorganisms in sewage treatments - Value: 100 mg/kg

Target: Soil (agricultural) - Value: 0.136 mg/kg

Appropriate engineering controls

None

Individual protection measures, such as personal protective equipment (PPE)

Eye protection:

Eye glasses with side protection. (EN166)

Protection for skin:

No special precaution must be adopted for normal use.

Protection for hands:

Chemical resistant gloves (EN374).

Respiratory protection:

Not needed for normal use.

Thermal Hazards:

None

## 9. Physical and chemical properties

Appearance and colour:	opalescent fluid
Odour:	typical
Odour threshold:	N.D.
pH:	8.5
Melting point / freezing point:	N.D. °C
Initial boiling point and boiling range:	> 100 °C
Flash point:	N.A. °C
Evaporation rate:	N.D.
Solid/gas flammability:	N.A.
Upper/lower flammability or explosive limits:	N.D.
Vapour pressure:	N.D. (20 °C)
Vapour density:	> 1
Relative density:	1.010 - 1.030
Solubility in water:	miscible
Solubility in oil:	partial
Partition coefficient (n-octanol/water):	N.D.
Auto-ignition temperature:	N.D. °C
Decomposition temperature:	N.D. °C
Viscosity:	N.D.

## 10. Stability and reactivity

Reactivity	Stable under normal conditions
Chemical stability	Stable under normal conditions
Possibility of hazardous reactions	None
Conditions to avoid	Stable under normal conditions.
Incompatible materials	None in particular.
Hazardous decomposition products	None.

## Safety Data Sheet

# LWM056 IDROFIX 5 Polivalente acqua interno - Clear WB self-seal interior

## 11. Toxicological information

Information on toxicological effects

Toxicological information of the product:

IDROFIX 5 Polivalente acqua interno - Clear WB self-seal interior

- a) acute toxicity
  - Not classified
  - No data available for the product
- b) skin corrosion/irritation
  - Not classified
  - No data available for the product
- c) serious eye damage/irritation
  - Not classified
  - No data available for the product
- d) respiratory or skin sensitisation
  - Not classified
  - No data available for the product
- e) germ cell mutagenicity
  - Not classified
  - No data available for the product
- f) carcinogenicity
  - Not classified
  - No data available for the product
- g) reproductive toxicity
  - Not classified
  - No data available for the product
- h) STOT-single exposure
  - Not classified
  - No data available for the product
- i) STOT-repeated exposure
  - Not classified
  - No data available for the product
- j) aspiration hazard
  - Not classified
  - No data available for the product

Toxicological information of the main substances found in the product:

octamethylcyclotetrasiloxane (D4) - CAS: 556-67-2

a) acute toxicity:

Test: LD50 - Route: Oral - Species: Rat > 4800 mg/kg

Test: LC50 - Route: Inhalation - Species: Rat = 12.17 mg/l - Duration: 4h

Test: LD50 - Route: Skin - Species: Rabbit = 2.5 mg/kg

mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) (CAS 26172-55-4 + CAS 2682-20-4) - CAS: 55965-84-9

a) acute toxicity:

Test: LC50 - Route: Inhalation - Species: Rat = 0.31 mg/l - Duration: 4h

Test: LC50 - Route: Oral - Species: Rat = 53 mg/kg

1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one - CAS: 2634-33-5

a) acute toxicity:

Test: LD50 - Route: Oral - Species: Rat = 670 mg/kg

Test: LD50 - Route: Skin - Species: Rat = 4115 mg/kg

2-methyl-2H-isothiazol-3-one - CAS: 2682-20-4

a) acute toxicity:

Test: LD50 - Route: Oral - Species: Rat = 285 mg/kg

Substance(s) listed on the NTP report on Carcinogens:

None.

Substance(s) listed on the IARC Monographs:

None.

Substance(s) listed as OSHA Carcinogen(s):

None.

Substance(s) listed as NIOSH Carcinogen(s):

None.

---

## 12. Ecological information

Ecotoxicity

Adopt good working practices, so that the product is not released into the environment.

IDROFIX 5 Polivalente acqua interno - Clear WB self-seal interior

Not classified for environmental hazards

No data available for the product

## Safety Data Sheet

### LWM056 IDROFIX 5 Polivalente acqua interno - Clear WB self-seal interior

ammonia ...% - CAS: 1336-21-6

a) Aquatic acute toxicity:  
 Endpoint: EC50 - Species: Daphnia = 24 mg/l - Duration h: 48  
 Endpoint: LC50 - Species: Fish = 0.53 mg/l - Duration h: 96

b) Aquatic chronic toxicity:  
 Endpoint: NOEC - Species: Daphnia = 0.79 mg/l - Duration h: 96  
 Endpoint: NOEC - Species: Fish = 0.022 mg/l - Notes: 73d

mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) (CAS 26172-55-4 + CAS 2682-20-4) - CAS: 55965-84-9

a) Aquatic acute toxicity:  
 Endpoint: EC50 - Species: Algae = 0.018 mg/l - Duration h: 72  
 Endpoint: EC50 - Species: Daphnia = 0.126 mg/l - Duration h: 48  
 Endpoint: LC50 - Species: Fish = 0.188 mg/l - Duration h: 96

b) Aquatic chronic toxicity:  
 Endpoint: NOEC - Species: Algae = 0.0012 mg/l - Duration h: 72 - Notes: OECD 201  
 Endpoint: NOEC - Species: Daphnia = 0.004 mg/l - Notes: 21d - OECD 211  
 Endpoint: NOEC - Species: Fish = 0.098 mg/l - Notes: 28d - OECD 210

1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one - CAS: 2634-33-5

a) Aquatic acute toxicity:  
 Endpoint: LC50 - Species: Fish = 2.18 mg/l - Duration h: 96  
 Endpoint: EC50 - Species: Daphnia = 2.94 mg/l - Duration h: 48  
 Endpoint: EC50 - Species: Algae = 0.11 mg/l - Duration h: 72

b) Aquatic chronic toxicity:  
 Endpoint: NOEC - Species: Daphnia = 1.2 mg/l - Notes: 21 d  
 Endpoint: NOEC - Species: Fish = 0.21 mg/l - Notes: 28 d

2-methyl-2H-isothiazol-3-one - CAS: 2682-20-4

a) Aquatic acute toxicity:  
 Endpoint: LC50 - Species: Fish = 0.3 mg/l - Duration h: 96  
 Endpoint: EC50 - Species: Daphnia = 0.93 mg/l - Duration h: 48

Persistence and degradability

octamethylcyclotetrasiloxane (D4) - CAS: 556-67-2  
 Biodegradability: Non-readily biodegradable - Duration h: 28 days - %: 3.7 - Notes: OECD 310

1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one - CAS: 2634-33-5  
 Biodegradability: Readily biodegradable - Test: CO2 production - Duration h: 28 days - %: 100 - Notes: OECD 301B

Bioaccumulative potential

octamethylcyclotetrasiloxane (D4) - CAS: 556-67-2  
 Bioaccumulation: Bioaccumulative

Decamethylcyclopentasiloxane (D5) - CAS: 541-02-6  
 Bioaccumulation: Bioaccumulative

Dodecamethylcyclohexasiloxane (D6) - CAS: 540-97-6  
 Bioaccumulation: Bioaccumulative

Mobility in soil  
 N.A.

Other adverse effects  
 None

### 13. Disposal considerations

Safe handling and methods for disposal  
 Recover if possible. In so doing, comply with the local and national regulations currently in force.

### 14. Transport information

UN number  
 Not classified as dangerous in the meaning of transport regulations.

UN proper shipping name  
 N.A.

Transport hazard class(es)  
 N.A.

Packing group  
 N.A.

Environmental hazards

ADR-Environmental Pollutant:	No
IMDG-Marine pollutant:	No

Transport in bulk (according to Annex II of MARPOL 73/78 and the IBC Code)  
 N.A.

## Safety Data Sheet

### LWM056 IDROFIX 5 Polivalente acqua interno - Clear WB self-seal interior

Special precautions in connection with transport or conveyance  
N.A.

#### 15. Regulatory information

Safety, health and environmental regulations specific for the product in question

This Safety Data Sheet has been prepared according to the Hazardous Products Regulations (HPR) - WHMIS 2015.

NPRI - National Pollutant Release Inventory

Substance(s) listed under NPRI:

None.

DSL inventory - Domestic substances list

All the components are listed in the DSL..

NDSL inventory - Not Domestic substances list

no substances listed

TSCA inventory

All the components are listed on the TSCA inventory.

TSCA listed substances:

ammonia ...% is listed in TSCA Section 8b

octamethylcyclotetrasiloxane (D4) is listed in TSCA Section 12b, Section 4 Test, Section 8a - PAIR, Section 8b, Section 8d HSDR

Decamethylcyclopentasiloxane (D5) is listed in TSCA Section 8a - PAIR, Section 8b, Section 8d HSDR

Dodecamethylcyclohexasiloxane (D6) is listed in TSCA Section 8a - PAIR, Section 8b, Section 8d HSDR

mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H -isothiazol-3-one [EC no.

220-239-6] (3:1) (CAS 26172-55-4 + CAS 2682-20-4) is listed in TSCA Section 12b, Section 8b

1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one is listed in TSCA Section 8b

2-methyl-2H-isothiazol-3-one is listed in TSCA Section 12b, Section 8b.

USA - Federal regulations

SARA - Superfund Amendments and Reauthorization Act

Section 302 – Extremely Hazardous Substances: no substances listed.

Section 304 – Hazardous substances: ammonia ...%.

Section 313 – Toxic chemical list: ammonia ...%.

CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act

Substance(s) listed under CERCLA: ammonia ...% - Reportable quantity: 1000 pounds.

Reportable quantity for mixture: 793650.7937 pounds.

CAA - Clean Air Act

CAA listed substances:

None.

CWA - Clean Water Act

CWA listed substances:

ammonia ...% is listed in CWA Section 311.

USA - State specific regulations

California Proposition 65

Substance(s) listed under California Proposition 65:

None.

Massachusetts Right to know

Substance(s) listed under Massachusetts Right to know:

ammonia ...%.

New Jersey Right to know

Substance(s) listed under New Jersey Right to know:

ammonia ...%.

Pennsylvania Right to know

Substance(s) listed under Pennsylvania Right to know:

ammonia ...%.

Volatile Organic compounds - VOCs = 4.01 %

Volatile Organic compounds - VOCs = 41.28 g/l

Volatile CMR substances = 0.00 %

Organic Carbon - C = 0.02

#### 16. Other information

Full text of phrases referred to in Section 3:

H314 Causes severe skin burns and eye damage.

H335 May cause respiratory irritation.

H400 Very toxic to aquatic life.

H226 Flammable liquid and vapour.

H361 Suspected of damaging fertility or the unborn child.

H413 May cause long lasting harmful effects to aquatic life.

## Safety Data Sheet

### LWM056 IDROFIX 5 Polivalente acqua interno - Clear WB self-seal interior

H317 May cause an allergic skin reaction.  
H318 Causes serious eye damage.  
H410 Very toxic to aquatic life with long lasting effects.  
H301 Toxic if swallowed.  
H311 Toxic in contact with skin.  
H330 Fatal if inhaled.  
H302 Harmful if swallowed.  
H315 Causes skin irritation.  
H411 Toxic to aquatic life with long lasting effects.

Safety Data Sheet dated 12/12/2019, version 1

Disclaimer:

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality. The information relates only to the specific material and may not be valid for such material used in combination with any other material or in any process.

This Safety Data Sheet cancels and replaces any preceding release.

ADR:	European Agreement concerning the International Carriage of Dangerous Goods by Road.
ATE:	Acute Toxicity Estimate
ATEmix:	Acute toxicity Estimate (Mixtures)
CAS:	Chemical Abstracts Service (division of the American Chemical Society).
CLP:	Classification, Labeling, Packaging.
DNEL:	Derived No Effect Level.
EINECS:	European Inventory of Existing Commercial Chemical Substances.
GHS:	Globally Harmonized System of Classification and Labeling of Chemicals.
HMIS:	Hazardous Materials Identification System
IARC:	International Agency for Research on Cancer
IATA:	International Air Transport Association.
IATA-DGR:	Dangerous Goods Regulation by the "International Air Transport Association" (IATA).
ICAO:	International Civil Aviation Organization.
ICAO-TI:	Technical Instructions by the "International Civil Aviation Organization" (ICAO).
IMDG:	International Maritime Code for Dangerous Goods.
INCI:	International Nomenclature of Cosmetic Ingredients.
KSt:	Explosion coefficient.
LC50:	Lethal concentration, for 50 percent of test population.
LD50:	Lethal dose, for 50 percent of test population.
NFPA:	National Fire Protection Association
NIOSH:	National Institute for Occupational Safety and Health
NTP:	National Toxicology Program
OSHA:	Occupational Safety and Health Administration.
PNEC:	Predicted No Effect Concentration.
RID:	Regulation Concerning the International Transport of Dangerous Goods by Rail.
STEL:	Short Term Exposure limit.
STOT:	Specific Target Organ Toxicity.
TLV:	Threshold Limiting Value.
TWA:	Time-weighted average