



## LWY018 IDROFLAT- incolore tix-80-lucido per est

Safety Data Sheet dated 7/9/2018, version 1

#### 1. Identification

GHS Product identifier

Mixture identification:

Trade name:

Other means of identification

IDROFLAT- incolore tix-80-lucido per est

Trade code: LW Y018

Recommended use and restrictions on use

Recommended use:

Industrial and professional uses (SU3 - SU22)

Varnish for wood

Supplier's details

Company:

NUOVA S.I.V.A.M. SpA - Via Monviso, 10 - 20010 BAREGGIO (MI) - Tel. +39 02 90304.1

Importer:

Quincaillerie Richelieu Ltée/Richelieu Hardware Ltd.

7900 Henri-Bourassa Blvd. W

Montreal, Quebec, Canada, H4S 1V4

Tel:+1-514-832-4010

Emergency phone number for Canada: Canutec (613) 996-6666

Distributor:

Quincaillerie Richelieu Ltée/Richelieu Hardware Ltd.

7900 Henri-Bourassa Blvd. W.

Montreal, Quebec, Canada, H4S 1V4

Tel:+1-514-832-4010

Emergency phone number for Canada: Canutec (613) 996-6666

Competent person responsible for the safety data sheet:

msds@sivam.it

Emergency phone number

NUOVA S.I.V.A.M. SpA - Tel. +39 02 90304.1 (Monday - Friday 8.00 - 15.00)

Poison Centre - Ospedale di Niguarda - Milan - Tel. +39 02 66101029 (24 h)

### 2. Hazard identification

Classification of the hazardous product

Warning, Skin Sens. 1, May cause an allergic skin reaction.

Aquatic Acute 3, Harmful to aquatic life.

Aquatic Chronic 3, Harmful to aquatic life with long lasting effects.

GHS label elements, including precautionary statements

Hazard pictograms:



Warning

Hazard statements:

H317 May cause an allergic skin reaction.

H402 Harmful to aquatic life.

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements:

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P272 Contaminated work clothing should not be allowed out of the workplace.

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352 IF ON SKIN: Wash with plenty of water/...

P321 Specific treatment (see ... On this label).

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P362+P364 Take off contaminated clothing and wash it before reuse.

P501 Dispose of contents/container in accordance with applicable regulations.

Special provisions

None

Other hazards

None

LWY018/1

Page n. 1 of 8



# LWY018 IDROFLAT- incolore tix-80-lucido per est

Ingredient(s) with unknown acute toxicity None.

## 3. Composition/Information on ingredients

Substances

ΝΔ

Mixtures

Hazardous components within the meaning of WHMIS 2015 and related classification:

Qty	Name	Ident. Number		Classification
>= 0.5% - < 1%	Hydroxyphenyl-benzotriazole derivatives EC No. 400-830-67	Index number: EC: REACH No.:	607-176-00-3 400-830-7 01-0000015075- 76	A.4.2/1 Skin Sens. 1 H317 CAN-HAE/C2 Aquatic Chronic 2 H411
>= 0.3% - < 0.5%	2,4,7,9-tetramethyldec-5-yne- 4,7-diol	CAS: EC: REACH No.:	126-86-3 204-809-1 01-2119954390- 39	<ul> <li>♠ A.3/1 Eye Dam. 1 H318</li> <li>♠ A.4.2/1B Skin Sens. 1B H317</li> <li>CAN-HAE/C3 Aquatic Chronic 3 H412</li> </ul>
>= 0.1% - < 0.3%	Reaction mass of Bis(1,2,2,6, 6-pentamethyl-4-piperidyl) sebacate and Methyl 1,2,2,6, 6-pentamethyl-4-piperidyl sebacate	EC: REACH No.:	915-687-0 01-2119491304- 40	A.4.2/1 Skin Sens. 1 H317 CAN-HAE/A1 Aquatic Acute 1 H400 CAN-HAE/C1 Aquatic Chronic 1 H410
248 ppm	1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one	Index number: CAS: EC: REACH No.:	613-088-00-6 2634-33-5 220-120-9 01-2120761540- 60	<ul> <li>↑ A.2/2 Skin Irrit. 2 H315</li> <li>↑ A.4.2/1 Skin Sens. 1 H317</li> <li>↑ A.3/1 Eye Dam. 1 H318</li> <li>↑ CAN-HAE/A1 Aquatic Acute 1 H400</li> <li>↑ A.1/4/Oral Acute Tox. 4 H302</li> </ul>
5 ppm	reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]; and 2-methyl-2H -isothiazol-3-one [EC no. 220-239-6] (3:1)	Index number: CAS:	613-167-00-5 55965-84-9	<ul> <li>A.2/1B Skin Corr. 1B H314</li> <li>A.4.2/1 Skin Sens. 1 H317</li> <li>A.3/1 Eye Dam. 1 H318</li> <li>CAN-HAE/A1 Aquatic Acute 1 H400</li> <li>CAN-HAE/C1 Aquatic Chronic 1 H410</li> <li>A.1/3/Oral Acute Tox. 3 H301</li> <li>A.1/3/Dermal Acute Tox. 3 H311</li> <li>A.1/3/Inhal Acute Tox. 3 H331</li> </ul>

## 4. First-aid measures

Description of necessary first-aid measures

In case of skin contact:

Immediately take off all contaminated clothing.

Remove contaminated clothing immediately and dispose off safely.

In case of eyes contact:

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

In case of Ingestion:

Do not under any circumstances induce vomiting. OBTAIN A MEDICAL EXAMINATION IMMEDIATELY.

In case of Inhalation:

Remove casualty to fresh air and keep warm and at rest.

Most important symptoms/effects, acute and delayed

None

Indication of immediate medical attention and special treatment needed, if necessary

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

Treatment:

None

## 5. Fire-fighting measures

Suitable and unsuitable extinguishing media Suitable extinguishing media:

Water.

Carbon dioxide (CO2).

LWY018/1

Page n. 2 of 8



## LWY018 IDROFLAT- incolore tix-80-lucido per est

Unsuitable extinguishing media:

None in particular.

Specific hazards arising from the hazardous product

Do not inhale explosion and combustion gases.

Burning produces heavy smoke.

Hazardous combustion products:

None

Explosive properties: N.D. in volume

Oxidizing properties: N.D.

Special protective equipment and precautions for fire-fighters

Use suitable breathing apparatus .

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Move undamaged containers from immediate hazard area if it can be done safely.

## 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Wear personal protection equipment.

Remove all sources of ignition.

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

Provide adequate ventilation.

Remove persons to safety.

Use appropriate respiratory protection.

See protective measures under point 7 and 8.

Methods and material for containment and cleaning up

Wash with plenty of water.

## 7. Handling and storage

Precautions for safe handling

Avoid contact with skin and eyes, inhalation of vapours and mists.

Do not use on extensive surface areas in premises where there are occupants.

Don't use empty container before they have been cleaned.

Before making transfer operations, assure that there aren't any incompatible material residuals in the containers.

Contamined clothing should be changed before entering eating areas.

Do not eat or drink while working.

See also section 8 for recommended protective equipment.

Conditions for safe storage, including any incompatibilities

Keep away from food, drink and feed.

Incompatible materials:

None in particular.

Instructions as regards storage premises:

Adequately ventilated premises.

Storage temperature:

Store at ambient temperature.

### 8. Exposure controls/personal protection

Control parameters

reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]; and 2-methyl-2H -isothiazol-3-one [EC no.

220-239-6] (3:1) - CAS: 55965-84-9 TLV TWA - 0,05 mg/m3

TLV STEL - 0,23 mg/m3

**DNEL Exposure Limit Values** 

Hydroxyphenyl-benzotriazole derivatives EC No. 400-830-67 - Index number: 607-176-00-3

Worker Industry: 0.398 mg/m3 - Worker Professional: 0.398 mg/m3 - Consumer: 0.099 mg/m3 - Exposure: Human Inhalation - Frequency: Long Term, systemic effects

Worker Industry: 0.25 mg/kg - Worker Professional: 0.25 mg/kg - Consumer: 0.025 mg/kg - Exposure: Human

Dermal - Frequency: Long Term, systemic effects

Consumer: 0.025 mg/kg - Exposure: Human Oral - Frequency: Long Term, systemic effects

Reaction mass of Bis(1,2,2,6,6-pentamethyl-4-piperidyl) sebacate and Methyl 1,2,2,6,6-pentamethyl-4-piperidyl sebacate Worker Industry: 3.53 mg/m3 - Worker Professional: 3.53 mg/m3 - Consumer: 0.87 mg/m3 - Exposure: Human Inhalation - Frequency: Long Term, systemic effects

Worker Industry: 2 mg/kg - Worker Professional: 2 mg/kg - Consumer: 1 mg/kg - Exposure: Human Dermal - Frequency: Long Term, systemic effects

Consumer: 0.5 mg/kg - Exposure: Human Oral - Frequency: Long Term, systemic effects

PNEC Exposure Limit Values

Hydroxyphenyl-benzotriazole derivatives EC No. 400-830-67 - Index number: 607-176-00-3

Target: Fresh Water - Value: 0.023 mg/l Target: Marine water - Value: 0.00023 mg/l

LWY018/1



# LWY018 IDROFLAT- incolore tix-80-lucido per est

Target: Freshwater sediments - Value: 7.26 mg/l Target: Marine water sediments - Value: 0.726 mg/l Target: Intermittent emission - Value: 0.023 mg/l

Target: Microorganisms in sewage treatments - Value: 100 mg/l

Reaction mass of Bis(1,2,2,6,6-pentamethyl-4-piperidyl) sebacate and Methyl 1,2,2,6,6-pentamethyl-4-piperidyl sebacate

Target: Fresh Water - Value: 0.0022 mg/l
Target: Marine water - Value: 0.00022 mg/l
Target: Intermittent emission - Value: 0.009 mg/l
Target: Marine water sediments - Value: 0.11 mg/kg
Target: Soil (agricultural) - Value: 0.21 mg/kg

Target: Microorganisms in sewage treatments - Value: 1 mg/l

Appropriate engineering controls

None

Individual protection measures, such as personal protective equipment (PPE)

Eye protection:

Eye glasses with side protection. (EN166)

Protection for skin:

Use clothing that provides comprehensive protection to the skin, e.g. cotton, rubber, PVC or viton.

N.D.

Protection for hands:

Suitable gloves type:(EN374)

Respiratory protection:

Not needed for normal use.

Thermal Hazards:

None

## 9. Physical and chemical properties

Appearance and colour: opalescent fluid

Odour: typical Odour threshold: N.D. pH: 8.5 N.D. °C Melting point / freezing point: > 100 °C Initial boiling point and boiling range: Flash point: N.A. Evaporation rate: N.D. Solid/gas flammability: N.A.

Solid/gas flammability: N.A.
Upper/lower flammability or explosive limits: Vapour pressure: N.D. (20 °C)

Vapour density: > 1
Relative density: 1.030 - 1.050
Solubility in water: miscible
Solubility in oil: partial
Partition coefficient (n-octanol/water): N.D.
Auto-ignition temperature: N.D. °C
Decomposition temperature: N.D. °C
Viscosity: N.D.

## 10. Stability and reactivity

Reactivity

Stable under normal conditions

Chemical stability

Stable under normal conditions

Possibility of hazardous reactions

None

Conditions to avoid

Stable under normal conditions.

Incompatible materials

None in particular.

Hazardous decomposition products

None.

### 11. Toxicological information

Information on toxicological effects

Toxicological information of the product:

IDROFLAT- incolore tix-80-lucido per est

a) acute toxicity

Not classified

No data available for the product

LWY018/1

Page n. 4 of 8



```
LWY018 IDROFLAT- incolore tix-80-lucido per est
                b) skin corrosion/irritation
                        Not classified
                        No data available for the product
                c) serious eye damage/irritation
                        Not classified
                        No data available for the product
                d) respiratory or skin sensitisation
                        The product is classified: Skin Sens. 1 H317
                e) germ cell mutagenicity
                        Not classified
                        No data available for the product
                f) carcinogenicity
                        Not classified
                        No data available for the product
                g) reproductive toxicity
                        Not classified
                        No data available for the product
                h) STOT-single exposure
                        Not classified
                        No data available for the product
                i) STOT-repeated exposure
                        Not classified
                        No data available for the product
                j) aspiration hazard
                        Not classified
                        No data available for the product
       Toxicological information of the main substances found in the product:
                2,4,7,9-tetramethyldec-5-yne-4,7-diol - CAS: 126-86-3
                a) acute toxicity:
                        Test: LD50 - Route: Oral - Species: Rat > 1860 mg/kg
                Reaction mass of Bis(1,2,2,6,6-pentamethyl-4-piperidyl) sebacate and Methyl 1,2,2,6,6-pentamethyl-4-piperidyl sebacate
                        Test: LD50 - Route: Oral - Species: Rat > 2000 mg/kg
                        Test: LD50 - Route: Skin - Species: Rabbit > 3000 mg/kg
                1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one - CAS: 2634-33-5
                a) acute toxicity:
                        Test: LD50 - Route: Oral - Species: Rat = 1193 mg/kg
                        Test: LD50 - Route: Skin - Species: Rat = 4115 mg/kg
                reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]; and 2-methyl-2H -isothiazol-3-one [EC no.
                220-239-6] (3:1) - CAS: 55965-84-9
                a) acute toxicity
                        Test: LC50 - Route: Inhalation - Species: Rat = 0.31 mg/l - Duration: 4h
                        Test: LC50 - Route: Oral - Species: Rat = 53 mg/kg
```

Substance(s) listed on the NTP report on Carcinogens:

None

Substance(s) listed on the IARC Monographs:

None

Substance(s) listed as OSHA Carcinogen(s):

None.

Substance(s) listed as NIOSH Carcinogen(s):

None

## 12. Ecological information

```
Ecotoxicity
```

Adopt good working practices, so that the product is not released into the environment.

IDROFLAT- incolore tix-80-lucido per est

The product is classified: Aquatic Acute 3 - H402; Aquatic Chronic 3 - H412

Hydroxyphenyl-benzotriazole derivatives EC No. 400-830-67 - Index number: 607-176-00-3

a) Aquatic acute toxicity:

Endpoint: LC50 - Species: Fish = 2.8 mg/l - Duration h: 96 Endpoint: EC50 - Species: Daphnia = 4 mg/l - Duration h: 48 Endpoint: EC50 - Species: Algae = 9 mg/l - Duration h: 72

b) Aquatic chronic toxicity:

Endpoint: NOEC - Species: Daphnia = 0.23 mg/l - Notes: 21 day

Endpoint: NOEC - Species: Fish = 1.2 mg/l - Duration h: 96

2,4,7,9-tetramethyldec-5-yne-4,7-diol - CAS: 126-86-3

a) Aquatic acute toxicity:

Endpoint: EC50 - Species: Algae = 15 mg/l - Duration h: 72

LWY018/1



## LWY018 IDROFLAT- incolore tix-80-lucido per est

```
Endpoint: EC50 - Species: Daphnia = 91 mg/l - Duration h: 48
                Endpoint: LC50 - Species: Fish = 36 mg/l - Duration h: 96
                Endpoint: LC50 - Species: Fish = 42 mg/l - Duration h: 24
Reaction mass of Bis(1,2,2,6,6-pentamethyl-4-piperidyl) sebacate and Methyl 1,2,2,6,6-pentamethyl-4-piperidyl sebacate
       a) Aquatic acute toxicity:
                Endpoint: LC50 - Species: Fish = 0.9 mg/l - Duration h: 72
                Endpoint: EC50 - Species: Daphnia = 1.68 mg/l - Duration h: 72
        b) Aquatic chronic toxicity:
                Endpoint: NOEC - Species: Daphnia = 1 mg/l - Notes: 21 day
                Endpoint: NOEC - Species: Algae = 0.22 mg/l - Duration h: 72
1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one - CAS: 2634-33-5
        a) Aquatic acute toxicity:
                Endpoint: LC50 - Species: Fish = 2.18 mg/l - Duration h: 96
                Endpoint: EC50 - Species: Daphnia = 2.94 mg/l - Duration h: 48
                Endpoint: EC50 - Species: Algae = 0.11 mg/l - Duration h: 72
        b) Aquatic chronic toxicity:
                Endpoint: NOEC - Species: Daphnia = 1.2 mg/l - Notes: 21 d
                Endpoint: NOEC - Species: Fish = 0.21 mg/l - Notes: 28 d
reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EČ no. 247-500-7]; and 2-methyl-2H -isothiazol-3-one [EC no. 220-239-6]
(3:1) - CAS: 55965-84-9
       a) Aquatic acute toxicity:
                Endpoint: EC50 - Species: Algae = 0.018 mg/l - Duration h: 72
                Endpoint: EC50 - Species: Daphnia = 0.126 mg/l - Duration h: 48
                Endpoint: LC50 - Species: Fish = 0.188 mg/l - Duration h: 96
        b) Aquatic chronic toxicity:
                Endpoint: NOEC - Species: Algae = 0.0012 mg/l - Duration h: 72 - Notes: OECD 201
                Endpoint: NOEC - Species: Daphnia = 0.004 mg/l - Notes: 21d - OECD 211
                Endpoint: NOEC - Species: Fish = 0.098 mg/l - Notes: 28d - OECD 210
Persistence and degradability
        Reaction mass of Bis(1,2,2,6,6-pentamethyl-4-piperidyl) sebacate and Methyl 1,2,2,6,6-pentamethyl-4-piperidyl sebacate
                Biodegradability. Non-readily biodegradable - Test: Biochemical oxigen demand - Duration h: 28 days - %: 38 -
                Notes: OECD 301F
Bioaccumulative potential
       N.A.
Mobility in soil
       N.A.
Other adverse effects
```

### 13. Disposal considerations

None

Safe handling and methods for disposal

Recover if possible. In so doing, comply with the local and national regulations currently in force.

## 14. Transport information

Not classified as dangerous in the meaning of transport regulations.

UN proper shipping name

N.A.

Transport hazard class(es)

N.A.

Packing group

N.A.

Environmental hazards

ADR-Enviromental Pollutant: No IMDG-Marine pollutant: No

Transport in bulk (according to Annex II of MARPOL 73/78 and the IBC Code)

Special precautions in connection with transport or conveyance

N.A.

## 15. Regulatory information

Safety, health and environmental regulations specific for the product in question

This Safety Data Sheet has been prepared according to the Hazardous Products Regulations (HPR) - WHMIS 2015. NPRI - National Pollutant Release Inventory

LWY018/1

Page n. 6 of 8



# LWY018 IDROFLAT- incolore tix-80-lucido per est

Substance(s) listed under NPRI:

None.

DSL inventory - Domestic substances list

no substances listed

NDSL inventory - Not Domestic substances list

no substances listed

TSCA inventory

List of substances included in the TSCA inventory:

2,4,7,9-tetramethyldec-5-yne-4,7-diol

1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one

List of substances not included in the TSCA inventory:

Hydroxyphenyl-benzotriazole derivatives EC No. 400-830-67

Reaction mass of Bis(1,2,2,6,6-pentamethyl-4-piperidyl) sebacate and Methyl 1,2,2,6,6-pentamethyl-4-piperidyl sebacate

sebacate

reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]; and 2-methyl-2H -isothiazol-3-one [EC no. 220-239-6] (3:1)

TSCA listed substances:

2,4,7,9-tetramethyldec-5-yne-4,7-diol is listed in TSCA Section 8b

1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one is listed in TSCA Section 8b.

### USA - Federal regulations

SARA - Superfund Amendments and Reauthorization Act

Section 302 – Extremely Hazardous Substances: no substances listed.

Section 304 – Hazardous substances: no substances listed.

Section 313 – Toxic chemical list: no substances listed.

CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act

No substances listed.

CAA - Clean Air Act

CAA listed substances:

None.

CWA - Clean Water Act

CWA listed substances:

None.

## USA - State specific regulations

California Proposition 65

Substance(s) listed under California Proposition 65:

None

Massachusetts Right to know

Substance(s) listed under Massachusetts Right to know:

No substances listed.

New Jersey Right to know

Substance(s) listed under New Jersey Right to know:

No substances listed.

Pennsylvania Right to know

Substance(s) listed under Pennsylvania Right to know:

No substances listed.

Volatile Organic compounds - VOCs = 2.96 % Volatile Organic compounds - VOCs = 31.13 g/l

Volatile CMR substances = 0.00 %

Organic Carbon - C = 0.02

## 16. Other information

Full text of phrases referred to in Section 3:

H317 May cause an allergic skin reaction.

H411 Toxic to aquatic life with long lasting effects.

H318 Causes serious eye damage.

H412 Harmful to aquatic life with long lasting effects.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

H315 Causes skin irritation.

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H301 Toxic if swallowed.

H311 Toxic in contact with skin.

H331 Toxic if inhaled.

Safety Data Sheet dated 7/9/2018, version 1

LWY018/1

Page n. 7 of 8



# LWY018 IDROFLAT- incolore tix-80-lucido per est

Disclaimer

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality. The information relates only to the specific material and may not be valid for such material used in combination with any other material or in any process.

This Safety Data Sheet cancels and replaces any preceding release.

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.

CAS: Chemical Abstracts Service (division of the American Chemical Society).

CLP: Classification, Labeling, Packaging.

DNEL: Derived No Effect Level.

EINECS: European Inventory of Existing Commercial Chemical Substances.

GHS: Globally Harmonized System of Classification and Labeling of Chemicals.

HMIS: Hazardous Materials Identification System
IARC: International Agency for Research on Cancer
IATA: International Air Transport Association.

IATA-DGR: Dangerous Goods Regulation by the "International Air Transport Association" (IATA).

ICAO: International Civil Aviation Organization.

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO).

IMDG: International Maritime Code for Dangerous Goods.
INCI: International Nomenclature of Cosmetic Ingredients.

KSt: Explosion coefficient.

LC50: Lethal concentration, for 50 percent of test population.

LD50: Lethal dose, for 50 percent of test population.

NFPA: National Fire Protection Association

NIOSH: National Institute for Occupational Safety and Health

NTP: National Toxicology Program

OSHA: Occupational Safety and Health Administration.

PNEC: Predicted No Effect Concentration.

RID: Regulation Concerning the International Transport of Dangerous Goods by Rail.

STEL: Short Term Exposure limit.
STOT: Specific Target Organ Toxicity.
TLV: Threshold Limiting Value.
TWA: Time-weighted average