



# LXW130 IDROCHROM 130 - Pasta bianca- WB White paste

### Safety Data Sheet dated 7/27/2022, version 2

1. Identification GHS Product identifier Mixture identification: Trade name: IDROCHROM 130 - Pasta bianca- WB White paste Other means of identification Trade code: LXW130 Recommended use and restrictions on use Recommended use: IS- Industrial use PW - Professional use Coloring paste Supplier's details Company: SIVAM Coatings S.p.A - Via Monviso, 10 - 20008 BAREGGIO (MI) - Tel. +39 02 903041 Importer: Quincaillerie Richelieu Ltée/Richelieu Hardware Ltd. 7900 Henri-Bourassa Blvd. W. Montreal, Quebec, Canada, H4S 1V4 Tel:+1-800-361-6000 Emergency phone number for Canada: Canutec (613) 996-6666 Distributor: Quincaillerie Richelieu Ltée/Richelieu Hardware Ltd. 7900 Henri-Bourassa Blvd. W. Montreal, Quebec, Canada, H4S 1V4 Tel:+1-800-361-6000 Emergency phone number for Canada: Canutec (613) 996-6666 Competent person responsible for the safety data sheet: msds@sivam.it Emergency phone number SIVAM Coatings S.p.A - Tel. +39 02- 903041 Poison Centre - Ospedale di Niguarda Ca' Granda - Milan - Tel. +39 02-66101029 (24 h)

#### 2. Hazard identification

Classification of the hazardous product

Warning, Repr. 2, Suspected of damaging fertility or the unborn child. Aquatic Acute 3, Harmful to aquatic life.

GHS label elements, including precautionary statements Hazard pictograms:



Warning Hazard statements: H361 Suspected of damaging fertility or the unborn child. H402 Harmful to aquatic life. Precautionary statements: P201 Obtain special instructions before use. P202 Do not handle until all safety precautions have been read and understood. P273 Avoid release to the environment. P280 Wear protective gloves/protective clothing/eye protection/face protection. P308+P313 IF exposed or concerned: Get medical advice/attention.

LXW130/2 Page n. 1 of 11



# LXW130 IDROCHROM 130 - Pasta bianca- WB White paste

P405 Store locked up. P501 Dispose of contents/container in accordance with applicable regulations. Special provisions None Other hazards None Ingredient(s) with unknown acute toxicity None.

### 3. Composition/Information on ingredients

Substances

N.A.

Mixtures

Hazardous components within the meaning of WHMIS 2015 and related classification:

Qty	Name	Ident. Numb	er	Classification
>= 30%- < 60%	titanium dioxide; [in powder form containing 1 % or more of particles with aerodynamic diameter <= 10 μm]	Index number: CAS: EC: REACH No.:	13463-67-7 236-675-5	The product is not classified as hazardous according to WHMIS 2015.
>= 0.1% - < 1%	Propylidynetrimethanol	CAS: EC: REACH No.:	77-99-6 201-074-9 01- 2119486799 -10	♦ A.7/2 Repr. 2 H361
416 ppm	1,2-benzisothiazol- 3(2H)-one; 1,2- benzisothiazolin-3-one	Index number: CAS: EC: REACH No.:	2634-33-5 220-120-9	<ul> <li>A.1/4/Oral Acute Tox. 4 H302</li> <li>A.2/2 Skin Irrit. 2 H315</li> <li>A.4.2/1 Skin Sens. 1 H317</li> <li>A.3/1 Eye Dam. 1 H318</li> <li>CAN-HAE/A1 Aquatic Acute 1 H400</li> <li>CAN-HAE/C2 Aquatic Chronic 2 H411</li> <li>Specific Concentration Limits: C &gt;= 0,05%: Skin Sens. 1 H317</li> </ul>
290 ppm	3-iodo-2-propynyl butylcarbamate	Index number: CAS: EC: REACH No.:	616-212-00-7 55406-53-6 259-627-5 01- 2120762115 -60	<ul> <li>A.1/3/Inhal Acute Tox. 3 H331</li> <li>A.1/4/Oral Acute Tox. 4 H302</li> <li>A.9/1 STOT RE 1 H372</li> <li>A.3/1 Eye Dam. 1 H318</li> <li>A.4.2/1 Skin Sens. 1 H317</li> <li>CAN-HAE/A1 Aquatic Acute 1 H400 M=10.</li> <li>CAN-HAE/C1 Aquatic Chronic 1 H410 M=1.</li> </ul>
14 ppm	octhilinone (ISO); 2- octyl-2H-isothiazol-3- one	Index number: CAS: EC:	613-112-00-5 26530-20-1 247-761-7	<ul> <li>A.2/1B Skin Corr. 1B H314</li> <li>A.4.2/1 Skin Sens. 1 H317</li> <li>CAN-HAE/A1 Aquatic Acute 1 H400</li> <li>CAN-HAE/C1 Aquatic Chronic 1</li> </ul>



### LXW130 IDROCHROM 130 - Pasta bianca- WB White paste

				H410 ♦ A.1/3/Dermal Acute Tox. 3 H311 ♦ A.1/2/Inhal Acute Tox. 2 H330 ♦ A.1/3/Oral Acute Tox. 3 H301 Specific Concentration Limits: C >= 0,0015%: Skin Sens. 1 H317
13 ppm	mixture of: 5-chloro-2- methyl-4-isothiazolin-3- one [EC no. 247-500-7] and 2-methyl-2H - isothiazol-3-one [EC no. 220-239-6] (3:1) (CAS 26172-55-4 + CAS 2682-20-4)	Index number: CAS: REACH No.:	55965-84-9	<ul> <li>A.2/1B Skin Corr. 1B H314</li> <li>A.4.2/1 Skin Sens. 1 H317</li> <li>A.3/1 Eye Dam. 1 H318</li> <li>CAN-HAE/A1 Aquatic Acute 1 H400</li> <li>CAN-HAE/C1 Aquatic Chronic 1 H410</li> <li>A.1/3/Oral Acute Tox. 3 H301</li> <li>A.1/3/Dermal Acute Tox. 3 H311</li> <li>A.1/2/Inhal Acute Tox. 2 H330 Specific Concentration Limits: C &gt;= 0,0015%: Skin Sens. 1 H317 0,06% &lt;= C &lt; 0.6%: Skin Irrit. 2 H315 C &gt;= 0,6%: Skin Corr. 1B H314</li> </ul>

The actual concentration of the components listed above is withheld as a trade secret.

The actual concentration of the components listed above is withheld as a trade secret.

#### 4. First-aid measures

Description of necessary first-aid measures

In case of skin contact:

Immediately take off all contaminated clothing.

Areas of the body that have - or are only even suspected of having - come into contact with the product must be rinsed immediately with plenty of running water and possibly with soap. Wash thoroughly the body (shower or bath).

Remove contaminated clothing immediately and dispose off safely.

In case of eyes contact:

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. In case of Ingestion:

Do not under any circumstances induce vomiting. OBTAIN A MEDICAL EXAMINATION IMMEDIATELY.

In case of Inhalation:

Remove casualty to fresh air and keep warm and at rest.

Most important symptoms/effects, acute and delayed

None

Indication of immediate medical attention and special treatment needed, if necessary

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible). Treatment:

None

#### 5. Fire-fighting measures

Suitable and unsuitable extinguishing media Suitable extinguishing media: Water. Carbon dioxide (CO2). Unsuitable extinguishing media: LXW130/2 Page n. 3 of 11



# LXW130 IDROCHROM 130 - Pasta bianca- WB White paste

None in particular. Specific hazards arising from the hazardous product Do not inhale explosion and combustion gases. Burning produces heavy smoke. Hazardous combustion products: None Explosive properties: N.D. in volume Oxidizing properties: N.D. Special protective equipment and precautions for fire-fighters Use suitable breathing apparatus . Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Move undamaged containers from immediate hazard area if it can be done safely.

#### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures Wear personal protection equipment. Remove persons to safety. See protective measures under point 7 and 8. Methods and material for containment and cleaning up Wash with plenty of water.

#### 7. Handling and storage

Precautions for safe handling

Avoid contact with skin and eyes, inhalation of vapours and mists.

Exercise the greatest care when handling or opening the container.

Do not use on extensive surface areas in premises where there are occupants.

Don't use empty container before they have been cleaned.

Before making transfer operations, assure that there aren't any incompatible material residuals in the containers.

See also section 8 for recommended protective equipment.

Advice on general occupational hygiene:

Contamined clothing should be changed before entering eating areas.

Do not eat or drink while working.

Conditions for safe storage, including any incompatibilities

Keep away from food, drink and feed.

Incompatible materials:

None in particular.

Instructions as regards storage premises:

- Adequately ventilated premises.
- Storage temperature:

Store at ambient temperature.

#### 8. Exposure controls/personal protection

Control parameters titanium dioxide; [in powder form containing 1 % or more of particles with aerodynamic diameter <= 10 μm] - CAS: 13463-67-7 ACGIH - TWA(8h): 10 mg/m3 - Notes: A4 - LRT irr octhilinone (ISO); 2-octyl-2H-isothiazol-3-one - CAS: 26530-20-1 TLV TWA - 0,2 mg/m3 TLV STEL - 0,6 mg/m3 mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H -isothiazol-3-one [EC no. 220-239-6] (3:1) (CAS 26172-55-4 + CAS 2682-20-4) - CAS: 55965-84-9 TLV TWA - 0,05 mg/m3 TLV STEL - 0,23 mg/m3

LXW130/2 Page n. 4 of 11



### LXW130 IDROCHROM 130 - Pasta bianca- WB White paste

**DNEL Exposure Limit Values** titanium dioxide; [in powder form containing 1 % or more of particles with aerodynamic diameter <= 10 µm] - CAS: 13463-67-7 Worker Industry: 3.3 mg/m3 - Worker Professional: 3.3 mg/m3 - Exposure: Human Inhalation - Frequency: Long Term, systemic effects Propylidynetrimethanol - CAS: 77-99-6 Worker Industry: 3.3 mg/m3 - Worker Professional: 3.3 mg/m3 - Consumer: 0.58 mg/m3 -Exposure: Human Inhalation - Frequency: Long Term, systemic effects Worker Industry: 0.94 mg/kg - Worker Professional: 0.94 mg/kg - Consumer: 0.34 mg/kg - Exposure: Human Dermal - Frequency: Long Term, systemic effects Consumer: 0.34 mg/kg - Exposure: Human Oral - Frequency: Long Term, systemic effects **PNEC Exposure Limit Values** titanium dioxide; [in powder form containing 1 % or more of particles with aerodynamic diameter <= 10 µm] - CAS: 13463-67-7 Target: Fresh Water - Value: 0.184 mg/l Target: Marine water - Value: 0.0184 mg/l Target: Intermittent emission - Value: 0.61 mg/l Target: Freshwater sediments - Value: 1000 mg/kg Target: Marine water sediments - Value: 100 mg/kg Target: Microorganisms in sewage treatments - Value: 100 mg/l Target: Soil (agricultural) - Value: 100 mg/kg Target: Food chain - Value: 1667 mg/kg Appropriate engineering controls None Individual protection measures, such as personal protective equipment (PPE) Eye protection: Eve glasses with side protection. (EN166) Protection for skin: Use clothing that provides comprehensive protection to the skin, e.g. cotton, rubber, PVC or viton Protection for hands: Use protective gloves that provides comprehensive protection, e.g. P.V.C., neoprene or rubber. (EN374) Respiratory protection: Not needed for normal use. Thermal Hazards: None

#### 9. Physical and chemical properties

Appearance and colour:	Liquid,White	
Odour:	typical	
Odour threshold:	N.D.	
pH:	8.5	
Melting point / freezing point:	N.D. °C	
Initial boiling point and boiling ra	ange: > 100 °C	
Flash point:	N.A. °C	
Evaporation rate:	N.D.	
Solid/gas flammability:	N.A.	
Upper/lower flammability or exp	losive limits:	N.D.
Vapour pressure:	N.D. (20 °C)	
Vapour density:	>1	
Relative density:	1.950 - 1.970	
Solubility in water:	miscible	
Solubility in oil:	N.D.	
Partition coefficient (n-octanol/w	vater): N.D.	
Auto-ignition temperature:	N.D. °C	
- '		

### LXW130/2

Page n. 5 of 11



### LXW130 IDROCHROM 130 - Pasta bianca- WB White paste

Decomposition temperature: N.D. °C Viscosity: N.D.

#### **10. Stability and reactivity**

Reactivity Stable under normal conditions Chemical stability Stable under normal conditions Possibility of hazardous reactions None Conditions to avoid Stable under normal conditions. Incompatible materials None in particular. Hazardous decomposition products None.

#### **11. Toxicological information**

Information on toxicological effects Toxicological information of the product: IDROCHROM 130 - Pasta bianca- WB White paste a) acute toxicity Not classified No data available for the product b) skin corrosion/irritation Not classified No data available for the product c) serious eye damage/irritation Not classified No data available for the product d) respiratory or skin sensitisation Not classified No data available for the product e) germ cell mutagenicity Not classified No data available for the product f) carcinogenicity Not classified No data available for the product g) reproductive toxicity The product is classified: Repr. 2 H361 h) STOT-single exposure Not classified No data available for the product i) STOT-repeated exposure Not classified No data available for the product j) aspiration hazard Not classified No data available for the product Toxicological information of the main substances found in the product: titanium dioxide; [in powder form containing 1 % or more of particles with aerodynamic diameter <= 10 µm] - CAS: 13463-67-7 a) acute toxicity: Test: LD50 - Route: Oral - Species: Rat > 5000 mg/kg - Source: OECD 425 Test: LD50 - Route: Skin - Species: Rabbit > 2000 mg/kg Test: LC50 - Route: Inhalation Dust - Species: Rat > 3.5 mg/l - Duration: 4h LXW130/2 Page n. 6 of 11



### LXW130 IDROCHROM 130 - Pasta bianca- WB White paste

1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one - CAS: 2634-33-5 a) acute toxicity: Test: LD50 - Route: Oral - Species: Rat = 670 mg/kg Test: LD50 - Route: Skin - Species: Rat = 4115 mg/kg 3-iodo-2-propynyl butylcarbamate - CAS: 55406-53-6 a) acute toxicity: Test: LD50 - Route: Oral - Species: Rat = 1056 mg/kg Test: LD50 - Route: Skin - Species: Rabbit > 2000 mg/kg Test: LC50 - Route: Inhalation Mist - Species: Rat = 0.67 mg/l - Duration: 4h octhilinone (ISO); 2-octyl-2H-isothiazol-3-one - CAS: 26530-20-1 a) acute toxicity: Test: LD50 - Route: Oral - Species: Rat = 318 mg/kg Test: LD50 - Route: Skin - Species: Rabbit = 311 mg/kg Test: LC50 - Route: Inhalation - Species: Rat = 0.58 mg/l - Duration: 4h mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H -isothiazol-3-one [EC no. 220-239-6] (3:1) (CAS 26172-55-4 + CAS 2682-20-4) - CAS: 55965-84-9 a) acute toxicity: Test: LC50 - Route: Inhalation - Species: Rat = 0.31 mg/l - Duration: 4h Test: LC50 - Route: Oral - Species: Rat = 53 mg/kg Substance(s) listed on the NTP report on Carcinogens: None. Substance(s) listed on the IARC Monographs: titanium dioxide; [in powder form containing 1 % or more of particles with aerodynamic diameter <= 10 µm] - Group 2B. Substance(s) listed as OSHA Carcinogen(s): None. Substance(s) listed as NIOSH Carcinogen(s): titanium dioxide; [in powder form containing 1 % or more of particles with aerodynamic diameter <= 10 µm]. **12. Ecological information** Ecotoxicity Adopt good working practices, so that the product is not released into the environment. IDROCHROM 130 - Pasta bianca- WB White paste The product is classified: Aquatic Acute 3 - H402 1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one - CAS: 2634-33-5 a) Aquatic acute toxicity: Endpoint: LC50 - Species: Fish = 2.18 mg/l - Duration h: 96 Endpoint: EC50 - Species: Daphnia = 2.94 mg/l - Duration h: 48 Endpoint: EC50 - Species: Algae = 0.11 mg/l - Duration h: 72 b) Aquatic chronic toxicity: Endpoint: NOEC - Species: Daphnia = 1.2 mg/l - Notes: 21 d Endpoint: NOEC - Species: Fish = 0.21 mg/l - Notes: 28 d 3-iodo-2-propynyl butylcarbamate - CAS: 55406-53-6 a) Aquatic acute toxicity: Endpoint: EC50 - Species: Algae = 0.022 mg/l - Duration h: 72 Endpoint: EC50 - Species: Daphnia = 0.16 mg/l - Duration h: 48 Endpoint: LC50 - Species: Fish = 0.067 mg/l - Duration h: 96 mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H -isothiazol-3-one [EC no. 220-239-6] (3:1) (CAS 26172-55-4 + CAS 2682-20-4) - CAS: 55965-84-9 a) Aquatic acute toxicity: Endpoint: EC50 - Species: Algae = 0.018 mg/l - Duration h: 72 Endpoint: EC50 - Species: Daphnia = 0.126 mg/l - Duration h: 48 Endpoint: LC50 - Species: Fish = 0.188 mg/l - Duration h: 96 b) Aquatic chronic toxicity:

LXW130/2 Page n. 7 of 11



### LXW130 IDROCHROM 130 - Pasta bianca- WB White paste

Endpoint: NOEC - Species: Algae = 0.0012 mg/l - Duration h: 72 - Notes: OECD 201 Endpoint: NOEC - Species: Daphnia = 0.0035 mg/l - Notes: 21d - OECD 211 Endpoint: NOEC - Species: Fish = 0.02 mg/l - Notes: 38d - OECD 210 Persistence and degradability 1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one - CAS: 2634-33-5 Biodegradability: Readily biodegradable - Test: CO2 production - Duration h: 28 days - %: 100 - Notes: OECD 301B Bioaccumulative potential N.A. Mobility in soil N.A. Other adverse effects None

#### 13. Disposal considerations

Safe handling and methods for disposal Recover, if possible. Send to authorised disposal plants or for incineration under controlled conditions. In so doing, comply with the local and national regulations currently in force.

#### **14. Transport information**

**UN** number

Not classified as dangerous in the meaning of transport regulations. UN proper shipping name N.A. Transport hazard class(es) N.A. Packing group N.A. Environmental hazards ADR-Enviromental Pollutant: No IMDG-Marine pollutant: No Transport in bulk (according to Annex II of MARPOL 73/78 and the IBC Code) N.A. Special precautions in connection with transport or conveyance

#### **15. Regulatory information**

N.A.

Safety, health and environmental regulations specific for the product in question This Safety Data Sheet has been prepared according to the Hazardous Products Regulations (HPR) - WHMIS 2015. NPRI - National Pollutant Release Inventory

- Substance(s) listed under NPRI: None.
- DSL inventory Domestic substances list

All the components are listed in the DSL.

- NDSL inventory Not Domestic substances list
- no substances listed TSCA inventory
- All the components are listed on the TSCA inventory.
- TSCA listed substances:

titanium dioxide; [in powder form containing 1 % or more of particles with aerodynamic diameter <= 10 μm] is listed in TSCA Section 8b Propylidynetrimethanol is listed in TSCA Section 8b

LXW130/2 Page n. 8 of 11



# LXW130 IDROCHROM 130 - Pasta bianca- WB White paste

EXTING IDROOM TO T USU DIANCE WE White paste
1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one is listed in TSCA Section 8b 3-iodo-2-propynyl butylcarbamate is listed in TSCA Section 8b octhilinone (ISO); 2-octyl-2H-isothiazol-3-one is listed in TSCA Section 8b, Section 8d HSDR, Section 8a - CAIR mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H -isothiazol-3-one [EC no. 220-239-6] (3:1) (CAS 26172-55-4 + CAS 2682-20-4) is listed in TSCA Section 12b, Section 8b.
<ul> <li>USA - Federal regulations</li> <li>SARA - Superfund Amendments and Reauthorization Act</li> <li>Section 302 – Extremely Hazardous Substances: no substances listed.</li> <li>Section 304 – Hazardous substances: no substances listed.</li> <li>Section 313 – Toxic chemical list: 3-iodo-2-propynyl butylcarbamate.</li> <li>CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act</li> <li>No substances listed.</li> <li>CAA - Clean Air Act</li> <li>CAA listed substances:</li> <li>Propylidynetrimethanol is listed in CAA Section 112(b) - HON.</li> <li>CWA - Clean Water Act</li> <li>CWA listed substances:</li> <li>3-iodo-2-propynyl butylcarbamate is listed in CWA Section 304</li> <li>octhilinone (ISO); 2-octyl-2H-isothiazol-3-one is listed in CWA Section 304.</li> </ul>
<ul> <li>USA - State specific regulations California Proposition 65 Substance(s) listed under California Proposition 65: titanium dioxide; [in powder form containing 1 % or more of particles with aerodynamic diameter &lt;= 10 µm] - Listed as carcinogen.</li> <li>Massachusetts Right to know Substance(s) listed under Massachusetts Right to know: titanium dioxide; [in powder form containing 1 % or more of particles with aerodynamic diameter &lt;= 10 µm].</li> <li>New Jersey Right to know Substance(s) listed under New Jersey Right to know: titanium dioxide; [in powder form containing 1 % or more of particles with aerodynamic diameter &lt;= 10 µm].</li> <li>New Jersey Right to know Substance(s) listed under New Jersey Right to know: titanium dioxide; [in powder form containing 1 % or more of particles with aerodynamic diameter &lt;= 10 µm] 3-iodo-2-propynyl butylcarbamate.</li> <li>Pennsylvania Right to know Substance(s) listed under Pennsylvania Right to know: titanium dioxide; [in powder form containing 1 % or more of particles with aerodynamic diameter &lt;= 10 µm].</li> </ul>
Volatile Organic compounds - VOCs = 0.11 % Volatile Organic compounds - VOCs = 2.17 g/l Volatile CMR substances = 0.00 % Organic Carbon - C = 0.00

#### **16. Other information**

Full text of phrases referred to in Section 3:

- H361 Suspected of damaging fertility or the unborn child.
  - H302 Harmful if swallowed.
  - H315 Causes skin irritation.
  - H317 May cause an allergic skin reaction.
  - H318 Causes serious eye damage.
  - H400 Very toxic to aquatic life.
  - H411 Toxic to aquatic life with long lasting effects.
  - H331 Toxic if inhaled.

LXW130/2 Page n. 9 of 11



### LXW130 IDROCHROM 130 - Pasta bianca- WB White paste

H372 Causes damage to organs through prolonged or repeated exposure.

H410 Very toxic to aquatic life with long lasting effects.

H314 Causes severe skin burns and eye damage.

H311 Toxic in contact with skin.

H330 Fatal if inhaled.

H301 Toxic if swallowed.

Safety Data Sheet dated 7/27/2022, version 2 Sections modified from the previous revision:

- 2. Hazard identification
- 3. Composition/Information on ingredients
- 4. First-aid measures
- 8. Exposure controls/personal protection
- 9. Physical and chemical properties
- 11. Toxicological information
- 12. Ecological information
- 15. Regulatory information

#### Disclaimer:

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality. The information relates only to the specific material and may not be valid for such material used in combination with any other material or in any process.

This Safety Data Sheet cancels and replaces any preceding release.

	ADR:	European Agreement concerning the International Carriage of Dangerous Goods by Road.
	ATE:	Acute Toxicity Estimate
	ATEmix:	Acute toxicity Estimate (Mixtures)
	CAS:	Chemical Abstracts Service (division of the American Chemical
		Society).
	CLP:	Classification, Labeling, Packaging.
	DNEL:	Derived No Effect Level.
	EINECS:	European Inventory of Existing Commercial Chemical Substances.
	GHS:	Globally Harmonized System of Classification and Labeling of
		Chemicals.
	HMIS:	Hazardous Materials Identification System
	IARC:	International Agency for Research on Cancer
	IATA:	International Air Transport Association.
	IATA-DGR:	Dangerous Goods Regulation by the "International Air Transport
		Association" (IATA).
	ICAO:	International Civil Aviation Organization.
	ICAO-TI:	Technical Instructions by the "International Civil Aviation Organization"
		(ICAO).
	IMDG:	International Maritime Code for Dangerous Goods.
	INCI:	International Nomenclature of Cosmetic Ingredients.
	KSt:	Explosion coefficient.
	LC50:	Lethal concentration, for 50 percent of test population.
	LD50:	Lethal dose, for 50 percent of test population.
	NFPA:	National Fire Protection Association
	NIOSH:	National Institute for Occupational Safety and Health
	NTP:	National Toxicology Program
	OSHA:	Occupational Safety and Health Administration
	PNEC:	Predicted No Effect Concentration.
	RID:	Regulation Concerning the International Transport of Dangerous Goods
	OTEL	by Rail.
LXW1	STEL:	Short Term Exposure limit.
raye	n. 10 of 11	



# LXW130 IDROCHROM 130 - Pasta bianca- WB White paste

STOT:Specific Target Organ Toxicity.TLV:Threshold Limiting Value.TWA:Time-weighted average

LXW130/2 Page n. 11 of 11