


July 1, 2021

PL-2101

*Institutional grade cabinet locks,
padlocks and accessories*



SMALL PIN



SCHLAGE




IC CORE



SPECIALTY



PADLOCKS



**ANSI/BHMA
Grade 1
Cabinet Locks**

ANSI/BHMA



ACCESSORIES

206.362.3290 | 800.525.0954
www.olympuslock.com



**OLYMPUS
LOCK**_{INC}

ABOUT OLYMPUS LOCK



Institutional grade cabinet locks

EXPERIENCE

Olympus Lock has over 30 years of experience designing and manufacturing easily rekeyable pin tumbler, interchangeable core and engineered cabinet lock bodies for third party cylinders. We offer a wide selection of keyways and cabinet lock solutions for commercial and institutional facilities. Our design philosophy is to create locks that provide long-term benefits to the facility through increased efficiency and easy maintenance.

INNOVATION

We hold numerous U.S. and Canadian patents proving our commitment to provide innovative solutions for your cabinet lock needs. It has always been the intent of Olympus to provide cabinet locks that are easy to install, use and service. Each product is carefully designed, engineered and manufactured to exacting standards. We offer a wide range of accessories to make the installation, use, and service of our products as easy as possible.

SERVICE

Our delivery is the fastest in the industry. We have an extensive inventory of off-the-shelf masterkeyed locks and can ship most custom keyed orders within 1-5 business days.

SPECIFICATIONS

Olympus is an AIA certified education provider. We provide comprehensive pre-written architectural specifications for each of our locks. Specifications can be downloaded directly from our web site at www.olympuslock.com or refer to the specifications listed in our full-line Olympus Lock product catalog.

APPLICATIONS

Olympus cabinet locks are used in a variety of cabinet and casework applications including: K-12 public schools, colleges and universities, correctional facilities, medical offices, hospitals, casinos, retail cash drawers, lockers, kiosks, retail showcases, airline ticket counters, museums, hotels and motels, amusement parks, theaters, restaurants, country clubs, libraries, airports, police stations, fire stations and churches.

PIN TUMBLER SOLUTIONS

Olympus Lock specializes in pin-tumbler cabinet locks for the institutional and retail marketplace. When large numbers of locks will be installed within a facility, pin tumbler locks are preferred because they are more secure and allow the complex master keying and sub-master keying required in larger institutional settings such as schools, banks and hospitals. We provide a wide range of cabinet lock options for the cost conscious, yet security minded user. Beyond that, we can supply cabinet locks keyed to match your door hardware allowing for "one-key" simplification.

ELECTRONIC KEY RECORDS

We manage and save all our custom keying records for future reference. Need to add locks to an existing job? No problem. We've got all the records at our fingertips making it easy for you to order locks for various job phases. We manage the records so you don't have to.

CONTACT

Visit our website at olympuslock.com, call us toll-free at **800-525-0954** or email us at info@olympuslock.com for more information. Subscribe online to our eNews list and receive new product announcements, technical bulletins.



TABLE OF CONTENTS

REFERENCE

| | |
|-----------------------------------|---|
| About Olympus Lock | 2 |
| Replacement Guide | 4 |
| Handing/Key-Retaining Chart | 5 |
| Finish Chart | 5 |
| Custom Plating Charges | 5 |
| How to Order | 5 |
| General Keying Information | 6 |

TERMS, CONDITIONS, WARRANTY

| | |
|---|----|
| Conditions of Sales | 48 |
| Cancellation Policy | 48 |
| Delivery | 48 |
| Freight Policy | 48 |
| Minimum Order Amount | 48 |
| Returned Goods Policy | 48 |
| Limited Warranty | 48 |
| California Proposition 65 Statement | 48 |

RIM CYLINDER CONVERSION KIT

SLT SERIES

| | |
|--------------------|---|
| SLT-01 (NEW) | 7 |
| SLT-02 (NEW) | 7 |

PADLOCKABLE CAM LOCK

CAM LOCK/HASP

| | |
|--------------|---|
| DCP | 8 |
| DCP500 | 8 |

SMALL PIN LOCKS

N SERIES (NATIONAL KEYWAY)

| | |
|----------------------------------|--------------|
| General Keying Information | 6 |
| 100DR / 100B / 100M | (Grade 1) 9 |
| 200DW / 200B / 200M | (Grade 1) 10 |
| 300SD | 12 |
| 329R | 12 |
| 998 | 13 |
| 999 | 13 |
| DCN1,2,3,4 | (Grade 1) 11 |
| FC10/FC26-AR | 14 |
| L20V | 13 |
| N078 | 14 |
| T37 | 12 |
| T54C | 12 |

R SERIES (CCL KEYWAY)

| | |
|----------------------------------|--------------|
| General Keying Information | 6 |
| 500DR / 500B / 500M | (Grade 1) 15 |
| 600DW / 600B / 600M | (Grade 1) 16 |
| 400SD | 16 |
| 429R | 17 |
| 996 | 18 |
| 997 | 18 |
| DCR1,2,3,4 | (Grade 1) 17 |
| R078 | 18 |

STANDARD CYLINDER LOCKS

S SERIES (SCHLAGE C KEYWAY)

| | |
|----------------------------------|--------------|
| General Keying Information | 6 |
| 700S | (Grade 1) 19 |
| 800S | (Grade 1) 19 |
| 820S | 19 |
| 829R | (Grade 1) 20 |
| 850S | 20 |
| L78 | 20 |

LC SERIES (LESS CYLINDER/SCHLAGE)

| | |
|---------------|--------------|
| 700LC | (Grade 1) 21 |
| 800LC | (Grade 1) 21 |
| 820LC | 21 |
| 829R-LC | (Grade 1) 22 |
| 850LC | 22 |
| L78LC | 22 |

LC SERIES (LESS CYLINDER/SARGENT)

| | |
|-------------|----|
| 754LC | 23 |
| 854LC | 23 |

INTERCHANGEABLE CORE LOCKS

SMALL FORMAT (BEST COMPATIBLE)

| | |
|----------------------------------|--------------|
| General Keying Information | 6 |
| 206/207 SFIC Cylinders | 35 |
| 720 | (Grade 1) 30 |
| 720B-DM | 30 |
| 721 | (Grade 1) 31 |
| 722 | 30 |
| 723 | 30 |
| 724VR | 32 |
| 725MD | (Grade 1) 32 |
| 725ML | (Grade 1) 32 |
| 725RD | (Grade 1) 33 |
| 725RL | (Grade 1) 33 |
| 725RSL | 33 |
| 728MBL | 34 |
| 729R | (Grade 1) 34 |
| 950IC | 34 |
| L72V | 34 |

CORBIN/RUSSWIN

| | |
|----------------|----|
| CR1125RD | 26 |
| CR1125RL | 26 |
| CR25 | 26 |

MEDECO/YALE

| | |
|------------------------------|----|
| 931DR | 27 |
| 931DW | 27 |
| ME93 (For Medeco LFIC) | 27 |
| YA93 (For Yale LFIC) | 28 |

SARGENT

| | |
|------------|----|
| SA54 | 28 |
|------------|----|

SCHLAGE FULL SIZE

| | |
|------------|--------------|
| 777 | (Grade 1) 24 |
| 888 | (Grade 1) 24 |
| 920 | (Grade 1) 24 |
| 929R | (Grade 1) 25 |
| L92V | 25 |

BEST KEYWAY

3/4" UTILITY CAM LOCK

| | |
|----------------------------------|--------|
| General Keying Information | 6 |
| B7 | 29 |
| TRB7 Spacer Collars | 29, 37 |

CYLINDERS

SFIC & SCHLAGE c KEYWAY

| | |
|---------------------------------------|----|
| General Keying Information | 6 |
| 206/207 Series SFIC | 35 |
| 78-201 Series Schlage C | 35 |
| Plastic Thumbturns for IC Locks | 36 |

SAMPLE & SERVICE KITS

SK SERIES

| | |
|--------------|----|
| SK-002 | 41 |
| SK-003 | 41 |
| SK-004 | 41 |
| SK-005 | 41 |
| SK-006 | 41 |

CABINET HARDWARE

WIRE PULL / ELBOW CATCH / SLIDE BOLT

| | |
|--|----|
| EC Series Elbow Catch (NEW) | 40 |
| EC Series Elbow Catch Template (NEW) | 40 |
| SB Series Slide Bolt (NEW) | 40 |
| 102 Series Wire Pull | 40 |

INSTALLATION TOOLS

DRILL JIG / PUNCH

| | |
|--|----|
| CL-HIT-25 Cabinet Lock Drill Guide | 40 |
| CL-MP-118 Double-D Metal Punch | 40 |

PARTS & ACCESSORIES

PIN KITS / PIN ACCESSORIES

| | |
|------------------------|----|
| N1 | 42 |
| R1 | 42 |
| Replacement Pins | 42 |

KEYS & KEYING CHARGES

| | |
|-----------------------------------|----|
| Cut Keys | 43 |
| Keyblanks | 43 |
| Grand Master Keying Charges | 43 |
| Custom Stamping Charges | 43 |

OTHER PARTS & ACCESSORIES

| | |
|---------------------------------------|----|
| Additional Cabinet Lock Parts | 44 |
| FDB Display Boards | 41 |
| Interior Plastic Spacers | 36 |
| Plastic Thumbturns for IC Locks | 36 |
| Strikes | 39 |
| Spacer Collars (for cam locks) | 37 |
| Through-Bolt Plates & Pulls | 38 |
| Trim Rings | 37 |

PADLOCKS

| | |
|---|----|
| Corbin Russwin IC Core | 45 |
| N Series National Keyway Padlocks | 45 |
| Mountain Series (BP Blister Packed) | 46 |

REPLACEMENT GUIDE

Information given is for dimensional and keyway replacement only. Olympus Lock cabinet locks differ from other manufacturer's locks because they are covered by at least two patents and are easily rekeyable in five minutes or less with readily available tools.

| Corbin/CCL Security Products | | | Olympus Lock R Series | | |
|----------------------------------|--------------|----------------------------|-----------------------|--------------|---------|
| 15748 15749 15750 15783 | Cam Lock | 5/8" 13/16" 1" 1" | DCR1 | Cam Lock | 1-1/16" |
| 15890 | Cam Lock | 1-5/16" | DCR3 | Cam Lock | 1-7/16" |
| 0666 1/2 | Drawer Latch | 7/8" | 996 | Drawer Latch | 7/8" |
| 0666 1/2 | Drawer Latch | 1-1/8" | 996 | Drawer Latch | 1-3/8" |
| Not Available | | | 997 | Door Latch | 7/8" |
| Not Available | | | 997 | Door Latch | 1-3/8" |
| 0737 | Door Lock | 3/4" 7/8" | 500DR | Door Lock | 7/8" |
| 0737 | Door Lock | 1-1/8" 1-3/8" | 500DR | Door Lock | 1-3/8" |
| 0738 | Drawer Lock | 3/4" 7/8" | 600DW | Drawer Lock | 7/8" |
| 0738 | Drawer Lock | 1-1/8" 1-3/8" | 600DW | Drawer Lock | 1-3/8" |
| 02063 | Drawer Lock | 7/8" | R078 | Drawer Lock | 1-1/8" |
| 02291 | Sliding Door | 7/8" | 400SD | Sliding Door | 1" |
| Not Available | | | 429R | Ratchet Lock | 1/4" |

| File Cabinet Locks | | Olympus Lock* FC10 Series | |
|--------------------|--|---------------------------|-------------------------------------|
| HON F24/ F28 | HON Original (disc tumbler) | FC10 | File Cabinet Lock |
| SRS2185 | SRS Replacement Lock (disc tumbler) | FC10 | File Cabinet Lock |
| HON F26 | HON Original (disc tumbler) | FC10 + FC26-AR | File Cabinet Lock + Adapter Ring |
| SRS2190 | SRS Replacement Lock (disc tumbler) | FC10 + FC26-AR | File Cabinet Lock + Adapter Ring |

*Olympus equivalent locks are on National D4291/D4292 pin tumbler keyway.

| Best Access | Olympus Lock | | |
|---------------|------------------|-------------------|--------------|
| 3L | 721 Series | Door/Drawer Lock | Deadbolt |
| 5E | B7 Series | Non-IC cam lock | Cam Lock |
| 5L7RD | 725RD Series | Door/Drawer Lock | Deadbolt |
| 5L7RL | 725RL Series | Door/Drawer Lock | Spring Latch |
| 5L7MD | 725MD Series | Door/Drawer Lock | Deadbolt |
| 5L7ML | 725ML Series | Door/Drawer Lock | Spring Latch |
| 5L7RD-SL | 725RSL Series | Door/Drawer Lock | Square Latch |
| 8L | 728MBL | Mailbox Lock | Spring Latch |
| 1E7E4 | 720 / 720B | Door/Drawer | Cam Lock |
| 1E7D4 | 720B-DM | Direct Drive | Cam Lock |
| 2P73 | 724VR | File Cabinet Lock | Round Bolt |
| 2S 2S-TBM | 722S 722S-TBM | Plunger Lock | Sliding Door |
| 3S | 729R | Ratchet Lock | Sliding Door |
| 4S | 723S | Through-glass | Sliding Door |
| Not Available | L72V | Drawer Lock | Spring Latch |
| Not Available | 950IC | Drawer Lock | Deadlocking |

| CompX/National Cabinet Lock | | | Olympus Lock N Series | | |
|-----------------------------|---------------|------------------|-----------------------|---------------|---------|
| C8102 | Cam Lock | 1-1/16" | DCN1 | Cam Lock | 1-1/16" |
| C8103 | Cam Lock | 1-3/16" | DCN2 | Cam Lock | 1-3/16" |
| C8106 | Cam Lock | 1-7/16" | DCN3 | Cam Lock | 1-7/16" |
| C8108 C8109 | Cam Lock | 1-3/4" | DCN4 | Cam Lock | 1-3/4" |
| C8173 | Door Lock | 7/8" | 100DR | Door Lock | 7/8" |
| C8174 C8175 | Door Lock | 1-1/8" 1-3/8" | 100DR | Door Lock | 1-3/8" |
| C8178 | Drawer Lock | 7/8" | 200DW | Drawer Lock | 7/8" |
| C8177 C8179 | Drawer Lock | 1-1/8" 1-3/8" | 200DW | Drawer Lock | 1-3/8" |
| Not Available | | | 200DW | Drawer Lock | 1-5/8" |
| C8142 | Sliding Door | 1-1/8" | 300SD | Sliding Door | 1-1/8" |
| C8163 | Drawer Lock | 7/8" | N078 | Drawer | 1-1/8" |
| Not Available | | | N078 | Drawer | 1-3/8" |
| Not Available | | | N078L/R | Door | 1-1/8" |
| Not Available | | | N078L/R | Door | 1-3/8" |
| C8131 | Drawer Latch | 7/8" | 998/L20V | Drawer Latch | 7/8" |
| Not Available | | | 998/L20V | Drawer Latch | 1-3/8" |
| C8139 | Door Latch | 3/4" | 999 | Door Latch | 7/8" |
| Not Available | | | 999 | Door Latch | 1-3/8" |
| Not Available | | | FC10 | File Cabinet | n/a |
| C8137 | T-Bolt Drawer | 1/4" | T37 | T-Bolt Drawer | 1/4" |
| C8140 | Ratchet Lock | 1/4" | 329R | Ratchet Lock | 1/4" |

| IR / Schlage Lock | | | Olympus Lock* 700/800 Series | | |
|-------------------|-------------|--------|------------------------------|-------------|--------|
| CL100PB | Door Lock | 1-1/8" | 700SC | Door Lock | 1-1/8" |
| CL100PB | Door Lock | 1-3/8" | 700SC | Door Lock | 1-3/8" |
| CL200PB | Drawer Lock | 1-1/8" | 800SC | Drawer Lock | 1-1/8" |
| CL200PB | Drawer Lock | 1-3/8" | 800SC | Drawer Lock | 1-3/8" |

*Olympus provides Schlage C keyway only or less cylinder.


| IR / Schlage Lock - FSIC | | | Olympus Lock* FSIC | | |
|--------------------------|--------------|---------|--------------------|--------------|---------|
| CL777R | Door Lock | 1-7/16" | 777ICP | Door Lock | 1-7/16" |
| CL888R | Drawer Lock | 1-7/16" | 888ICP | Drawer Lock | 1-7/16" |
| CL920R | Cam Lock | n/a | 920LM/DM | Cam Lock | n/a |
| CL929R | Ratchet Lock | n/a | 929R | Ratchet Lock | n/a |

*Olympus provides lock bodies only (no cylinders) for Schlage full-size (large format) IC cores.

| Sargent | | | Olympus Lock* 754/854 Series | | |
|---------------|-----------|--|------------------------------|-----------------------------|--|
| 1654 | Door Lock | | 754LC | Door Lock - less cylinder | |
| 1655 | Door Lock | | 754LC | Door Lock - less cylinder | |
| Not Available | | | 854LC | Drawer Lock - less cylinder | |

*Locks are less cylinder for use with Sargent original cylinders.

HANDING



STANDARD FUNCTION

Key removable in the locked or unlocked position. Locks ship with standard function unless key retaining is specified at time of order.

KEY RETAINING

The key cannot be removed from the lock while in the "unlocked" position. Key-retaining function is generally used in instances where cabinets or drawers should not be left unlocked.

HANDING

Handed locks must be ordered either LH, RH, VH or IH (see figure at left).

Non-handed locks can be ordered as either door or drawer. Door locks will work in both LH or RH applications and drawer locks will work for both vertical or inverted function.

FINISHES

FINISH CODES

Not all finishes are available on all products. See catalog or price page for the standard finishes available on a specific item.

| US Code | BHMA | Description |
|-------------|------|-------------------|
| US10B (10B) | 613 | Oil rubbed bronze |
| US19 | 622 | Flat black coated |
| US26 | 625 | Bright chrome |
| US26D (26D) | 626 | Dull chrome |

| US Code | BHMA | Description |
|---------|------|--------------------------|
| US3 | 605 | Bright brass |
| US4 | 606 | Satin brass |
| US32 | 629 | Polished stainless steel |
| US32D | 630 | Satin stainless steel |

CUSTOM PLATING CHARGES

For custom finishes see the Special Finish/Custom Plated List Prices chart to determine the custom plated price. Call Olympus Lock for lead time and availability.

Special Finish / Custom Plated List Prices

Custom or special finishes: To calculate the "Price Each" for custom plated locks, add the amount in the List Price Add On charge column to the "custom, non-stock, or custom keyed" list price of the product.

Minimum order: Custom plating requires a 1,000 piece minimum order per item.

Lead time: 12 - 16 weeks

Item Nos: 100, 200, 300, 329R, 400, 429R, 500, 600, 999, 998, 997, 996

Item Nos: 700, 800, 820, 829R, 754, 854, 850, 950, L20V, L78, L72V, L92V, B7, DCN, DCR, FC10, N078, R078, T37, DCP, DCP500

Item Nos: 720, 721, 723, 724, 725, 728, 729, 777, 820, 829, 888, 920, 929, 931, CR1125, CR25, ME93, SA54, YA93

HOW TO ORDER

ORDERING LOCKS

Olympus needs certain information about the locks you are ordering to correctly fill your order. For most of our locks you will need to indicate:

- barrel / cylinder length
- finish / color
- keying information KA, KD or MK

STOCK KEYED LOCKS

N Series National keyway (4-pin): KD, KA# 101, 103, 107, 915

- **100/200/DCN Series:** Additional (4-pin) KA# 51001, 51002, 51003, 51004

- **T37 Series:** Additional (4-pin) 51001 to 51011 and 001 to 030

R Series CCL R1 keyway (5-pin): KD, KA# 4T2, 4T3

S Series Schlage C keyway (5-pin): KD, 0-BIT, KA# 101, 102

CUSTOM KEYING SERVICES

Olympus Lock offers custom keying services for your special cabinet lock keying needs. We inventory a huge supply of master keyed locks on our most popular keyways so that we can quickly fulfill your custom keyed order. We pride ourselves on being able to ship your master keyed order faster than anyone else in the industry. If you have other special keying needs such as grand master keying or non-stock master keyed systems we will be glad to accommodate you.

HOW TO ORDER MASTER/CUSTOM KEYED LOCKS

Master keyed or custom keyed locks require detailed information as to the nature of the keying. The more information the better.

All master keyed orders ship standard with 2 change keys per lock and 2 master keys per project (except for IC cores). Additional change keys or master keys can be ordered separately. (See pricing on page 37)

Large keyed alike, master keyed or grand master keyed jobs which include 10 or more KA/MK groups must have a key schedule submitted in written form and reference a "project name" and "project location." It is critical we have "project name" and "project location" information so that we can create a record of your project for future reference in case you need to order replacement locks or keys and add additional groups to your project.

Indicate on your custom keyed lock order if the locks are for a "new" or "existing" project. For existing projects you will need to reference your initial "project name and location" information. We will refer to your project record and original lock schedule(s) so that we can correctly key your order.

For more detailed information about custom keying, master keying and grand master keying, see **Keying Information** on page 6.

KEYING INFORMATION

GRAND MASTER OR GREAT GRAND MASTER KEYING

Before we can create a 3 level grand master key system or 4 level (or higher) great grand master key system, we need to have a realistic idea of the complete number of masters, sub masters and key codes that the system will require and whether there will be future expansion. Without this information at the beginning of the process, the options for future expansion may be limited.

SPECIAL STAMPING

See below for standard lock face and key stamping. Custom lock face and key stamping/engraving is available for an additional charge. See page 37 for pricing.

N Series National keyway

STOCK KEYING

- 4-pin standard:** KD and KA# 101, 103, 107, 915
- **100/200/DCN:** Additional (4-pin) KA# 51001, 51002, 51003, 51004
- **T37:** Additional (4-pin) KA# 51001 through 51011 and 001 through 030

STOCK MASTER KEYING

5-pin standard: Orders ship with 2 master keys per project and 2 change keys per lock. Includes **4-digit numeric** key code stamped on the change keys and face of lock. Provide key schedule at time of order.

NON-STOCK MASTER KEYING

- 4-pin:** Orders ship standard with 2 master keys per project and 2 change keys per lock. Includes **3-digit numeric** key code stamped on the change keys and face of lock. Provide key schedule at time of order.
- 5-pin:** Orders ship standard with 2 master keys per project and 2 change keys per lock. Includes **4-digit numeric** key code stamped on the change keys and face of lock. Provide key schedule at time of order.

GRAND MASTER OR MULTIPLE MASTER KEY SYSTEM

5-pin: Orders ship standard with 2 grand master keys per project and 2 change keys per lock. Includes **4-digit numeric** key code stamped on the change keys and face of lock. Provide key schedule and full scope of project at time of order and indicate required number of sub master keys for each group. Sub master keys are charged separately.

S Series Schlage C Keyway

STOCK KEYING

- 5-pin standard:** KD and KA# 101, 102

STOCK MASTER KEYING

5-pin standard: Orders ship standard with 2 master keys per project and 2 change keys per lock. Includes numeric key code stamped on the change keys. Lock face stamping available separately. Provide key schedule at time of order.

NON-STOCK MASTER KEYING

- 5-pin:** Locks ship standard with 2 master keys per project and 2 change keys per lock. Includes numeric key code stamped on the change keys. Lock face stamping available separately. Provide key schedule at time of order.
- 6-pin:** Locks ship standard with 2 master keys per project and 2 change keys per lock. Includes numeric key code stamped on the change keys. Lock face stamping available separately. Provide key schedule at time of order.

GRAND MASTER OR MULTIPLE MASTER KEY SYSTEM

- 5-pin:** Orders ship standard with 2 grand master keys per project and 2 change keys per lock. Includes numeric key code stamped on the change keys. Lock face stamping available separately. Provide key schedule and full scope of project at time of order and indicate required number of sub master keys for each group. Sub master keys are charged separately.
- 6-pin:** Orders ship standard with 2 grand master keys per project and 2 change keys per lock. Includes numeric key code stamped on the change keys. Lock face stamping available separately. Provide key schedule and full scope of project at time of order and indicate required number of sub master keys for each group. Sub master keys are charged separately.

R Series CCL R1 Keyway

STOCK KEYING

- 5-pin standard:** KD and KA# 4T2, 4T3

STOCK MASTER KEYING

5-pin standard: Orders ship standard with 2 master keys per project and 2 change keys per lock. Includes **3-digit numeric** key code stamped on the change keys and face of lock. Provide key schedule at time of order.

NON-STOCK MASTER KEYING

- 5-pin:** Orders ship standard with 2 master keys per project and 2 change keys per lock. Includes **3-digit numeric** key code stamped on the change keys and face of lock. Provide key schedule at time of order.
- * **6-pin:** Orders ship standard with 2 master keys per project and 2 change keys per lock. Includes numeric key code stamped on the change keys and face of lock. Provide key schedule at time of order.

GRAND MASTER OR MULTIPLE MASTER KEY SYSTEM

- 5-pin:** Orders ship standard with 2 grand master keys per project and 2 change keys per lock. Includes numeric key code stamped on the change keys and face of lock. Provide key schedule and full scope of project at time of order and indicate required number of sub master keys for each group. Sub master keys are charged separately.
- * **6-pin:** Orders ship standard with 2 grand master keys per project and 2 change keys per lock. Includes numeric key code stamped on the change keys and face of lock. Provide key schedule and full scope of project at time of order and indicate required number of sub master keys for each group. Sub master keys are charged separately.

* **6-pin keying:** Available on 500, 600, 996, and 997 series locks only.

SFIC Small Format IC

STOCK KEYING

N/A: All cores are custom keyed. Specify keyway and type of keying at time of order.

CUSTOM / MASTER KEYING

6-pin or 7-pin: Orders ship standard with 2 change keys per core. Includes numeric key code stamped on the change keys. 2 additional cut keys (master keys and/or control keys—specify at time of order) are included with each project. Provide key schedule at time of order. Additional keys may be purchased separately.

GRAND MASTER OR MULTIPLE MASTER KEY SYSTEM

6-pin or 7-pin: Orders ship standard with 2 change keys per core. Includes numeric key code stamped on the change keys. 2 additional cut keys (master keys and/or control keys—specify at time of order) are included with each project. Provide key schedule and full scope of project at time of order and indicate required number of sub master keys for each group. Sub master keys are charged separately.

SLT SERIES Rim Cylinder Conversion Kit

Conversion Kit: allows you to convert a SALTO US rim cylinder into a latch or deadbolt cabinet lock. Also compatible with most major US rim cylinders.
Standard Function: will work for cabinet doors or drawers.

Accepts: SALTO G9B1 GEO US rim cylinder and other third party US rim cylinders.
Rim Cylinder: not included
STL-01 Includes: 10-350 plastic spacer, L78ST-1-SS stainless steel lip strike, SLT-TR 21/64" trim bezel
SLT-02 Includes: 10-350 plastic spacer, 10-054 1/4" plastic bar strike, SLT-TR 21/64" trim bezel



SLT-01 Door or Drawer Latch Lock


Standard function: Non-handed. Can be used for doors or drawers. **Packed 10 per box.**



| Item | Finish | Cyl. Length | Barrel Diameter | Description | Weight |
|--------|--------|--|-----------------|--|--------------|
| SLT-01 | 26D | Determined by provided rim cylinder screws and tailpiece | 1-9/64" | Cabinet Lock Conversion Kit for SALTO Electronic Rim Cylinder and other third party US rim cylinders | 4.87 lbs/box |



WARNING: This product can expose you to chemicals including chromium, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.



SLT-02 Door or Drawer Deadbolt Lock


Standard function: Non-handed. Can be used for doors or drawers. **Packed 10 per box.**



| Item | Finish | Cyl. Length | Barrel Diameter | Description | Weight |
|--------|--------|--|-----------------|--|--------------|
| SLT-02 | 26D | Determined by provided rim cylinder screws and tailpiece | 1-9/64" | Cabinet Lock Conversion Kit for SALTO Electronic Rim Cylinder and other third party US rim cylinders | 4.87 lbs/box |



WARNING: This product can expose you to chemicals including chromium, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.



DCP SERIES Padlockable Cam Lock

Function: Uses padlock as locking device.

Compatibility: Accepts most standard padlocks with a shackle diameter of 3/8" (10 mm) or less.

Finishes: For finishes not listed, see charges under "custom plating" in this price list or consult factory.

Padlocks: See padlocks on page 45-46 of this price list.

DCP Padlockable Cam Lock



Standard: DCP ships standard with DCP-LC cam and spur washer. **Packed 10 per box.**

| Item | Finish | Fits Material | Description | Weight |
|--------------|--|---------------|--------------------------------|-------------|
| DCP | US26D, US26, US3, US19 | 1-7/32" | Accepts most standard padlocks | 3.9 lbs/box |
| DCNP-500-ARP | Anti-rotation plate (available separately) | | | |

See chart below for additional cams.



WARNING: This product can expose you to chemicals including chromium, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

DCP500 Padlockable Cam Lock (with finger pull)



Standard: DCP500 ships standard with DCP-LC cam and spur washer. **Packed 10 per box.**

| Item | Finish | Fits Material | Description | Weight |
|--------------|--|---------------|--------------------------------|-------------|
| DCP500 | US26, US26D | 1-7/32" | Accepts most standard padlocks | 4.1 lbs/box |
| DCNP-500-ARP | Anti-rotation plate (available separately) | | | |

See chart below for additional cams.



WARNING: This product can expose you to chemicals including chromium, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

STRAIGHT CAMS FOR DCP OR DCP500

| Cam | Cam Type | Description |
|------------|----------|--------------------------|
| DCP-SC | Straight | 7/8" short straight cam |
| DCP-LC | Straight | 1-1/4" long straight cam |
| DCP-LC-112 | Straight | 1-1/2" long straight cam |
| DCP-LC-134 | Straight | 1-3/4" long straight cam |
| DCP-LC-225 | Straight | 2-1/4" long straight cam |
| DCP-LC-250 | Straight | 2-1/2" long straight cam |

OFFSET CAMS FOR DCP OR DCP500

| Cam | Cam Type | Description |
|-------------|----------|----------------------------------|
| DCP-1-14 | Offset | 1" long cam with 1/4" offset |
| DCP-LBC | Offset | 1-1/4" long cam with 1/4" offset |
| DCP-118-18 | Offset | 1-1/8" long cam with 1/8" offset |
| DCP-LBC-138 | Offset | 1-3/8" long cam with 3/8" offset |
| DCP-LBC-178 | Offset | 1-7/8" long cam with 1/2" offset |
| DCP-112-14 | Offset | 1-1/2" long cam with 1/4" offset |
| DCP-114-18 | Offset | 1-1/4" long cam with 1/8" offset |
| DCP-114-38 | Offset | 1-1/4" long cam with 3/8" offset |



WARNING: This product can expose you to chemicals including chromium, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

DCP-SP1 Padlock Bumper Plate



DCP-SP2
Left-hand

DCP-SP1
Right-hand

Function: Protects face of cabinet from padlock. **Packed each.**

| Item | Finish | Approx. Size | Description |
|---------|-------------|--------------|----------------------|
| DCP-SP1 | US32, US26D | 2" x 4" | Padlock bumper plate |
| DCP-SP2 | US32, US26D | 2" x 4" | Padlock bumper plate |



WARNING: This product can expose you to chemicals including chromium, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.



DCP and padlock
sold separately.

N SERIES Key together with other N Series Locks

Keyway: National D4291 (4-pin) or D4292 (5-pin) keyway
Stock KD/KA: 4 pin standard
Stock KA#: 101, 103, 107, 915
Stock KA#: 51001 through 51011 (not available on all items)

Stock master keyed: 5 pin standard
Pin Kit: Use N1 Pin Kit for rekeying
Keyblanks: 4-pin use KBN-4-NP (equivalent to NA14, 1069L), 5-pin use KBN-5-NP (equivalent to NA12, 1069LA). See page 43 for cut keys and keyblanks.
Finishes: For finishes not listed, see charges under "custom plating" or consult factory.

Accessories: Additional accessories available for these products. See accessories section or consult factory.
Custom stamping: See page 43.
Keying information: See page 6.

100DR / 100B Door Deadbolt Lock



ANSI/BHMA A156.11
 Grade 1, E07121
 Woodwork Institute (WI)
 acknowledged product

US19 flat
 black finish now
 available

Standard function: Key removable in locked or unlocked position. Standard locks are non-handed. **Key-retaining:** For key removable in locked position only, specify the key-retaining part-numbers. See handing chart on page 5 for proper handing of locks (left or right).
Packed 10 per box.

| Item | Finish | Fits Material | Pinning | Pin Tumbler Keying | Weight |
|---|--|---------------|---------|--|-------------|
| 100DR | 26D, US4 | 7/8" | 4 pin | KD, KA 101,103,107,915,51001,51002,51003,51004 | 4.8 lbs/box |
| 100DR | 26D, US4 | 7/8" | 5 pin | Stock master keyed or non stock KD, KA | 4.8 lbs/box |
| 100DR | 26D, US4 | 1-3/8" | 4 pin | KD, KA 101,103,107,915,51001,51002,51003,51004 | 5.5 lbs/box |
| 100DR | 26D, US4 | 1-3/8" | 5 pin | Stock master keyed or non stock KD, KA | 5.5 lbs/box |
| 100DR | US19 | 7/8" | 4 pin | KD, KA 101,103,107,915,51001,51002,51003,51004 | 4.8 lbs/box |
| 100DR | US19 | 7/8" | 5 pin | Stock master keyed or non stock KD, KA | 4.8 lbs/box |
| 100DR | 10B | 7/8" | 4 pin | KD, KA 101,103,107,915,51001,51002,51003,51004 | 4.8 lbs/box |
| 100DR | 10B | 7/8" | 5 pin | Stock master keyed or non stock KD, KA | 4.8 lbs/box |
| 100DR | 10B | 1-3/8" | 4 pin | KD, KA 101,103,107,915,51001,51002,51003,51004 | 5.5 lbs/box |
| 100DR | 10B | 1-3/8" | 5 pin | Stock master keyed or non stock KD, KA | 5.5 lbs/box |
| Key-retaining: Specify item 100KL for left-hand doors and 100KR for right-hand doors. (KL and KR designation are <i>only required for key retaining locks</i>). Standard locks are non-handed. | | | | | |
| Grand master (3-level system), or systems with multiple master keys: Add to the "Stock master keyed or non stock KD, KA" price. Great grand master keyed (4-level system or higher), call factory for price. | | | | | |
| 100B | Weather resistant: Includes weather resistant components. Suitable for outdoor use in <u>covered areas only</u> . Specify 100B series. Include finish, barrel length and keying. | | | | |
| Long bolt: For long bolt #15-1-35 factory installed in lock (specify -LB option). Bolts available separately. Extends bolt projection to 1-1/2". | | | | | |

WARNING: This product can expose you to chemicals including chromium, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

100M Door Deadbolt Lock (MRI Series)



ANSI/BHMA A156.11
 Grade 1, E07121
 Woodwork Institute (WI)
 acknowledged product

100M MRI Series: Include all non-ferrous (non-magnetic) metals and materials and are suitable for use in medical applications including Magnetic Resonance Imaging (MRI) suites due to their non-magnetic properties. **Standard function:** Key removable in locked or unlocked position. Standard locks are non-handed. **Key-retaining:** For key removable in locked position only, specify the key-retaining part-numbers. See handing chart on page 5 for proper handing of locks (left or right). **Keys:** Includes copper plated non-magnetic keys (KBN-5B).
Packed 10 per box.

| Item | Finish | Fits Material | Pinning | Pin Tumbler Keying | Weight |
|---|--------|---------------|---------|--|-------------|
| 100M | 26D | 7/8" | 4 pin | KD, KA 101,103,107,915,51001,51002,51003,51004 | 4.8 lbs/box |
| 100M | 26D | 7/8" | 5 pin | Stock master keyed or non stock KD, KA | 4.8 lbs/box |
| 100M | 26D | 1-3/8" | 4 pin | KD, KA 101,103,107,915,51001,51002,51003,51004 | 5.5 lbs/box |
| 100M | 26D | 1-3/8" | 5 pin | Stock master keyed or non stock KD, KA | 5.5 lbs/box |
| Key-retaining: Specify item 100MKL for left-hand doors and 100MKR for right-hand doors. (MKL and MKR designation are <i>only required for key retaining locks</i>). Standard locks are non-handed. | | | | | |
| Grand master (3-level system), or systems with multiple master keys: Add to the "Stock master keyed or non stock KD, KA" price. Great grand master keyed (4-level system or higher), call factory for price. | | | | | |
| Long bolt: For long bolt #15-1-35 factory installed in lock (specify -LB option). Bolts available separately. Extends bolt projection to 1-1/2". | | | | | |

WARNING: This product can expose you to chemicals including chromium, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

N SERIES Key together with other N Series Locks

200DW / 200B Drawer Deadbolt Lock



ANSI/BHMA A156.11
Grade 1, E07041

Woodwork Institute (WI)
acknowledged product

US19 flat
black finish now
available

Standard function: Key removable in locked or unlocked position. Standard locks are non-handed. **Key-retaining:** For key removable in locked position only, specify the key-retaining part-numbers. See the handing chart on page 5 for proper handing of locks (vertical or inverted).
Packed 10 per box.

| Item | Finish | Fits Material | Pinning | Pin Tumbler Keying | Weight |
|---|--|---------------|---------|--|-------------|
| 200DW | 26D, US4 | 7/8" | 4 pin | KD, KA 101,103,107,915,51001,51002,51003,51004 | 4.8 lbs/box |
| 200DW | 26D, US4 | 7/8" | 5 pin | Stock master keyed or non stock KD, KA | 4.8 lbs/box |
| 200DW | 26D, US4 | 1-3/8" | 4 pin | KD, KA 101,103,107,915,51001,51002,51003,51004 | 5.5 lbs/box |
| 200DW | 26D, US4 | 1-3/8" | 5 pin | Stock master keyed or non stock KD, KA | 5.5 lbs/box |
| 200DW | 26D | 1-5/8" | 4 pin | KD, KA 101,103,107,915,51001,51002,51003,51004 | 5.8 lbs/box |
| 200DW | 26D | 1-5/8" | 5 pin | Stock master keyed or non stock KD, KA | 5.8 lbs/box |
| 200DW | US19 | 7/8" | 4 pin | KD, KA 101,103,107,915,51001,51002,51003,51004 | 4.8 lbs/box |
| 200DW | US19 | 7/8" | 5 pin | Stock master keyed or non stock KD, KA | 4.8 lbs/box |
| 200DW | US19 | 1-3/8" | 4 pin | KD, KA 101,103,107,915,51001,51002,51003,51004 | 5.5 lbs/box |
| 200DW | US19 | 1-3/8" | 5 pin | Stock master keyed or non stock KD, KA | 5.5 lbs/box |
| 200DW | 10B | 7/8" | 4 pin | KD, KA 101,103,107,915,51001,51002,51003,51004 | 4.8 lbs/box |
| 200DW | 10B | 7/8" | 5 pin | Stock master keyed or non stock KD, KA | 4.8 lbs/box |
| 200DW | 10B | 1-3/8" | 4 pin | KD, KA 101,103,107,915,51001,51002,51003,51004 | 5.5 lbs/box |
| 200DW | 10B | 1-3/8" | 5 pin | Stock master keyed or non stock KD, KA | 5.5 lbs/box |
| 200DW | 10B | 1-5/8" | 4 pin | KD, KA 101,103,107,915,51001,51002,51003,51004 | 5.8 lbs/box |
| 200DW | 10B | 1-5/8" | 5 pin | Stock master keyed or non stock KD, KA | 5.8 lbs/box |
| Key-retaining: Specify item 200KI for inverted drawers and 200KV for vertical drawers. (KI and KV designations are <i>only required for key retaining locks</i>). Standard locks are non-handed. | | | | | |
| Grand master (3-level system), or systems with multiple master keys: Add to the "Stock master keyed or non stock KD, KA" price. Great grand master keyed (4-level system or higher), call factory for price. | | | | | |
| 200B | Weather resistant: Includes weather resistant components. Suitable for outdoor use in <u>covered areas only</u> . Specify 200B series. Include finish, barrel length and keying. | | | | |
| Long bolt: For long bolt #15-1-35 factory installed in lock (specify -LB option). Bolts available separately. Extends bolt projection to approximately 1-1/2". | | | | | |



WARNING: This product can expose you to chemicals including chromium, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

200M Drawer Deadbolt Lock (MRI Series)



ANSI/BHMA A156.11
Grade 1, E07041

Woodwork Institute (WI)
acknowledged product

200M MRI Series: Include all non-ferrous (non-magnetic) metals and materials and are suitable for use in medical applications including Magnetic Resonance Imaging (MRI) suites due to their non-magnetic properties. **Standard function:** Key removable in locked or unlocked position. Standard locks are non-handed. **Key-retaining:** For key removable in locked position only, specify the key-retaining part-numbers. See handing chart on page 5 for proper handing of locks (vertical or inverted). **Keys:** Includes copper plated non-magnetic keys (KBN-5B).
Packed 10 per box.

| Item | Finish | Fits Material | Pinning | Pin Tumbler Keying | Weight |
|---|--------|---------------|---------|--|-------------|
| 200M | 26D | 7/8" | 4 pin | KD, KA 101,103,107,915,51001,51002,51003,51004 | 4.8 lbs/box |
| 200M | 26D | 7/8" | 5 pin | Stock master keyed or non stock KD, KA | 4.8 lbs/box |
| 200M | 26D | 1-3/8" | 4 pin | KD, KA 101,103,107,915,51001,51002,51003,51004 | 5.5 lbs/box |
| 200M | 26D | 1-3/8" | 5 pin | Stock master keyed or non stock KD, KA | 5.5 lbs/box |
| 200M | 26D | 1-5/8" | 4 pin | KD, KA 101,103,107,915,51001,51002,51003,51004 | 5.8 lbs/box |
| 200M | 26D | 1-5/8" | 5 pin | Stock master keyed or non stock KD, KA | 5.8 lbs/box |
| Key-retaining: Specify item 200MKI for inverted drawers and 200MKV for vertical drawers. (MKI and MKV designations are <i>only required for key retaining locks</i>). Standard locks are non-handed. | | | | | |
| Grand master (3-level system), or systems with multiple master keys: Add to the "Stock master keyed or non stock KD, KA" price. Great grand master keyed (4-level system or higher), call factory for price. | | | | | |
| Long bolt: For long bolt #15-1-35 factory installed in lock (specify -LB option). Bolts available separately. Extends bolt projection to approximately 1-1/2". | | | | | |



WARNING: This product can expose you to chemicals including chromium, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

N SERIES Key together with other N Series Locks

DCN Cam Lock



ANSI/BHMA A156.11
Grade 1
E07261 / E07271

Woodwork Institute (WI)
acknowledged products

Standard function: Key removable in locked or unlocked position. Ships with DCNP-500-ARP (anti-rotation plate), DCNP-100-SC (straight cam) and DCNP-100-BC (reversible offset cam). **Key-retaining:** For key removable in locked position only (key-retaining), purchase optional cam shifters DCNP-200-KR (for drawers) or DCNP-200-KDR (for doors). **Optional cams and accessories:** See chart below. **Packed 10 per box.**

| Item | Finish | Cyl. Length | Pinning | Pin Tumbler Keying | Weight |
|------|----------|-------------|---------|--|-------------|
| DCN1 | 26D, US3 | 1-1/16" | 4 pin | KD, KA 101,103,107,915,51001,51002,51003,51004 | 2.6 lbs/box |
| DCN1 | 26D, US3 | 1-1/16" | 5 pin | Stock master keyed or non stock KD, KA | 2.6 lbs/box |
| DCN2 | 26D, US3 | 1-3/16" | 4 pin | KD, KA 101,103,107,915,51001,51002,51003,51004 | 2.7 lbs/box |
| DCN2 | 26D, US3 | 1-3/16" | 5 pin | Stock master keyed or non stock KD, KA | 2.7 lbs/box |
| DCN3 | 26D, US3 | 1-7/16" | 4 pin | KD, KA 101,103,107,915,51001,51002,51003,51004 | 2.9 lbs/box |
| DCN3 | 26D, US3 | 1-7/16" | 5 pin | Stock master keyed or non stock KD, KA | 2.9 lbs/box |
| DCN4 | 26D, US3 | 1-3/4" | 4 pin | KD, KA 101,103,107,915,51001,51002,51003,51004 | 3.2 lbs/box |
| DCN4 | 26D, US3 | 1-3/4" | 5 pin | Stock master keyed or non stock KD, KA | 3.2 lbs/box |
| DCN1 | US19 | 1-1/16" | 4 pin | KD, KA 101,103,107,915,51001,51002,51003,51004 | 2.6 lbs/box |
| DCN1 | US19 | 1-1/16" | 5 pin | Stock master keyed or non stock KD, KA | 2.6 lbs/box |
| DCN2 | US19 | 1-3/16" | 4 pin | KD, KA 101,103,107,915,51001,51002,51003,51004 | 2.7 lbs/box |
| DCN2 | US19 | 1-3/16" | 5 pin | Stock master keyed or non stock KD, KA | 2.7 lbs/box |
| DCN3 | US19 | 1-7/16" | 4 pin | KD, KA 101,103,107,915,51001,51002,51003,51004 | 2.9 lbs/box |
| DCN3 | US19 | 1-7/16" | 5 pin | Stock master keyed or non stock KD, KA | 2.9 lbs/box |
| DCN4 | US19 | 1-3/4" | 4 pin | KD, KA 101,103,107,915,51001,51002,51003,51004 | 3.2 lbs/box |
| DCN4 | US19 | 1-3/4" | 5 pin | Stock master keyed or non stock KD, KA | 3.2 lbs/box |
| DCN1 | 10B | 1-1/16" | 4 pin | KD, KA 101,103,107,915,51001,51002,51003,51004 | 2.6 lbs/box |
| DCN1 | 10B | 1-1/16" | 5 pin | Stock master keyed or non stock KD, KA | 2.6 lbs/box |
| DCN2 | 10B | 1-3/16" | 4 pin | KD, KA 101,103,107,915,51001,51002,51003,51004 | 2.7 lbs/box |
| DCN2 | 10B | 1-3/16" | 5 pin | Stock master keyed or non stock KD, KA | 2.7 lbs/box |
| DCN3 | 10B | 1-7/16" | 4 pin | KD, KA 101,103,107,915,51001,51002,51003,51004 | 2.9 lbs/box |
| DCN3 | 10B | 1-7/16" | 5 pin | Stock master keyed or non stock KD, KA | 2.9 lbs/box |
| DCN4 | 10B | 1-3/4" | 4 pin | KD, KA 101,103,107,915 | 3.2 lbs/box |
| DCN4 | 10B | 1-3/4" | 5 pin | Stock master keyed or non stock KD, KA | 3.2 lbs/box |

Grand master (3-level system), or systems with multiple master keys: Add to the "Stock master keyed or non stock KD, KA" price. Great grand master keyed (4-level system or higher), call factory for price.



WARNING: This product can expose you to chemicals including chromium, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

Note: Offset cams are reversible and can be used in either the inbent or outbent position.

| Item | Description / Packed Each | Item | Description / Packed Each |
|--------------|------------------------------------|--------------|--------------------------------|
| DCNP-HD-875 | 7/8" long straight cam | DCNP-500-ARP | Anti-rotation plate |
| DCNP-HD-1 | 1" long straight cam | DCNP-300-FP | Finger pull |
| DCNP-100-SC | 1-1/4" long straight cam | DCNP-200-KR | Key-retaining shifter (Drawer) |
| DCNP-100-SC2 | 1-3/4" long straight cam | DCNP-200-KDR | Key-retaining shifter (Door) |
| DCNP-100-SC3 | 1-1/2" long straight cam | T37DC-NP | Number plate ring |
| DCNP-100-LC | 3" long straight cam | DCNP-GW* | Glass washer |
| DCNP-100-BC | 1-1/4" long cam, 5/16" offset | DCNP-SPW | Pronged wood washer |
| DCNP-100-BC5 | 1-1/4" long cam, 1/2" offset | TRB7-18-26D | 1/8" spacer collar, 26D |
| DCNP-100-HC1 | 1-1/2" long hook cam, 5/16" offset | TRB7-14-26D | 1/4" spacer collar, 26D |
| DCNP-100-HD | 1-7/16" long cam, 1/2" offset | TRB7-12-26D | 1/2" spacer collar, 26D |
| DCNP-100-HD2 | 1-3/4" long cam, 5/16" offset | | |
| DCNP-100-HD3 | 1-1/8" long cam, 5/16" offset | | |
| DCNP-100-LBC | 1-1/2" long cam, 5/16" offset | | |
| DCNP-100-B1 | Straight cam with oval cutout | | |
| DCNP-100-B2 | U-shaped cam | | |
| DCNP-100-B3 | Straight hook cam | | |
| DCNP-100-WB | Short cam / 90° offset arm | | |

*DCNP-GW is a plastic washer with a peel-and-stick adhesive back used for mounting DCN on glass.

The following warning is applicable to all parts listed on this page:



WARNING: This product can expose you to chemicals including chromium, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

N SERIES Key together with other N Series Locks

300SD Sliding Door Push Lock



Standard function: Key removable in locked or unlocked position. **Packed 10 per box.**

| Item | Finish | Fits Material | Pinning | Pin Tumbler Keying | Weight |
|-------|----------|---------------|---------|--|-------------|
| 300SD | 26D, US3 | 1" | 4 pin | KD, KA 101,103,107,915 | 2.9 lbs/box |
| 300SD | 26D, US3 | 1" | 5 pin | Stock master keyed or non stock KD, KA | 2.9 lbs/box |
| 300SD | 10B | 1" | 4 pin | KD, KA 101,103,107,915 | 2.9 lbs/box |
| 300SD | 10B | 1" | 5 pin | Stock master keyed or non stock KD, KA | 2.9 lbs/box |

Grand master (3-level system), or systems with multiple master keys: Add to the "Stock master keyed or non stock KD, KA" price. Great grand master keyed (4-level system or higher), call factory for price.



WARNING: This product can expose you to chemicals including chromium, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

329R Showcase/Ratchet Lock



Standard function: Key removable in locked or unlocked position. **Packed 10 per box.**

| Item | Finish | Fits Material | Pinning | Pin Tumbler Keying | Weight |
|------|--------|-----------------|---------|--|-------------|
| 329R | 26D | For 1/4" panels | 4 pin | KD, KA 101,103,107,915 | 5.3 lbs/box |
| 329R | 26D | For 1/4" panels | 5 pin | Stock master keyed or non stock KD, KA | 5.3 lbs/box |

Grand master (3-level system), or systems with multiple master keys: Add to the "Stock master keyed or non stock KD, KA" price. Great grand master keyed (4-level system or higher), call factory for price.



WARNING: This product can expose you to chemicals including chromium, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

T37 T-Bolt Lock



Standard function: Key removable in locked or unlocked position. **Includes:** brass fixing nut and standard bolt. **Packed 10 per box.**

| Item | Finish | Fits Mat. | Pinning | Pin Tumbler Keying | Weight |
|------|--------|-----------|---------|--|-------------|
| T37 | 26D | 1/4" | 4 pin | KD, KA 101,103,107,915 | 2.1 lbs/box |
| T37 | 26D | 1/4" | 4 pin | KA 51001 through 51011, KA 001 through 030 | 2.1 lbs/box |
| T37 | 26D | 1/4" | 4 pin | Stock master keyed or non stock KD, KA | 2.1 lbs/box |

Grand master keying not available.

| Item | Description | Packed |
|----------|---|-------------|
| T37-1 | Standard bolt (requires bolt spring sold separately) | Packed Each |
| T37-2 | Optional long bolt (requires bolt spring sold separately) | Packed Each |
| T37-3 | Optional short bolt (requires bolt spring sold separately) | Packed Each |
| T37-RC | Optional spring mounting clip (for 0" to 11/64" material thickness) | Packed Each |
| T37-SP | Replacement bolt spring | Packed Each |
| T37-TS | Replacement top slide / pin cover | Packed Each |
| T37-TR | Replacement trim collar (standard) | Packed Each |
| T37-NKIT | Number plate kit for T37 (Includes below 2 items) | Packed Each |
| T37DC-NP | Number plate only | Packed Each |
| T37-TR2 | Trim collar for use with number plates | Packed Each |



WARNING: This product can expose you to chemicals including chromium, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

T54C T-Knob Cylinder Replacement Kit



Replacement cylinder for use in CompX/National pin tumbler T-Knob locks (C8154 / C8155).



Standard: T54C ships standard with 2 ringed 4-pin National D4291 keyblanks (our KBN-4-NP). Does not include pins or springs. 5-pin keyblanks are available separately (KBN-5-NP). Custom keyed upon request. **Note:** Olympus does not sell T-knob locks, only the replacement cylinders. The T54C will work with all C8154/C8155 T-knob locks regardless of handing or key operation. **Packed 25 per box.**

| Item | Finish | Pinning | Pin Tumbler Keying | Weight |
|------|--------|------------|---|-------------|
| T54C | 26D | n/a | No pins or springs / drilled for 5 pins | 2.4 lbs/box |
| T54C | 26D | 4 or 5 pin | Stock master keyed or non stock KD, KA | 2.4 lbs/box |

Grand master keying not available.



WARNING: This product can expose you to chemicals including chromium, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

N SERIES Key together with other N Series Locks

L20V Drawer Latch Lock



Standard function: Spring latch. For cabinet doors, place lock on side. **Packed 10 per box.**

| Item | Finish | Cyl. Length | Pinning | Pin Tumbler Keying | Weight |
|---|--------|-------------|---------|--|-------------|
| L20V | 26D | 7/8" | 4 pin | KD, KA 101,103,107,915 | 4.9 lbs/box |
| L20V | 26D | 7/8" | 5 pin | Stock master keyed or non stock KD, KA | 4.9 lbs/box |
| L20V | 26D | 1-3/8" | 4 pin | KD, KA 101,103,107,915 | 5.7 lbs/box |
| L20V | 26D | 1-3/8" | 5 pin | Stock master keyed or non stock KD, KA | 5.7 lbs/box |
| Grand master (3-level system), or systems with multiple master keys: Add to the "Stock master keyed or non stock KD, KA" price. Great grand master keyed (4-level system or higher), call factory for price. | | | | | |



WARNING: This product can expose you to chemicals including chromium, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

999 Door Latch Lock



999R



999L

Standard function: Spring latch. **Field reversible:** Can be reconfigured into all four handings (LH, RH, VH or IH). **Handing:** See the handing chart on page 5 for proper handing of locks. **Packed 10 per box.**

| Item | Handing | Finish | Fits Mat. | Pinning | Pin Tumbler Keying | Weight |
|--|---------|----------|-----------|---------|--|-------------|
| 999R | RH | 26D, US4 | 7/8" | 4 pin | KD, KA 101,103,107,915 | 5.0 lbs/box |
| 999R | RH | 26D, US4 | 7/8" | 5 pin | Stock master keyed or non stock KD, KA | 5.0 lbs/box |
| 999R | RH | 26D, US4 | 1-3/8" | 4 pin | KD, KA 101,103,107,915 | 5.7 lbs/box |
| 999R | RH | 26D, US4 | 1-3/8" | 5 pin | Stock master keyed or non stock KD, KA | 5.7 lbs/box |
| 999L | LH | 26D, US4 | 7/8" | 4 pin | KD, KA 101,103,107,915 | 5.0 lbs/box |
| 999L | LH | 26D, US4 | 7/8" | 5 pin | Stock master keyed or non stock KD, KA | 5.0 lbs/box |
| 999L | LH | 26D, US4 | 1-3/8" | 4 pin | KD, KA 101,103,107,915 | 5.7 lbs/box |
| 999L | LH | 26D, US4 | 1-3/8" | 5 pin | Stock master keyed or non stock KD, KA | 5.7 lbs/box |
| Grand master (3-level system) or systems with multiple master keys: Add to the "Stock master keyed or non stock KD, KA" price. Great grand master keyed (4-level system or higher), call factory for price. | | | | | | |



WARNING: This product can expose you to chemicals including chromium, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

998 Drawer Latch Lock



998V



998I

Standard function: Spring latch. **Field reversible:** Can be reconfigured into all four handings (LH, RH, VH or IH). **Handing:** See the handing chart on page 5 for proper handing of locks. **Packed 10 per box.**

| Item | Handing | Finish | Fits Mat. | Pinning | Pin Tumbler Keying | Weight |
|--|---------|----------|-----------|---------|--|-------------|
| 998V | VH | 26D, US4 | 7/8" | 4 pin | KD, KA 101,103,107,915 | 5.0 lbs/box |
| 998V | VH | 26D, US4 | 7/8" | 5 pin | Stock master keyed or non stock KD, KA | 5.0 lbs/box |
| 998V | VH | 26D, US4 | 1-3/8" | 4 pin | KD, KA 101,103,107,915 | 5.7 lbs/box |
| 998V | VH | 26D, US4 | 1-3/8" | 5 pin | Stock master keyed or non stock KD, KA | 5.7 lbs/box |
| 998I | IH | 26D, US4 | 7/8" | 4 pin | KD, KA 101,103,107,915 | 5.0 lbs/box |
| 998I | IH | 26D, US4 | 7/8" | 5 pin | Stock master keyed or non stock KD, KA | 5.0 lbs/box |
| 998I | IH | 26D, US4 | 1-3/8" | 4 pin | KD, KA 101,103,107,915 | 5.7 lbs/box |
| 998I | IH | 26D, US4 | 1-3/8" | 5 pin | Stock master keyed or non stock KD, KA | 5.7 lbs/box |
| Grand master (3-level system) or systems with multiple master keys: Add to the "Stock master keyed or non stock KD, KA" price. Great grand master keyed (4-level system or higher), call factory for price. | | | | | | |



WARNING: This product can expose you to chemicals including chromium, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

N SERIES Key together with other N Series Locks

FC10 File Cabinet Lock Kit



FC10



FC26-AR

Standard function: Direct replacement for HON F24/F28 style file cabinet lock. Includes all parts necessary for complete lock replacement. Use the optional FC26-AR adapter with the standard FC10 file cabinet lock kit for replacement of HON F26 style file cabinet lock. Packed 10 per box.

| Item | Finish | Fits | Pinning | Pin Tumbler Keying | Weight |
|--|--------|-----------------------------|---------|--|-------------|
| FC10 | 26D | HON vertical file cabinets* | 4 pin | KD, KA 101,103,107,915 | 2.5 lbs/box |
| FC10 | 26D | HON vertical file cabinets* | 5 pin | Stock master keyed or non stock KD, KA | 2.5 lbs/box |
| Grand master (3-level system) or systems with multiple master keys: Add to the "Stock master keyed or non stock KD, KA" price. Great grand master keyed (4-level system or higher), call factory for price. | | | | | |

| Item | Finish | Fits | Description |
|---------|--------|-----------------------------|---|
| FC26-AR | 26D | HON vertical file cabinets* | Adapter ring allows use of FC10 file cabinet lock kit in HON F26 style applications |



WARNING: This product can expose you to chemicals including chromium, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

N078 Diamond Back Drawer Lock



Standard function: Key removable in locked or unlocked position. Packed 10 per box.

| Item | Handing | Finish | Fits Mat. | Pinning | Pin Tumbler Keying | Weight |
|--|---------|----------|-----------|---------|--|-------------|
| N078 | VH | 26D, US4 | 1-1/8" | 4 pin | KD, KA 101,103,107,915 | 3.1 lbs/box |
| N078 | VH | 26D, US4 | 1-1/8" | 5 pin | Stock master keyed or non stock KD, KA | 3.1 lbs/box |
| N078 | VH | 26D, US4 | 1-3/8" | 4 pin | KD, KA 101,103,107,915 | 3.6 lbs/box |
| N078 | VH | 26D, US4 | 1-3/8" | 5 pin | Stock master keyed or non stock KD, KA | 3.6 lbs/box |
| Grand master (3-level system) or systems with multiple master keys: Add to the "Stock master keyed or non stock KD, KA" price. Great grand master keyed (4-level system or higher), call factory for price. | | | | | | |
| Optional bolt: Add this charge to the above prices for factory installed optional bolt 078-LB1-DW | | | | | | |

| Item | Description | Packed |
|------------|---|-------------|
| 078-LB1-DW | Optional 1/2" outbent long bolt for N078 drawer locks (bolt only) | Packed Each |



WARNING: This product can expose you to chemicals including chromium, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

N078 Diamond Back Door Lock



N078R



N078L

Standard function: Key removable in locked or unlocked position. See the handing chart on page 5 for proper handing of locks (left-hand or right-hand). Packed 10 per box.

| Item | Handing | Finish | Fits Mat. | Pinning | Pin Tumbler Keying | Weight |
|-------|---------|----------|-----------|---------|--|-------------|
| N078R | RH | 26D, US4 | 1-1/8" | 4 pin | KD, KA 101,103,107,915 | 3.1 lbs/box |
| N078R | RH | 26D, US4 | 1-1/8" | 5 pin | Stock master keyed or non stock KD, KA | 3.1 lbs/box |
| N078R | RH | 26D, US4 | 1-3/8" | 4 pin | KD, KA 101,103,107,915 | 3.6 lbs/box |
| N078R | RH | 26D, US4 | 1-3/8" | 5 pin | Stock master keyed or non stock KD, KA | 3.6 lbs/box |
| N078L | LH | 26D, US4 | 1-1/8" | 4 pin | KD, KA 101,103,107,915 | 3.1 lbs/box |
| N078L | LH | 26D, US4 | 1-1/8" | 5 pin | Stock master keyed or non stock KD, KA | 3.1 lbs/box |
| N078L | LH | 26D, US4 | 1-3/8" | 4 pin | KD, KA 101,103,107,915 | 3.6 lbs/box |
| N078L | LH | 26D, US4 | 1-3/8" | 5 pin | Stock master keyed or non stock KD, KA | 3.6 lbs/box |

Grand master (3-level system) or systems with multiple master keys: Add to the "Stock master keyed or non stock KD, KA" price. Great grand master keyed (4-level system or higher), call factory for price.

Optional bolt: Add this charge to the above prices for factory installed optional bolt 078-LB-DR

| Item | Description | Packed |
|-----------|---|-------------|
| 078-LB-DR | Optional 1/4" longer bolt for N078 door locks (bolt only) | Packed Each |



WARNING: This product can expose you to chemicals including chromium, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

R SERIES Key together with other R Series Locks

Keyway: CCL R1 Keyway (5-pin), 6-pin keying available
KD/KA: 5 pin standard
Stock KA Nos. 4T21579, 4T37526
Stock master keyed: 5 pin standard
Pin Kit: Use R1 Pin Kit for rekeying

Keyblanks: 5-pin use KBR-5-NP (equivalent to CO106, 1003A), 6-pin use KBR-6 (equivalent to L1003A). See page 43 for cut keys and keyblanks.
Finishes: For finishes not listed, see charges under "custom plating" in this price list or consult factory.

Accessories: Additional accessories are available for these products. See the accessories section or consult factory.
Custom stamping: See page 43.
Keying information: See page 6.

500DR / 500B Door Deadbolt Lock



ANSI/BHMA A156.11
 Grade 1, E07121

Woodwork Institute (WI)
 acknowledged product

Standard function: Key removable in locked or unlocked position. Standard locks are non-handed. **Key-retaining:** For key removable in locked position only, specify the key-retaining part-numbers. See handing chart on page 5 for proper handing of locks (left or right).
Packed 10 per box.

| Item | Finish | Fits Material | Pinning | Pin Tumbler Keying | Weight |
|---|--|---------------|---------|--|-------------|
| 500DR | 26D, US4 | 7/8" | 5 pin | KD, KA 4T21579, 4T37526 | 4.8 lbs/box |
| 500DR | 26D, US4 | 7/8" | 5 pin | Stock master keyed or non stock KD, KA | 4.8 lbs/box |
| 500DR | 26D, US4 | 1-3/8" | 5 pin | KD, KA 4T21579, 4T37526 | 5.6 lbs/box |
| 500DR | 26D, US4 | 1-3/8" | 5 pin | Stock master keyed or non stock KD, KA | 5.6 lbs/box |
| 500DR | 10B | 7/8" | 5 pin | KD, KA 4T21579, 4T37526 | 4.8 lbs/box |
| 500DR | 10B | 7/8" | 5 pin | Stock master keyed or non stock KD, KA | 4.8 lbs/box |
| Key-retaining: Specify item 500KL for left-hand doors and 500KR for right-hand doors. (KL and KR designation are only required for key retaining locks). Standard locks are non-handed. | | | | | |
| Grand master (3-level system), systems with multiple master keys, or 6 pin keying: Add to the "Stock master keyed or non stock KD, KA" price. Great grand master keyed (4-level system or higher), call factory for price. | | | | | |
| 500B | Weather resistant: Includes weather resistant components. Suitable for outdoor use in <u>covered areas only</u> . Specify 500B series. Include finish, barrel length and keying. | | | | |
| Long bolt: For long bolt #15-1-35 factory installed in lock (specify -LB option). Bolts available separately. Extends bolt projection to 1-1/2". | | | | | |



WARNING: This product can expose you to chemicals including chromium, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

500M Door Deadbolt Lock (MRI Series)



ANSI/BHMA A156.11
 Grade 1, E07121

Woodwork Institute (WI)
 acknowledged product

500M MRI Series: Include all non-ferrous (non-magnetic) metals and materials and are suitable for use in medical applications including Magnetic Resonance Imaging (MRI) suites due to their non-magnetic properties. **Standard function:** Key removable in locked or unlocked position. Standard locks are non-handed. **Key-retaining:** For key removable in locked position only, specify the key-retaining part-numbers. See handing chart on page 5 for proper handing of locks (left or right). **Keys:** Includes copper plated non-magnetic keys (KBR-5B).
Packed 10 per box.

| Item | Finish | Fits Material | Pinning | Pin Tumbler Keying | Weight |
|---|--------|---------------|---------|--|-------------|
| 500M | 26D | 7/8" | 5 pin | KD, KA 4T21579, 4T37526 | 4.8 lbs/box |
| 500M | 26D | 7/8" | 5 pin | Stock master keyed or non stock KD, KA | 4.8 lbs/box |
| 500M | 26D | 1-3/8" | 5 pin | KD, KA 4T21579, 4T37526 | 5.6 lbs/box |
| 500M | 26D | 1-3/8" | 5 pin | Stock master keyed or non stock KD, KA | 5.6 lbs/box |
| Key-retaining: Specify item 500MKL for left-hand doors and 500MKR for right-hand doors. (MKL and MKR designation are only required for key retaining locks). Standard locks are non-handed. | | | | | |
| Grand master (3-level system), systems with multiple master keys, or 6 pin keying: Add to the "Stock master keyed or non stock KD, KA" price. Great grand master keyed (4-level system or higher), call factory for price. | | | | | |
| Long bolt: For long bolt #15-1-35 factory installed in lock (specify -LB option). Bolts available separately. Extends bolt projection to 1-1/2". | | | | | |



WARNING: This product can expose you to chemicals including chromium, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

R SERIES Key together with other R Series Locks

600DW / 600B Drawer Deadbolt Lock



ANSI/BHMA A156.11
Grade 1, E07041
Woodwork Institute (WI)
acknowledged product

Standard function: Key removable in locked or unlocked position. Standard locks are non-handed. **Key-retaining:** For key removable in locked position only, specify the key-retaining part-numbers. See the handing chart on page 5 for proper handing of locks (vertical or inverted). **Packed 10 per box.**

| Item | Finish | Fits Material | Pinning | Pin Tumbler Keying | Weight |
|---|--|---------------|---------|--|-------------|
| 600DW | 26D, US4 | 7/8" | 5 pin | KD, KA 4T21579, 4T37526 | 4.8 lbs/box |
| 600DW | 26D, US4 | 7/8" | 5 pin | Stock master keyed or non stock KD, KA | 4.8 lbs/box |
| 600DW | 26D, US4 | 1-3/8" | 5 pin | KD, KA 4T21579, 4T37526 | 5.6 lbs/box |
| 600DW | 26D, US4 | 1-3/8" | 5 pin | Stock master keyed or non stock KD, KA | 5.6 lbs/box |
| 600DW | 10B | 7/8" | 5 pin | KD, KA 4T21579, 4T37526 | 4.8 lbs/box |
| 600DW | 10B | 7/8" | 5 pin | Stock master keyed or non stock KD, KA | 4.8 lbs/box |
| 600DW | 10B | 1-3/8" | 5 pin | KD, KA 4T21579, 4T37526 | 5.6 lbs/box |
| 600DW | 10B | 1-3/8" | 5 pin | Stock master keyed or non stock KD, KA | 5.6 lbs/box |
| Key-retaining: Specify item 600KI for inverted drawers and 600KV for vertical drawers. (KI and KV designations are only required for key retaining locks). Standard locks are non-handed. | | | | | |
| Grand master (3-level system), systems with multiple master keys, or 6 pin keying: Add to the "Stock master keyed or non stock KD, KA" price. Great grand master keyed (4-level system or higher), call factory for price. | | | | | |
| 600B | Weather resistant: Includes weather resistant components. Suitable for outdoor use in <u>covered areas only</u> . Specify 600B series. Include finish, barrel length and keying. | | | | |
| Long bolt: For long bolt #15-1-35 factory installed in lock (specify -LB option). Bolts available separately. Extends bolt projection to approximately 1-1/2". | | | | | |



WARNING: This product can expose you to chemicals including chromium, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

600M Drawer Deadbolt Lock (MRI Series)



ANSI/BHMA A156.11
Grade 1, E07041
Woodwork Institute (WI)
acknowledged product

600M MRI Series: Include all non-ferrous (non-magnetic) metals and materials and are suitable for use in medical applications including Magnetic Resonance Imaging (MRI) suites due to their non-magnetic properties. **Standard function:** Key removable in locked or unlocked position. Standard locks are non-handed. **Key-retaining:** For key removable in locked position only, specify the key-retaining part-numbers. See the handing chart on page 5 for proper handing of locks (vertical or inverted). **Keys:** Includes copper plated non-magnetic keys (KBR-5B). **Packed 10 per box.**

| Item | Finish | Fits Material | Pinning | Pin Tumbler Keying | Weight |
|---|--------|---------------|---------|--|-------------|
| 600M | 26D | 7/8" | 5 pin | KD, KA 4T21579, 4T37526 | 4.8 lbs/box |
| 600M | 26D | 7/8" | 5 pin | Stock master keyed or non stock KD, KA | 4.8 lbs/box |
| 600M | 26D | 1-3/8" | 5 pin | KD, KA 4T21579, 4T37526 | 5.6 lbs/box |
| 600M | 26D | 1-3/8" | 5 pin | Stock master keyed or non stock KD, KA | 5.6 lbs/box |
| Key-retaining: Specify item 600MKI for inverted drawers and 600MKV for vertical drawers. (MKI and MKV designations are only required for key retaining locks). Standard locks are non-handed. | | | | | |
| Grand master (3-level system), systems with multiple master keys, or 6 pin keying: Add to the "Stock master keyed or non stock KD, KA" price. Great grand master keyed (4-level system or higher), call factory for price. | | | | | |
| Long bolt: For long bolt #15-1-35 factory installed in lock (specify -LB option). Extends bolt projection to approximately 1-1/2". | | | | | |



WARNING: This product can expose you to chemicals including chromium, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

400SD Sliding Door Push Lock



Standard function: Key removable in locked or unlocked position. **Packed 10 per box.**

| Item | Finish | Fits Material | Pinning | Pin Tumbler Keying | Weight |
|--|----------|---------------|---------|--|-------------|
| 400SD | 26D, US3 | 1" | 5 pin | KD, KA 4T21579, 4T37526 | 2.9 lbs/box |
| 400SD | 26D, US3 | 1" | 5 pin | Stock master keyed or non stock KD, KA | 2.9 lbs/box |
| 400SD | 10B | 1" | 5 pin | KD, KA 4T21579, 4T37526 | 2.9 lbs/box |
| 400SD | 10B | 1" | 5 pin | Stock master keyed or non stock KD, KA | 2.9 lbs/box |
| Grand master (3-level system) or systems with multiple master keys: Add to the "Stock master keyed or non stock KD, KA" price. Great grand master keyed (4-level system or higher), call factory for price. | | | | | |



WARNING: This product can expose you to chemicals including chromium, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

R SERIES Key together with other R Series Locks

429R Showcase/Ratchet Lock



Standard function: Key removable in locked or unlocked position. **Packed 10 per box.**

| Item | Finish | Fits Material | Pinning | Pin Tumbler Keying | Weight |
|--|--------|-----------------|---------|--|-------------|
| 429R | 26D | For 1/4" panels | 5 pin | KD, KA 4T21579, 4T37526 | 5.3 lbs/box |
| 429R | 26D | For 1/4" panels | 5 pin | Stock master keyed or non stock KD, KA | 5.3 lbs/box |
| Grand master (3-level system) or systems with multiple master keys: Add to the "Stock master keyed or non stock KD, KA" price. Great grand master keyed (4-level system or higher), call factory for price. | | | | | |



WARNING: This product can expose you to chemicals including chromium, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

DCR Cam Lock



ANSI/BHMA A156.11
Grade 1
E07261 / E07271

Woodwork Institute (WI)
acknowledged products

Standard function: Key removable in locked or unlocked position. Ships with DCNP-500-ARP (anti-rotation plate), DCNP-100-SC (straight cam) and DCNP-100-BC (reversible offset cam). **Key-retaining:** For key removable in locked position only, purchase optional cam shifters DCNP-200-KR (for drawers) or DCNP-200-KDR (for doors). **Optional cams and accessories:** See chart below. **Packed 10 per box.**

| Item | Finish | Cyl. Length | Pinning | Pin Tumbler Keying | Weight |
|--|----------|-------------|---------|--|-------------|
| DCR1 | 26D, US3 | 1-1/16" | 5 pin | KD, KA 4T21579, 4T37526 | 2.6 lbs/box |
| DCR1 | 26D, US3 | 1-1/16" | 5 pin | Stock master keyed or non stock KD, KA | 2.6 lbs/box |
| DCR2 | 26D, US3 | 1-3/16" | 5 pin | KD, KA 4T21579, 4T37526 | 2.7 lbs/box |
| DCR2 | 26D, US3 | 1-3/16" | 5 pin | Stock master keyed or non stock KD, KA | 2.7 lbs/box |
| DCR3 | 26D, US3 | 1-7/16" | 5 pin | KD, KA 4T21579, 4T37526 | 2.9 lbs/box |
| DCR3 | 26D, US3 | 1-7/16" | 5 pin | Stock master keyed or non stock KD, KA | 2.9 lbs/box |
| DCR4 | 26D, US3 | 1-3/4" | 5 pin | KD, KA 4T21579, 4T37526 | 3.2 lbs/box |
| DCR4 | 26D, US3 | 1-3/4" | 5 pin | Stock master keyed or non stock KD, KA | 3.2 lbs/box |
| Grand master (3-level system) or systems with multiple master keys: Add to the "Stock master keyed or non stock KD, KA" price. Great grand master keyed (4-level system or higher), call factory for price. | | | | | |

Note: Offset cams are reversible and can be used in either the inbent or outbent position.

| Item | Description / Packed Each | Item | Description / Packed Each |
|--------------|------------------------------------|--------------|--------------------------------|
| DCNP-HD-875 | 7/8" long straight cam | DCNP-500-ARP | Anti-rotation plate |
| DCNP-HD-1 | 1" long straight cam | DCNP-300-FP | Finger pull |
| DCNP-100-SC | 1-1/4" long straight cam | DCNP-200-KR | Key-retaining shifter (Drawer) |
| DCNP-100-SC2 | 1-3/4" long straight cam | DCNP-200-KDR | Key-retaining shifter (Door) |
| DCNP-100-SC3 | 1-1/2" long straight cam | T37DC-NP | Number plate ring |
| DCNP-100-LC | 3" long straight cam | DCNP-GW* | Glass washer |
| DCNP-100-BC | 1-1/4" long cam, 5/16" offset | DCNP-SPW | Pronged wood washer |
| DCNP-100-BC5 | 1-1/4" long cam, 1/2" offset | TRB7-18-26D | 1/8" spacer collar, 26D |
| DCNP-100-HC1 | 1-1/2" long hook cam, 5/16" offset | TRB7-14-26D | 1/4" spacer collar, 26D |
| DCNP-100-HD | 1-7/16" long cam, 1/2" offset | TRB7-12-26D | 1/2" spacer collar, 26D |
| DCNP-100-HD2 | 1-3/4" long cam, 5/16" offset | | |
| DCNP-100-HD3 | 1-1/8" long cam, 5/16" offset | | |
| DCNP-100-LBC | 1-1/2" long cam, 5/16" offset | | |
| DCNP-100-B1 | Straight cam with oval cutout | | |
| DCNP-100-B2 | U-shaped cam | | |
| DCNP-100-B3 | Straight hook cam | | |
| DCNP-100-WB | Short cam / 90° offset arm | | |

*DCNP-GW is a plastic washer with a peel-and-stick adhesive back used for mounting DCN on glass.


The following warning is applicable to all parts listed on this page:



WARNING: This product can expose you to chemicals including chromium, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

R SERIES Key together with other R Series Locks

R078 Diamond Back Drawer Lock



078-LB1-DW
Installed Dimensions

Standard function: Key removable in locked or unlocked position. Packed 10 per box.

| Item | Finish | Fits Mat. | Pinning | Pin Tumbler Keying | Weight |
|--|----------|-----------|---------|--|-------------|
| R078 | 26D, US4 | 1-1/8" | 5 pin | KD, KA 4T21579, 4T37526 | 3.1 lbs/box |
| R078 | 26D, US4 | 1-1/8" | 5 pin | Stock master keyed or non stock KD, KA | 3.1 lbs/box |
| Grand master (3-level system) or systems with multiple master keys: Add to the "Stock master keyed or non stock KD, KA" price. Great grand master keyed (4-level system or higher), call factory for price. | | | | | |
| Optional bolt: Add this charge to the above prices for factory installed optional bolt 078-LB1-DW | | | | | |

| Item | Description | Packed |
|------------|--|-------------|
| 078-LB1-DW | Optional 1/2" offset long bolt for N078 drawer locks (bolt only) | Packed Each |



WARNING: This product can expose you to chemicals including chromium, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

997 Door Latch Lock



997R



997L

Standard function: Spring latch. Field reversible: Can be reconfigured into all four handings (LH, RH, VH or IH). Handing: See the handing chart on page 5 for proper handing of locks. Packed 10 per box.

| Item | Handing | Finish | Fits Mat. | Pinning | Pin Tumbler Keying | Weight |
|---|---------|----------|-----------|---------|--|-------------|
| 997R | RH | 26D, US4 | 7/8" | 5 pin | KD, KA 4T21579, 4T37526 | 5.0 lbs/box |
| 997R | RH | 26D, US4 | 7/8" | 5 pin | Stock master keyed or non stock KD, KA | 5.0 lbs/box |
| 997R | RH | 26D, US4 | 1-3/8" | 5 pin | KD, KA 4T21579, 4T37526 | 5.7 lbs/box |
| 997R | RH | 26D, US4 | 1-3/8" | 5 pin | Stock master keyed or non stock KD, KA | 5.7 lbs/box |
| 997L | LH | 26D, US4 | 7/8" | 5 pin | KD, KA 4T21579, 4T37526 | 5.0 lbs/box |
| 997L | LH | 26D, US4 | 7/8" | 5 pin | Stock master keyed or non stock KD, KA | 5.0 lbs/box |
| 999L | LH | 26D, US4 | 1-3/8" | 5 pin | KD, KA 4T21579, 4T37526 | 5.7 lbs/box |
| 999L | LH | 26D, US4 | 1-3/8" | 5 pin | Stock master keyed or non stock KD, KA | 5.7 lbs/box |
| Grand master (3-level system), systems with multiple master keys, or 6 pin keying: Add to the "Stock master keyed or non stock KD, KA" price. Great grand master keyed (4-level system or higher), call factory for price. | | | | | | |



WARNING: This product can expose you to chemicals including chromium, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

996 Drawer Latch Lock



996V



996I

Standard function: Spring latch. Field reversible: Can be reconfigured into all four handings (LH, RH, VH or IH). Handing: See the handing chart on page 5 for proper handing of locks. Packed 10 per box.

| Item | Handing | Finish | Fits Mat. | Pinning | Pin Tumbler Keying | Weight |
|---|---------|----------|-----------|---------|--|-------------|
| 996V | VH | 26D, US4 | 7/8" | 5 pin | KD, KA 4T21579, 4T37526 | 5.0 lbs/box |
| 996V | VH | 26D, US4 | 7/8" | 5 pin | Stock master keyed or non stock KD, KA | 5.0 lbs/box |
| 996V | VH | 26D, US4 | 1-3/8" | 5 pin | KD, KA 4T21579, 4T37526 | 5.7 lbs/box |
| 996V | VH | 26D, US4 | 1-3/8" | 5 pin | Stock master keyed or non stock KD, KA | 5.7 lbs/box |
| 996I | IH | 26D, US4 | 7/8" | 5 pin | KD, KA 4T21579, 4T37526 | 5.0 lbs/box |
| 996I | IH | 26D, US4 | 7/8" | 5 pin | Stock master keyed or non stock KD, KA | 5.0 lbs/box |
| 996I | IH | 26D, US4 | 1-3/8" | 5 pin | KD, KA 4T21579, 4T37526 | 5.7 lbs/box |
| 996I | IH | 26D, US4 | 1-3/8" | 5 pin | Stock master keyed or non stock KD, KA | 5.7 lbs/box |
| Grand master (3-level system), systems with multiple master keys, or 6 pin keying: Add to the "Stock master keyed or non stock KD, KA" price. Great grand master keyed (4-level system or higher), call factory for price. | | | | | | |



WARNING: This product can expose you to chemicals including chromium, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

S SERIES Schlage C Keyway



Keyway: Schlage C keyway
Cylinder: 6 pin solid brass cylinder
KD/KA/O-BIT: 5 pin standard
Stock KA Nos. 101, 102
Master keyed: 6 pin standard. Includes numeric key code stamped on the change keys. (See custom stamping page 43)

Keyblanks: KBSC-6-NP. See page 43 for cut keys and keyblanks.
Finishes: For finishes not listed, see charges under "custom plating" in this price list or consult factory.
Accessories: Additional accessories are available for these products. See accessories section or consult factory.
Custom stamping charges: See page 43.
Keying information: See page 6.

700S Deadbolt Door Lock



ANSI/BHMA A156.11
 Grade 1, E07121
 Woodwork Institute (WI)
 acknowledged product

Standard function: Key removable in locked or unlocked position. Standard locks are non-handed. **Key-retaining:** For key removable in locked position only, specify the key-retaining part-numbers. **Handing:** See handing chart on page 5 for proper handing of locks. **Packed 10 per box.**

| Item | Finish | Fits Material | Pinning | Pin Tumbler Keying | Weight |
|------|----------|---------------|---------|--|-------------|
| 700S | 26D, US3 | 1-1/8" | 5 pin | KD, KA 101, 102, 0-BIT | 7.4 lbs/box |
| 700S | 26D, US3 | 1-1/8" | 6 pin | Stock master keyed or non stock KD, KA | 7.4 lbs/box |
| 700S | 26D, US3 | 1-3/8" | 5 pin | KD, KA 101, 102, 0-BIT | 7.4 lbs/box |
| 700S | 26D, US3 | 1-3/8" | 6 pin | Stock master keyed or non stock KD, KA | 7.4 lbs/box |
| 700S | 10B | 1-1/8" | 5 pin | KD, KA 101, 102, 0-BIT | 7.4 lbs/box |
| 700S | 10B | 1-1/8" | 6 pin | Stock master keyed or non stock KD, KA | 7.4 lbs/box |
| 700S | 10B | 1-3/8" | 5 pin | KD, KA 101, 102, 0-BIT | 7.4 lbs/box |
| 700S | 10B | 1-3/8" | 6 pin | Stock master keyed or non stock KD, KA | 7.4 lbs/box |

Key-retaining: Specify item **700KL** for left-hand doors and **700KR** for right-hand doors. (KL and KR designation are *only required for key retaining locks*). Standard locks are non-handed.

Grand master (3-level system) or systems with multiple master keys: Add to the "Stock master keyed or non stock KD, KA" price. Great grand master keyed (4-level system or higher), call factory for price.

Lock face stamping available separately.



WARNING: This product can expose you to chemicals including chromium, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

800S Deadbolt Drawer Lock



ANSI/BHMA A156.11
 Grade 1, E07041
 Woodwork Institute (WI)
 acknowledged product

Standard function: Key removable in locked or unlocked position. Standard locks are non-handed. **Key-retaining:** For key removable in locked position only, specify the key-retaining part-numbers. **Handing:** See handing chart on page 5 for proper handing of locks. **Packed 10 per box.**

| Item | Finish | Fits Material | Pinning | Pin Tumbler Keying | Weight |
|------|----------|---------------|---------|--|-------------|
| 800S | 26D, US3 | 1-1/8" | 5 pin | KD, KA 101, 102, 0-BIT | 7.3 lbs/box |
| 800S | 26D, US3 | 1-1/8" | 6 pin | Stock master keyed or non stock KD, KA | 7.3 lbs/box |
| 800S | 26D, US3 | 1-3/8" | 5 pin | KD, KA 101, 102, 0-BIT | 7.2 lbs/box |
| 800S | 26D, US3 | 1-3/8" | 6 pin | Stock master keyed or non stock KD, KA | 7.2 lbs/box |
| 800S | 10B | 1-1/8" | 5 pin | KD, KA 101, 102, 0-BIT | 7.3 lbs/box |
| 800S | 10B | 1-1/8" | 6 pin | Stock master keyed or non stock KD, KA | 7.3 lbs/box |
| 800S | 10B | 1-3/8" | 5 pin | KD, KA 101, 102, 0-BIT | 7.2 lbs/box |
| 800S | 10B | 1-3/8" | 6 pin | Stock master keyed or non stock KD, KA | 7.2 lbs/box |

Key-retaining: Specify item **800KI** for inverted drawers and **800KV** for vertical drawers. (KI and KV designation are *only required for key retaining locks*). Standard locks are non-handed.

Grand master (3-level system) or systems with multiple master keys: Add to the "Stock master keyed or non stock KD, KA" price. Great grand master keyed (4-level system or higher), call factory for price.

Lock face stamping available separately.



WARNING: This product can expose you to chemicals including chromium, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

820S Cam Lock



Includes: 720-PL3 (anti-rotation plate), lost-motion and key retaining door/drawer cam shifters, 720-3-1 and 720-3-2 cams. Additional cams available separately. *Due to length of cylinder, installation may require use of trim collar. See page 32 for details.* **Packed 10 per box.**

| Item | Finish | Cyl. Length | Pinning | Pin Tumbler Keying | Weight |
|------|----------|-------------|---------|--|-------------|
| 820S | 26D, US3 | 1-23/32" | 5 pin | KD, KA 101, 102, 0-BIT | 6.3 lbs/box |
| 820S | 26D, US3 | 1-23/32" | 6 pin | Stock master keyed or non stock KD, KA | 6.3 lbs/box |

Grand master (3-level system) or systems with multiple master keys: Add to the "Stock master keyed or non stock KD, KA" price. Great grand master keyed (4-level system or higher), call factory for price.

| Item | Description | Packed |
|-----------------|---|-------------|
| Additional cams | 720-3-1, 720-3-2, 720-3-3, 720-3-4, 720-3-5 | Packed Each |
| Trim Collars | TR201 (1/8"), TR202 (1/4"), TR203 (3/8"), TR204 (5/32"), TR200A (Pkg) | Packed Each |
| SW-1 | Switch accessory pack | Packed Each |
| 720-PL3 | Anti-rotation plate | Packed Each |



WARNING: This product can expose you to chemicals including chromium, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

829R Showcase/Ratchet Lock



Complies with clause 6.3 (8.2-8.4) of ANSI/BHMA A156.11 ANSI standards

Standard function: Key removable in locked or unlocked position. **Includes:** 729RS-1 strap for 1/4" panel thickness. **Packed 10 per box.**

| Item | Finish | Fits Material | Pinning | Pin Tumbler Keying | Weight |
|------|--------|-----------------|---------|--|-------------|
| 829R | 26D | For 1/4" panels | 5 pin | KD, KA 101, 102 | 7.0 lbs/box |
| 829R | 26D | For 1/4" panels | 6 pin | Stock master keyed or non stock KD, KA | 7.0 lbs/box |

Grand master keyed (3-level system) or non stock master keyed: Add to the "Stock master keyed or non stock KD, KA" price. **Great grand master keyed (4-level system or higher),** call factory for price.

| Item | Description | Packed |
|---------|---|-------------|
| 729RS-2 | Optional strap for 3/8" panel thickness | Packed Each |
| 729RS-3 | Optional strap for maximum 5/8", minimum 3/8" panel thickness | Packed Each |



WARNING: This product can expose you to chemicals including chromium, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

850S Deadlatching Drawer Lock



Standard function: Spring latch with deadlocking mechanism. Turn lock 90 degrees for door function. **Includes:** Matching lip strike. **Packed 10 per box.**

| Item | Finish | Fits Material | Pinning | Pin Tumbler Keying | Weight |
|------|----------|---------------|---------|--|-------------|
| 850S | 26D, US3 | 1-1/8" | 5 pin | KD, KA 101, 102 | 8.3 lbs/box |
| 850S | 26D, US3 | 1-1/8" | 6 pin | Stock master keyed or non stock KD, KA | 8.3 lbs/box |
| 850S | 26D, US3 | 1-3/8" | 5 pin | KD, KA 101, 102 | 8.3 lbs/box |
| 850S | 26D, US3 | 1-3/8" | 6 pin | Stock master keyed or non stock KD, KA | 8.3 lbs/box |

Grand master (3-level system) or systems with multiple master keys: Add to the "Stock master keyed or non stock KD, KA" price. **Great grand master keyed (4-level system or higher),** call factory for price.



WARNING: This product can expose you to chemicals including chromium, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

L78 Door Latch Lock



L78V



L78L

Standard function: Spring latch. **Reversible:** Locks are field reversible into any of the 4 handings (drawer VH or IH, door LH or RH). **Handing:** See handing chart on page 5 for proper handing of locks. **Packed 10 per box.**

| Item | Handing | Finish | Fits Mat. | Pinning | Pin Tumbler Keying | Weight |
|------|---------|----------|-----------|---------|--|-------------|
| L78R | RH | 26D, US3 | 1-1/8" | 5 pin | KD, KA 101, 102 | 8.6 lbs/box |
| L78R | RH | 26D, US3 | 1-1/8" | 6 pin | Stock master keyed or non stock KD, KA | 8.6 lbs/box |
| L78R | RH | 26D, US3 | 1-3/8" | 5 pin | KD, KA 101, 102 | 9.0 lbs/box |
| L78R | RH | 26D, US3 | 1-3/8" | 6 pin | Stock master keyed or non stock KD, KA | 9.0 lbs/box |
| L78L | LH | 26D, US3 | 1-1/8" | 5 pin | KD, KA 101, 102 | 8.6 lbs/box |
| L78L | LH | 26D, US3 | 1-1/8" | 6 pin | Stock master keyed or non stock KD, KA | 8.6 lbs/box |
| L78L | LH | 26D, US3 | 1-3/8" | 5 pin | KD, KA 101, 102 | 9.0 lbs/box |
| L78L | LH | 26D, US3 | 1-3/8" | 6 pin | Stock master keyed or non stock KD, KA | 9.0 lbs/box |

Grand master (3-level system) or systems with multiple master keys: Add to the "Stock master keyed or non stock KD, KA" price. **Great grand master keyed (4-level system or higher),** call factory for price.



WARNING: This product can expose you to chemicals including chromium, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

L78 Drawer Latch Lock



L78R



L78L

Standard function: Spring latch. **Reversible:** Locks are field reversible into any of the 4 handings (drawer VH or IH, door LH or RH). **Handing:** See handing chart on page 5 for proper handing of locks. **Packed 10 per box.**


| Item | Handing | Finish | Fits Mat. | Pinning | Pin Tumbler Keying | Weight |
|------|---------|----------|-----------|---------|--|-------------|
| L78V | VH | 26D, US3 | 1-1/8" | 5 pin | KD, KA 101, 102 | 8.6 lbs/box |
| L78V | VH | 26D, US3 | 1-1/8" | 6 pin | Stock master keyed or non stock KD, KA | 8.6 lbs/box |
| L78V | VH | 26D, US3 | 1-3/8" | 5 pin | KD, KA 101, 102 | 9.0 lbs/box |
| L78V | VH | 26D, US3 | 1-3/8" | 6 pin | Stock master keyed or non stock KD, KA | 9.0 lbs/box |
| L78I | IH | 26D, US3 | 1-1/8" | 5 pin | KD, KA 101, 102 | 8.6 lbs/box |
| L78I | IH | 26D, US3 | 1-1/8" | 6 pin | Stock master keyed or non stock KD, KA | 8.6 lbs/box |
| L78I | IH | 26D, US3 | 1-3/8" | 5 pin | KD, KA 101, 102 | 9.0 lbs/box |
| L78I | IH | 26D, US3 | 1-3/8" | 6 pin | Stock master keyed or non stock KD, KA | 9.0 lbs/box |

Grand master (3-level system) or systems with multiple master keys: Add to the "Stock master keyed or non stock KD, KA" price. **Great grand master keyed (4-level system or higher),** call factory for price.



WARNING: This product can expose you to chemicals including chromium, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

LC SERIES Less Cylinder for Schlage



Less cylinder locks
For SCHLAGE style original or replacement cylinders

Schlage: Chambers standard or Primus/ Everest Schlage key-in-knob cylinders.

Compatibility: Accepts third-party Schlage-compatible key-in-knob or deadbolt cylinders including ILCO #1599, Kaba, GMS and others. Also accepts electronic cylinders such as Videx, ASSA Cliq and Medeco Logic.

Assa: Requires use of 1-3/8" lock. Works with Assa cylinder #65611.
Medeco: Requires use of 1-3/8" lock.
6 pin #20-009S4
5 pin #20-008S4
Biaxial: 6 pin #20W009S4
5 pin #20W008S4
Keymark: 6 pin #20K009S4
Key retaining: #20W200S1

Finishes: For finishes not listed, see charges under "custom finishes" in this price list or consult factory.
Accessories: Additional accessories are available for these products. See accessories section or consult factory.
Cylinders: See page 35 for Schlage C cylinders. See page 44 for additional parts pricing.

700LC Door Deadbolt Lock



ANSI/BHMA A156.11
Grade 1, E07121

Woodwork Institute (WI)
acknowledged product

Standard function: Key removable in locked or unlocked position. Standard locks are non-handed. **700LCA includes:** 10-360 universal driver and 10-361 tailpiece for Schlage compatible cylinders. **700LCM includes:** 10-360 universal driver, 10-362 tailpiece for Schlage compatible cylinders, 10-363 tailpiece for Medeco cylinders and 10-364 tailpiece for Assa cylinders. **Packed 10 per box.**

| Item | Finish | Fits Material | Cylinder | Description | Weight |
|--------|----------|---------------|----------|---------------------|-------------|
| 700LCA | 26D, US3 | 1-1/8" | N/A | Less cylinder, door | 5.6 lbs/box |
| 700LCM | 26D, US3 | 1-3/8" | N/A | Less cylinder, door | 5.5 lbs/box |
| 700LCA | 10B | 1-1/8" | N/A | Less cylinder, door | 5.6 lbs/box |
| 700LCM | 10B | 1-3/8" | N/A | Less cylinder, door | 5.5 lbs/box |

| Item | Description | Packed |
|--------------|-----------------------------------|-------------|
| 78-KABA-CONV | Conversion kit for KABA cylinders | Packed Each |



WARNING: This product can expose you to chemicals including chromium, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

800LC Drawer Deadbolt Lock



ANSI/BHMA A156.11
Grade 1, E07041

Woodwork Institute (WI)
acknowledged product

Standard function: Key removable in locked or unlocked position. Standard locks are non-handed. **800LCA includes:** 10-360 universal driver and 10-361 tailpiece for Schlage compatible cylinders. **800LCM includes:** 10-360 universal driver, 10-362 tailpiece for Schlage compatible cylinders, 10-363 tailpiece for Medeco cylinders and 10-364 tailpiece for Assa cylinders. **Packed 10 per box.**

| Item | Finish | Fits Material | Cylinder | Description | Weight |
|--------|----------|---------------|----------|-----------------------|-------------|
| 800LCA | 26D, US3 | 1-1/8" | N/A | Less cylinder, drawer | 5.6 lbs/box |
| 800LCM | 26D, US3 | 1-3/8" | N/A | Less cylinder, drawer | 5.5 lbs/box |
| 800LCA | 10B | 1-1/8" | N/A | Less cylinder, drawer | 5.6 lbs/box |
| 800LCM | 10B | 1-3/8" | N/A | Less cylinder, drawer | 5.5 lbs/box |

| Item | Description | Packed |
|--------------|-----------------------------------|-------------|
| 78-KABA-CONV | Conversion kit for KABA cylinders | Packed Each |



WARNING: This product can expose you to chemicals including chromium, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

820LC Cam Lock



Includes: 720-PL3 (anti-rotation plate), lost-motion and key retaining door/drawer cam shifters, 720-3-1 and 720-3-2 cams. Additional cams available separately. *Due to overall length of cylinder, installation may require use of trim collar. See page 32 for details.* **Note:** This lock does not accept Medeco cylinders. **Packed 10 per box.**

| Item | Finish | Cyl. Length | Cylinder | Description | Weight |
|-------|----------|-------------|----------|---------------|-------------|
| 820LC | 26D, US3 | 1-23/32" | N/A | Less cylinder | 4.6 lbs/box |

| Item | Description | Packed |
|-----------------|---|-------------|
| Additional cams | 720-3-1, 720-3-2, 720-3-3, 720-3-4, 720-3-5 | Packed Each |
| Trim Collars | TR201 (1/8"), TR202 (1/4"), TR203 (3/8"), TR204 (5/32"), TR200A (Pkg) | Packed Each |
| SW-1 | Switch accessory pack | Packed Each |
| 720-PL3 | Anti-rotation plate | Packed Each |



WARNING: This product can expose you to chemicals including chromium, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

LC SERIES Less Cylinder for Schlage

850LC Deadlatching Drawer Lock



Standard function: Spring latch with deadlocking mechanism. Turn lock 90 degrees for door function. **Includes:** Matching lip strike. **Packed 10 per box.**

| Item | Finish | Fits Material | Cylinder | Description | Weight |
|--------|----------|---------------|----------|-----------------------|-------------|
| 850LCA | 26D, US3 | 1-1/8" | N/A | Less cylinder, drawer | 6.7 lbs/box |
| 850LCM | 26D, US3 | 1-3/8" | N/A | Less cylinder, drawer | 7.0 lbs/box |



WARNING: This product can expose you to chemicals including chromium, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

829R-LC Showcase/Ratchet Lock



Standard function: Key removable in locked or unlocked position. **Includes:** 729RS-1 strap for 1/4" panel thickness. **Packed 10 per box.**

| Item | Finish | Fits Material | Cylinder | Description | Weight |
|---------|--------|-----------------|----------|---------------|-------------|
| 829R-LC | 26D | For 1/4" panels | N/A | Less cylinder | 5.3 lbs/box |


| Item | Description | Packed |
|---------|---|-------------|
| 829-MD | Optional Medeco driver pack - required if using Medeco original cylinders | Packed Each |
| 729RS-2 | Optional strap for 3/8" panel thickness | Packed Each |
| 729RS-3 | Optional strap for maximum 5/8", minimum 3/8" panel thickness | Packed Each |



WARNING: This product can expose you to chemicals including chromium, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

Complies with clause 6.3 (8.2-8.4) of ANSI/BHMA A156.11 ANSI standards

L78-LC Door Latch Locks




Standard function: Spring latch. **Reversible:** Locks are field reversible into any of the 4 handings (drawer VH or IH, door LH or RH). **Handing:** See the handing chart on page 5 for proper handing of locks. **Packed 10 per box.**

| Item | Handing | Finish | Fits Mat. | Cylinder | Description | Weight |
|----------|---------|----------|-----------|----------|------------------------|-------------|
| L78L-LCA | LH | 26D, US3 | 1-1/8" | N/A | Less cylinder, LH door | 7.0 lbs/box |
| L78L-LCM | LH | 26D, US3 | 1-3/8" | N/A | Less cylinder, LH door | 7.4 lbs/box |
| L78R-LCA | RH | 26D, US3 | 1-1/8" | N/A | Less cylinder, RH door | 7.0 lbs/box |
| L78R-LCM | RH | 26D, US3 | 1-3/8" | N/A | Less cylinder, RH door | 7.4 lbs/box |



WARNING: This product can expose you to chemicals including chromium, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

L78-LC Drawer Latch Locks




Standard function: Spring latch. **Reversible:** Locks are field reversible into any of the 4 handings (drawer VH or IH, door LH or RH). **Handing:** See the handing chart on page 5 for proper handing of locks. **Packed 10 per box.**

| Item | Handing | Finish | Fits Mat. | Cylinder | Description | Weight |
|----------|---------|----------|-----------|----------|--------------------------|-------------|
| L78V-LCA | VH | 26D, US3 | 1-1/8" | N/A | Less cylinder, VH drawer | 7.0 lbs/box |
| L78V-LCM | VH | 26D, US3 | 1-3/8" | N/A | Less cylinder, VH drawer | 7.4 lbs/box |
| L78I-LCA | IH | 26D, US3 | 1-1/8" | N/A | Less cylinder, IH drawer | 7.0 lbs/box |
| L78I-LCM | IH | 26D, US3 | 1-3/8" | N/A | Less cylinder, IH drawer | 7.4 lbs/box |



WARNING: This product can expose you to chemicals including chromium, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

LC SERIES Less Cylinder for Sargent



For SARGENT original deadbolt-style cylinders

Compatibility: Accepts Sargent C480-2 (13-3457) deadbolt cylinder.
Finishes: For finishes not listed, see charges under "custom finishes" in this price list or consult factory.

Accessories: Additional accessories are available for these products. See accessories section or consult factory.

754LC Door Deadbolt Lock



ACCEPTS SARGENT C480-2 (13-3457) DEADBOLT CYLINDER

Standard function: Key removable in locked or unlocked position. Standard locks are non-handed. **Packed 10 per box.**

| Item | Finish | Fits Material | Cylinder | Description | Weight |
|-------|----------|---------------|----------|---------------------|-------------|
| 754LC | 26D, US3 | 1-3/8" | N/A | Less cylinder, door | 5.7 lbs/box |



WARNING: This product can expose you to chemicals including chromium, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

854LC Drawer Deadbolt Lock



ACCEPTS SARGENT C480-2 (13-3457) DEADBOLT CYLINDER

Standard function: Key removable in locked or unlocked position. Standard locks are non-handed. **Packed 10 per box.**

| Item | Finish | Fits Material | Cylinder | Description | Weight |
|-------|----------|---------------|----------|-----------------------|-------------|
| 854LC | 26D, US3 | 1-3/8" | N/A | Less cylinder, drawer | 5.7 lbs/box |



WARNING: This product can expose you to chemicals including chromium, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

LC SERIES Less Cylinder for Schlage *(works with locks on pages 21-22)*

DID YOU KNOW

Our less cylinder for Schlage cabinet lock bodies accept ILCO #1599 replacement cylinders? Our Schlage compatible "less cylinder" cabinet locks are compatible for use with the ILCO key-in-knob #1599 replacement cylinder. The #1599 is available in 32 keyways allowing you to key your cabinets to match your facility door hardware.

AVAILABLE KEYWAYS

Arrow 1179..... AA
 Corbin 59 A1-2..... CD
 Corbin 60..... CA
 Corbin 67..... CB
 Corbin 77..... CC
 Corbin/Russwin L4..... CE
 Dexter 67..... XE
 DO5-DO6..... DB
 Dominion 1054F..... DA
 Ilco Composite..... NA
 Kwikset 1176..... KS
 Lockwood 1004..... LA

AVAILABLE KEYWAYS (cont.)

Lori 80..... UE
 Lori Centric 90..... UD
 Lori Composite..... NB
 Lori L100..... UB
 Russwin 981R..... RA
 Russwin D1..... RB
 Russwin 981/852 Composite..... RC
 Sargent LA..... GA
 Sargent LA-LC..... GB
 Sargent RA-RC..... GC
 Schlage C-L..... SX
 Schlage E..... SE
 Schlage F..... SF
 Schlage C..... SC
 Segal 9..... FA
 Weiser/Falcon E..... WA
 Weiser 1555..... WE
 ILCO X1054K..... UA
 Yale 8 (5 pin only)..... YA
 Yale GA (5 pin only)..... YG



IC CORE Schlage Full Size



For SCHLAGE full-size interchangeable core cylinders

Compatibility: Accepts Schlage-style full-size / large format IC cores
Schlage: Chambers both standard or Primus/Everest Schlage full-size interchangeable cores.

Mul-T-Lock: Chambers Mul-T-Lock large format IC cores.
Cores: Schlage full-size IC cores not included.
Finishes: For finishes not listed, see charges under "custom plating" in this price list or consult factory.

Accessories: Additional accessories are available for these products. See accessories section or consult factory.

777 Door Deadbolt Lock



ANSI/BHMA A156.11
Grade 1, E07121
Woodwork Institute (WI)
acknowledged product

Standard: Key removable in locked or unlocked position. Standard locks are non-handed. **Key-retaining:** For key removable in locked position only, specify the key-retaining part-numbers. **Handing:** See chart on page 5 for proper handing of locks (left-hand or right-hand).
Packed 10 per box.

| Item | Handing | Finish | Fits Material | Description | Weight |
|--------|---------|----------|---------------|---------------------------|-------------|
| 777ICP | N/A | 26D, US3 | 1-7/16" | Schlage IC door lock body | 7.3 lbs/box |
| 777ICP | N/A | 10B | 1-7/16" | Schlage IC door lock body | 7.3 lbs/box |

KEY-RETAINING FUNCTION (KEY REMOVABLE IN LOCKED POSITION ONLY)

| Item | Handing | Finish | Fits Material | Description | Weight |
|-----------|----------|----------|---------------|--|-------------|
| 777IC-DRK | RH or LH | 26D, US3 | 1-7/16" | Key-retaining, Classic Cores | 7.3 lbs/box |
| 777P-DRK | RH or LH | 26D, US3 | 1-7/16" | Key-retaining, Primus/Everest Cores | 7.3 lbs/box |
| 777IC-DRK | RH or LH | 10B | 1-7/16" | Key-retaining, Classic Cores | 7.3 lbs/box |
| 777P-DRK | RH or LH | 10B | 1-7/16" | Key-retaining, Primus/Everest Cores | 7.3 lbs/box |

Key-retaining: Cycle to "locked" position before inserting core.



WARNING: This product can expose you to chemicals including chromium, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

888 Drawer Deadbolt Lock



ANSI/BHMA A156.11
Grade 1, E07041
Woodwork Institute (WI)
acknowledged product

Standard: Key removable in locked or unlocked position. Standard locks are non-handed. **Key-retaining:** For key removable in locked position only, specify the key-retaining part-numbers below. **Handing:** See chart on page 5 for proper handing of locks (vertical or inverted).
Packed 10 per box.

| Item | Handing | Finish | Fits Material | Description | Weight |
|--------|---------|----------|---------------|-----------------------------|-------------|
| 888ICP | N/A | 26D, US3 | 1-7/16" | Schlage IC drawer lock body | 7.3 lbs/box |
| 888ICP | N/A | 10B | 1-7/16" | Schlage IC drawer lock body | 7.3 lbs/box |

KEY-RETAINING FUNCTION (KEY REMOVABLE IN LOCKED POSITION ONLY)

| Item | Handing | Finish | Fits Material | Description | Weight |
|-----------|----------|----------|---------------|--|-------------|
| 888IC-DWK | IH or VH | 26D, US3 | 1-7/16" | Key-retaining, Classic Cores | 7.3 lbs/box |
| 888P-DWK | IH or VH | 26D, US3 | 1-7/16" | Key-retaining, Primus/Everest Cores | 7.3 lbs/box |
| 888IC-DWK | IH or VH | 10B | 1-7/16" | Key-retaining, Classic Cores | 7.3 lbs/box |
| 888P-DWK | IH or VH | 10B | 1-7/16" | Key-retaining, Primus/Everest Cores | 7.3 lbs/box |

Key-retaining: Cycle to "locked" position before inserting core.



WARNING: This product can expose you to chemicals including chromium, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

920 Cam Lock



ANSI/BHMA A156.11
Grade 1
E07261/E07271
Woodwork Institute (WI)
acknowledged product

Includes: 720-PL3 (anti-rotation plate), lost-motion and key retaining door/drawer cam shifters, 720-3-1 and 720-3-2 cams. Additional cams available separately. **Packed 10 per box.**

| Item | Finish | Cyl. Length | Description | Weight |
|----------|----------|-------------|--------------------------|-------------|
| 920LM/DM | 26D, US3 | 1-7/16" | Schlage IC cam lock body | 4.1 lbs/box |

| Item | Description | Packed |
|-----------------|---|-------------|
| Additional cams | 720-3-1, 720-3-2, 720-3-3, 720-3-4, 720-3-5 | Packed Each |
| Trim Collars | TR201 (1/8"), TR202 (1/4"), TR203 (3/8"), TR204 (5/32"), TR200A (Pkg) | Packed Each |
| SW-1 | Switch accessory pack | Packed Each |
| 720-PL3 | Anti-rotation plate | Packed Each |



WARNING: This product can expose you to chemicals including chromium, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

IC CORE Schlage Full Size

L92V Drawer Latch Lock



Standard function: Spring latch. For cabinet doors, place lock on side. **Packed 10 per box.**

| Item | Finish | Cyl. Length | Description | Weight |
|------|----------|-------------|-----------------------------------|-------------|
| L92V | 26D, US3 | 1-7/16" | Schlage IC drawer latch lock body | 6.8 lbs/box |



WARNING: This product can expose you to chemicals including chromium, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

929R Showcase/Ratchet Lock



Standard: Key removable in locked or unlocked position. **Includes:** 729RS-1 strap for 1/4" panel thickness. **Packed 10 per box.**

| Item | Finish | Size | Description | Weight |
|------|--------|-----------------|--|-------------|
| 929R | 26D | For 1/4" panels | Schlage IC ratchet lock body for sliding doors | 5.1 lbs/box |

| Item | Description | Packed |
|---------|---|-------------|
| 729RS-2 | Optional strap for 3/8" panel thickness | Packed Each |
| 729RS-3 | Optional strap for maximum 5/8", minimum 3/8" panel thickness | Packed Each |


Complies with clause 6.3 (8.2~8.4) of ANSI/BHMA A156.11 ANSI standards

Woodwork Institute (WC) acknowledged product



WARNING: This product can expose you to chemicals including chromium, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

IC CORE Corbin/Russwin



Compatibility: Accepts Corbin/Russwin 6 or 7 pin IC cores.
Cores: Corbin/Russwin cores not included.
Finishes: For finishes not listed, see charges under "custom plating" in this price list or consult factory.

Accessories: Additional accessories are available for these products. See accessories section or consult factory.

CR1125RD Rim (Surface) Mount Deadbolt Locks



CR1125RDVH
Woodwork Institute (WI) acknowledged product

Standard function: Key removable in locked or unlocked position. **Includes:** 1125-1 spacer for 6-pin cores and solid rectangular strike.
Handing: See the handing chart on page 5 for proper handing of locks. **Packed 10 per box.**

| Item | Handing | Finish | Fits Mat. | Description | Weight |
|----------|---------|--------|-----------|---|-------------|
| CR1125RD | RH | 26D | 1-1/8" | Rim deadbolt , right-hand door lock body | 5.0 lbs/box |
| CR1125RD | LH | 26D | 1-1/8" | Rim deadbolt , left-hand door lock body | 5.0 lbs/box |
| CR1125RD | VH | 26D | 1-1/8" | Rim deadbolt , vertical drawer lock body | 5.0 lbs/box |



WARNING: This product can expose you to chemicals including chromium, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

CR1125RL Rim (Surface) Mount Latch Locks



CR1125RLVH
Woodwork Institute (WI) acknowledged product

Standard function: Spring latch. For cabinet doors, place lock on side. **Includes:** 1125-1 spacer for 6-pin cores and lip strike.
Packed 10 per box.

| Item | Handing | Finish | Fits Mat. | Description | Weight |
|----------|---------|--------|-----------|--|-------------|
| CR1125RL | VH | 26D | 1-1/8" | Rim latch , vertical drawer lock body | 5.0 lbs/box |



WARNING: This product can expose you to chemicals including chromium, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

CR25 Cam Lock



Includes: 720-PL3 (anti-rotation plate), lost-motion and key retaining door/drawer cam shifters, 720-3-1 and 720-3-2 cams and 1125-1 spacer for 6-pin cores. Additional cams available separately. **Packed 10 per box.**


| Item | Finish | Cyl. Length | Description | Weight |
|-----------|--------|-------------|------------------|-------------|
| CR25LM/DM | 26D | 1-7/16" | IC cam lock body | 4.9 lbs/box |

| Item | Description | Packed |
|-----------------|---|-------------|
| Additional cams | 720-3-1, 720-3-2, 720-3-3, 720-3-4, 720-3-5 | Packed Each |
| Trim Collars | TR201 (1/8"), TR202 (1/4"), TR203 (3/8"), TR204 (5/32"), TR200A (Pkg) | Packed Each |
| SW-1 | Switch accessory pack | Packed Each |
| 720-PL3 | Anti-rotation plate | Packed Each |



WARNING: This product can expose you to chemicals including chromium, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

IC CORE Medeco / Assa / Yale



For MEDECO/YALE style large format interchangeable core cylinders

IMPORTANT: Keymark cores require SFIC cabinet lock bodies.

Medeco Core: Accepts Medeco (6-pin) IC core cylinder #32-0201. Medeco core requires use of Medeco #94-0009 or Olympus 931-1M spacer. The 931DR/DW ships standard with Olympus 931-1M spacer.

Yale Core: Accepts Yale 1210 Series (6-pin) IC core cylinder or Medeco's #31-0100 Yale compatible cylinder.

Assa Core: Accepts Assa's Yale 6 pin compatible large format IC core.

Finishes: For finishes not listed, see charges under "custom plating" in this price list or consult factory.

Accessories: Additional accessories are available for these products. See the accessories section or consult factory.

931DR Door Deadbolt Lock



Woodwork Institute (WI) acknowledged product

Standard function: Key removable in locked or unlocked position. Standard locks are non-handed. **Key-retaining:** For key removable in locked position only, specify the key-retaining part-numbers below. **Handing:** See handing chart on page 5 for proper handing of locks (left or right). **Includes:** 931-1M spacer or Medeco 6-pin IC core cylinders. **Packed 10 per box.**

| Item | Finish | Fits Material | Cylinder | Description | Weight |
|----------|----------|---------------|----------|-----------------------------------|-------------|
| 931DR | 26D, US3 | 1-3/8" | N/A | IC door lock body | 6.5 lbs/box |
| 931DR-KR | 26D, US3 | 1-3/8" | N/A | IC door lock body (key retaining) | 6.5 lbs/box |

Key-retaining: Cycle to "locked" position before inserting core.

****IMPORTANT NOTE:** Medeco Keymark cylinders require SFIC lock bodies (see 721DR).



WARNING: This product can expose you to chemicals including chromium, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

931DW Drawer Deadbolt Lock



Woodwork Institute (WI) acknowledged product

Standard function: Key removable in locked or unlocked position. Standard locks are non-handed. **Key-retaining:** For key removable in locked position only, specify the key-retaining part-numbers above. **Handing:** See handing chart on page 5 for proper handing of locks (vertical or inverted). **Includes:** 931-1M spacer or Medeco 6-pin IC core cylinders. **Packed 10 per box.**

| Item | Finish | Fits Material | Cylinder | Description | Weight |
|----------|----------|---------------|----------|-------------------------------------|-------------|
| 931DW | 26D, US3 | 1-3/8" | N/A | IC drawer lock body | 6.5 lbs/box |
| 931DW-KR | 26D, US3 | 1-3/8" | N/A | IC drawer lock body (key retaining) | 6.5 lbs/box |

Key-retaining: Cycle to "locked" position before inserting core.

****IMPORTANT NOTE:** Medeco Keymark cylinders require SFIC lock bodies (see 721DW).



WARNING: This product can expose you to chemicals including chromium, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

IC CORE Medeco



For MEDECO style large format interchangeable core cylinders

IMPORTANT: Keymark cores require SFIC cabinet lock bodies.

Medeco Core: Accepts Medeco (6-pin) IC core cylinder #32-0201.

Finishes: For finishes not listed, see charges under "custom plating" in this price list or consult factory.

Accessories: Additional accessories are available for these products. See the accessories section or consult factory.

ME93 Cam Lock



For Medeco IC**

Includes: 720-PL3 (anti-rotation plate), lost-motion and key retaining door/drawer cam shifters, 720-3-1 and 720-3-2 cams. Additional cams available separately. **Packed 10 per box.**

| Item | Finish | Cyl. Length | Description | Weight |
|-----------|--------|-------------|--------------------------------|-------------|
| ME93LM/DM | 26D | 1-7/16" | IC cam lock body for Medeco IC | 3.6 lbs/box |

| Item | Description | Packed |
|-----------------|---|-------------|
| Additional cams | 720-3-1, 720-3-2, 720-3-3, 720-3-4, 720-3-5 | Packed Each |
| Trim Collars | TR201 (1/8"), TR202 (1/4"), TR203 (3/8"), TR204 (5/32"), TR200A (Pkg) | Packed Each |
| SW-1 | Switch accessory pack | Packed Each |
| 720-PL3 | Anti-rotation plate | Packed Each |

****IMPORTANT NOTE:** Medeco Keymark cylinders require SFIC lock bodies (see 720 Series locks).



WARNING: This product can expose you to chemicals including chromium, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

IC CORE Yale



For YALE style large format interchangeable core cylinders

Yale Core: Accepts Yale 1210 Series (6-pin) IC core cylinder.
Assa Core: Accepts Assa's Yale 6-pin compatible large format IC core.
Cylinders: Not included.

Finishes: For finishes not listed, see charges under "custom plating" in this price list or consult factory.
Accessories: Additional accessories are available for these products. See the accessories section or consult factory.

YA93 Cam Lock



For Yale IC

Includes: 720-PL3 (anti-rotation plate), lost-motion and key retaining door/drawer cam shifters, 720-3-1 and 720-3-2 cams, and separate internal drivers for use with Yale and/or Assa's Yale cylinder or Medeco's Yale cylinder. Additional cams available separately.
Packed 10 per box.

| Item | Finish | Cyl. Length | Description | Weight |
|-----------------|---|-------------|-----------------------------------|-------------|
| YA93LM/DM | 26D | 1-7/16" | IC cam lock body for Yale/Assa IC | 3.7 lbs/box |
| Item | Description | | | Packed |
| Additional cams | 720-3-1, 720-3-2, 720-3-3, 720-3-4, 720-3-5 | | | Packed Each |
| Trim Collars | TR201 (1/8"), TR202 (1/4"), TR203 (3/8"), TR204 (5/32"), TR200A (Pkg) | | | Packed Each |
| SW-1 | Switch accessory pack | | | Packed Each |
| 720-PL3 | Anti-rotation plate | | | Packed Each |



WARNING: This product can expose you to chemicals including chromium, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

IC CORE Sargent



For SARGENT interchangeable core cylinders

Compatibility: Accepts Sargent 6300 series and Sargent "Degree" interchangeable cores.
Cores: Cores not included with locks.

Finishes: For finishes not listed, see charges under "custom plating" in this price list or consult factory.

Accessories: Additional accessories are available for these products. See accessories section or consult factory.

SA54 Cam Lock



For Sargent IC

Includes: 720-PL3 (anti-rotation plate), lost-motion and key retaining door/drawer cam shifters, 720-3-1 and 720-3-2 cams.
Packed 10 per box.

| Item | Finish | Cyl. Length | Description | Weight |
|-----------------|---|-------------|---------------------------------|-------------|
| SA54LM/DM | 26D | 1-7/16" | IC cam lock body for Sargent IC | 3.9 lbs/box |
| Item | Description | | | Packed |
| Additional cams | 720-3-1, 720-3-2, 720-3-3, 720-3-4, 720-3-5 | | | Packed Each |
| Trim Collars | TR201 (1/8"), TR202 (1/4"), TR203 (3/8"), TR204 (5/32"), TR200A (Pkg) | | | Packed Each |
| SW-1 | Switch accessory pack | | | Packed Each |
| 720-PL3 | Anti-rotation plate | | | Packed Each |



WARNING: This product can expose you to chemicals including chromium, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

BEST KEYWAY Utility Cam Lock



Compatibility: Retrofits Best 5E style 3/4" diameter cam lock.

Keyways: Available in A, B, E, F, G, J, K, L, R keyways.

Keys: Use KB-400 series (See pages 35 and 43).

Finishes: For finishes not listed, see charges under "custom plating" in this price list or consult factory.

Custom stamping: See page 43.

Keying information: See page 6.

B7 Best Keyway Cam Lock



Woodwork Institute (WI) acknowledged product

Standard function: Key removable in locked or unlocked position. Ships with DCNP-500-ARP (anti-rotation plate), DCNP-100-SC (straight cam) and DCNP-100-BC (reversible offset cam). **Key-retaining:** For key removable in locked position only (key-retaining), purchase optional cam shifters DCNP-200-KR (for drawers) or DCNP-200-KDR (for doors). **Optional cams and accessories:** See chart below. **Packed 10 per box.**

| Item | Keyway | Finish | Cyl. Length | Pin Tumbler Keying | Weight |
|--|-----------|--------|-------------|--|-------------|
| B7 | See below | 26D | 1-3/16" | O-Bit | 3.1 lbs/box |
| B7 | See below | 26D | 1-3/16" | Stock master keyed or non stock KD, KA | 3.1 lbs/box |
| Grand master (3-level system) or systems with multiple master keys: Add to the "Stock master keyed or non stock KD, KA" price. Great grand master keyed (4-level system or higher), call factory for price. | | | | | |

Available keyways: A, B, E, F, G, J, K, L, R (Specify keyway when ordering)

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| | | | | | | | | |
| A | B | E | F | G | J | K | L | R |

For keyblanks and cut keys:
Use KB-400 series (See page 43).

WARNING: This product can expose you to chemicals including chromium, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

OPTIONAL PARTS

| Item | Description / Packed Each |
|--------------|--------------------------------|
| DCNP-500-ARP | Anti-rotation plate |
| DCNP-300-FP | Finger pull |
| DCNP-200-KR | Key-retaining shifter (Drawer) |
| DCNP-200-KDR | Key-retaining shifter (Door) |
| T37DC-NP | Number plate ring |
| DCNP-GW* | Glass washer |
| DCNP-SPW | Pronged wood washer |
| TRB7-18-26D | 1/8" spacer collar, 26D |
| TRB7-14-26D | 1/4" spacer collar, 26D |
| TRB7-12-26D | 1/2" spacer collar, 26D |

*DCNP-GW is a plastic washer with a peel-and-stick adhesive back used for mounting DCN on glass.

TRB7 Trim Spacer Collars



Use with: B7, DCN or DCR cam locks

| Item | Description / Packed Each |
|-------------|---------------------------|
| TRB7-18-26D | 1/8" spacer/trim collar |
| TRB7-14-26D | 1/4" spacer/trim collar |
| TRB7-12-26D | 1/2" spacer/trim collar |

OPTIONAL CAMS

Note: Offset cams are reversible and can be used in either the inbent or outbent position.

| Item | Description / Packed Each |
|--------------|------------------------------------|
| DCNP-HD-875 | 7/8" long straight cam |
| DCNP-HD-1 | 1" long straight cam |
| DCNP-100-SC | 1-1/4" long straight cam |
| DCNP-100-SC2 | 1-3/4" long straight cam |
| DCNP-100-SC3 | 1-1/2" long straight cam |
| DCNP-100-LC | 3" long straight cam |
| DCNP-100-BC | 1-1/4" long cam, 5/16" offset |
| DCNP-100-BC5 | 1-1/4" long cam, 1/2" offset |
| DCNP-100-HC1 | 1-1/2" long hook cam, 5/16" offset |
| DCNP-100-HD | 1-7/16" long cam, 1/2" offset |
| DCNP-100-HD2 | 1-3/4" long cam, 5/16" offset |
| DCNP-100-HD3 | 1-1/8" long cam, 5/16" offset |
| DCNP-100-LBC | 1-1/2" long cam, 5/16" offset |
| DCNP-100-B1 | Straight cam with oval cutout |
| DCNP-100-B2 | U-shaped cam |
| DCNP-100-B3 | Straight hook cam |
| DCNP-100-WB | Short cam / 90° offset arm |

The following warning is applicable to all parts listed on this page:

WARNING: This product can expose you to chemicals including chromium, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

IC CORE "Best" Small Format



Compatibility: Accepts Best, Arrow, Falcon or compatible 6 or 7 pin small format interchangeable core cylinders.
Medeco Keymark: Accepts Medeco Keymark cylinders.
Cylinders: Not included with locks. Best compatible cores can be purchased separately. See page 35 of this price list.

Finishes: For finishes not listed, see charges under "custom plating" in this price list or consult factory.
Accessories: Additional accessories are available for these products. See accessories section or consult factory.

720 Cam Lock



ANSI/BHMA A156.11
 Grade 1
 E07261/E07271
 Woodwork Institute (WI)
 acknowledged product

Retrofits: Best 1E7E4. **Includes:** 720-PL3 (anti-rotation plate), lost-motion and key retaining door/drawer cam shifters, 720-3-1 and 720-3-2 cams. Additional cams available separately. **Packed 10 per box.**

| Item | Finish | Cyl. Length | Description | Weight |
|----------|---------------------|-------------|----------------------------------|-------------|
| 720LM/DM | 26D, US26, US3, US4 | 1-7/16" | IC Cam Lock (zinc die cast body) | 4.0 lbs/box |

| Item | Description | Packed |
|-----------------|---|-------------|
| Additional cams | 720-3-1, 720-3-2, 720-3-3, 720-3-4, 720-3-5 | Packed Each |
| Trim Collars | TR201 (1/8"), TR202 (1/4"), TR203 (3/8"), TR204 (5/32"), TR200A (Pkg) | Packed Each |
| SW-1 | Switch accessory pack | Packed Each |
| 720-PL3 | Anti-rotation plate | Packed Each |

WARNING: This product can expose you to chemicals including chromium, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

720B-DM Medical Cart/Direct Drive Cam Lock



Retrofits: Best 1E7D4. **Includes:** TR201 and TR202 (trim collars) and 720-3-D1 short cam. Works with BEST original direct drive cams. **Packed 10 per box.**

| Item | Finish | Cyl. Length | Description | Weight |
|---------|--------|-------------|--------------------------------|-------------|
| 720B-DM | 26D | 1-7/16" | IC Cam Lock (solid brass body) | 3.9 lbs/box |

| Item | Description | Packed |
|-----------------|---|-------------|
| Additional cams | 720-3-SC1 (switch cam) | Packed Each |
| Trim Collars | TR201 (1/8"), TR202 (1/4"), TR203 (3/8"), TR204 (5/32"), TR200A (Pkg) | Packed Each |
| 720-PL3 | Anti-rotation plate | Packed Each |

WARNING: This product can expose you to chemicals including chromium, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

722S Sliding Door Push Lock



Retrofits: Best 2S and 2S-TBM. **Standard function:** Key removable in locked or unlocked position. **Key-retaining (KR):** Key removable in locked position only. **Material:** Solid brass body construction. **Packed 10 per box.**

| Item | Finish | Fits Material | Description | Key Function | Weight |
|-------------|--------|---------------|----------------------------------|---------------|-------------|
| 722S | 26D | 3/4" - 1-1/2" | IC push lock body | Standard | 5.4 lbs/box |
| 722S-KR | 26D | 3/4" - 1-1/2" | IC Push lock body | Key-retaining | 5.4 lbs/box |
| 722S-TBM | 26D | 3/4" - 1-1/2" | IC push lock, through-bolt mount | Standard | 5.8 lbs/box |
| 722S-TBM-KR | 26D | 3/4" - 1-1/2" | IC push lock, through-bolt mount | Key-retaining | 5.8 lbs/box |

WARNING: This product can expose you to chemicals including chromium, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

723S Sliding Door Cylinder Housing



Retrofits: Best 4S. **Includes:** 3 sizes of screws (7/16", 3/4" and 1"). **Cylinders:** Requires special 207S SFIC cylinders (see cylinders on page 30). Also works with Best original #6C or #6CP cylinders. **Packed 10 per box.**

| Item | Finish | Fits Material | Description | Weight |
|------|-----------|---------------|-------------------------------|-------------|
| 723S | 26D, US26 | Adjustable | Sliding door cylinder housing | 1.6 lbs/box |

WARNING: This product can expose you to chemicals including chromium, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

721DR Door Deadbolt Lock



ANSI/BHMA A156.11
Grade 1, E07121

Woodwork Institute (WI)
acknowledged product

US19 flat
black finish now
available

Retrofits: Best 3L. **Standard function:** Key removable in locked or unlocked position. Standard locks are non-handed. **Includes:** All parts to convert between door/drawer function and to convert to key-retaining function. **Key-retaining:** Key removable in locked position only. For factory configured key-retaining locks, specify the key-retaining part-numbers below. **Handing:** See chart on page 5 for proper handing of locks (left or right). **SP1 option:** Includes prong driver with short pins for use with Sargent XC and Marks high security cylinders. **Packed 10 per box.**

| Item | Finish | Fits Mat. | Description | Weight |
|-----------|----------------|-----------|---------------------------------------|-------------|
| 721DR | 26D, US26, US3 | 1-1/4" | IC door lock body | 6.1 lbs/box |
| 721DR-SP1 | 26D, US26, US3 | 1-1/4" | IC door lock body (with short prongs) | 6.1 lbs/box |
| 721DR-138 | 26D | 1-3/8" | IC door lock body | 5.8 lbs/box |
| 721DR | 10B, US19 | 1-1/4" | IC door lock body | 6.1 lbs/box |
| 721DR-SP1 | 10B, US19 | 1-1/4" | IC door lock body (with short prongs) | 6.1 lbs/box |

Door long bolt: For long bolt #721-1-LB factory installed in lock (specify -LB option). Bolts available separately for \$10.73 list price each. Extends bolt projection to 1-1/2".

KEY-RETAINING FUNCTION (KEY REMOVABLE IN LOCKED POSITION ONLY)

| Item | Finish | Fits Mat. | Description | Weight |
|-------------|----------------|-----------|--|-------------|
| 721DR-KR | 26D, US26, US3 | 1-1/4" | IC door lock body (key retaining) | 6.1 lbs/box |
| 721DR-KRSP1 | 26D, US26, US3 | 1-1/4" | IC door lock body (key retain, short prongs) | 6.1 lbs/box |
| 721DR-KR138 | 26D | 1-3/8" | IC door lock body (key retaining) | 5.8 lbs/box |
| 721DR-KR | 10B, US19 | 1-1/4" | IC door lock body (key retaining) | 6.1 lbs/box |
| 721DR-KRSP1 | 10B, US19 | 1-1/4" | IC door lock body (key retain, short prongs) | 6.1 lbs/box |

Door long bolt: For long bolt #721-1-LB factory installed in lock (specify -LB option). Bolts available separately for \$10.73 list price each. Extends bolt projection to 1-1/2".

Key-retaining: Cycle to "locked" position before inserting core.



WARNING: This product can expose you to chemicals including chromium, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

721DW Drawer Deadbolt Lock



ANSI/BHMA A156.11
Grade 1, E07041

Woodwork Institute (WI)
acknowledged product

US19 flat
black finish now
available

Retrofits: Best 3L. **Standard function:** Key removable in locked or unlocked position. Standard locks are non-handed. **Includes:** All parts to convert between door/drawer function and to convert to key-retaining function. **Key-retaining:** Key removable in locked position only. For factory configured key-retaining locks, specify the key-retaining part-numbers below. **Handing:** See chart on page 5 for proper handing of locks (vertical or inverted). **SP1 option:** Includes prong driver with short pins for use with Sargent XC and Marks high security cylinders. **Packed 10 per box.**

| Item | Finish | Fits Mat. | Description | Weight |
|-----------|----------------|-----------|---|-------------|
| 721DW | 26D, US26, US3 | 1-1/4" | IC drawer lock body | 6.1 lbs/box |
| 721DW-SP1 | 26D, US26, US3 | 1-1/4" | IC drawer lock body (with short prongs) | 6.1 lbs/box |
| 721DW-138 | 26D | 1-3/8" | IC drawer lock body | 5.8 lbs/box |
| 721DW | 10B, US19 | 1-1/4" | IC drawer lock body | 6.1 lbs/box |
| 721DW-SP1 | 10B, US19 | 1-1/4" | IC drawer lock body (with short prongs) | 6.1 lbs/box |

Drawer long bolt: For long bolt #721-1-LB factory installed in lock (specify -LB option). Bolts available separately for \$10.73 list price each. Extends bolt projection to 1-1/2".

KEY-RETAINING FUNCTION (KEY REMOVABLE IN LOCKED POSITION ONLY)

| Item | Finish | Fits Mat. | Description | Weight |
|-------------|----------------|-----------|--|-------------|
| 721DW-KR | 26D, US26, US3 | 1-1/4" | IC drawer lock body (key retaining) | 6.1 lbs/box |
| 721DW-KRSP1 | 26D, US26, US3 | 1-1/4" | IC drawer lock body (key retain, short prongs) | 6.1 lbs/box |
| 721DW-KR138 | 26D | 1-3/8" | IC drawer lock body (key retaining) | 5.8 lbs/box |
| 721DW-KR | 10B, US19 | 1-1/4" | IC drawer lock body (key retaining) | 6.1 lbs/box |
| 721DW-KRSP1 | 10B, US19 | 1-1/4" | IC drawer lock body (key retain, short prongs) | 6.1 lbs/box |

Drawer long bolt: For long bolt #721-1-LB factory installed in lock (specify -LB option). Bolts available separately for \$10.73 list price each. Extends bolt projection to 1-1/2".

Key-retaining: Cycle to "locked" position before inserting core.



WARNING: This product can expose you to chemicals including chromium, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

724VR Medical Cart / File Cabinet Lock



Retrofits: Best 2P73. Includes: Red "caution" flag when unlocked. Packed 10 per box.

| Item | Finish | Description | Weight |
|-------|--------|---|-------------|
| 724VR | 26D | Medical cart/file cabinet lock body — vertical slot, round bolt | 2.6 lbs/box |



WARNING: This product can expose you to chemicals including chromium, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

725MD Mortise Mount Deadbolt Locks

Shown as
VH DRAWER



725MD

ANSI/BHMA A156.11
Grade 1

Retrofits: Best 5L7MD. **Material thickness:** Standard lock fits up to 1-1/2" material thickness and 1-3/8" lock fits up to 1-3/4" material when mortised into the door or drawer material. **Standard function:** Key removable in locked and unlocked position. **Key-retaining:** Key removable in locked position only. **Handing:** See chart on page 5. Packed 10 per box.

| Item | Finish | Fits Mat. | Description | Weight |
|--------------|---------------------|------------------|---------------------------|-------------|
| 725MD-DR-RH | 26D, US26, US3, US4 | 1-1/16" - 1-1/2" | RH Door | 5.0 lbs/box |
| 725MD-DR-LH | 26D, US26, US3, US4 | 1-1/16" - 1-1/2" | LH Door | 5.0 lbs/box |
| 725MD-DW-VH | 26D, US26, US3, US4 | 1-1/16" - 1-1/2" | VH Drawer | 5.0 lbs/box |
| 725MD-DW-IH | 26D, US26, US3, US4 | 1-1/16" - 1-1/2" | IH Drawer | 5.0 lbs/box |
| 725MD-DWKVH | 26D, US26, US3, US4 | 1-1/16" - 1-1/2" | VH Drawer (key retaining) | 5.0 lbs/box |
| US10B finish | | | | |

| Item | Finish | Fits Mat. | Description | Weight |
|-------------|--------|-----------------|-----------------------------------|-------------|
| 725MD3DR-RH | 26D | 1-3/8" - 1-3/4" | RH Door (1-3/8" barrel) | 5.7 lbs/box |
| 725MD3DR-LH | 26D | 1-3/8" - 1-3/4" | LH Door (1-3/8" barrel) | 5.7 lbs/box |
| 725MD3DW-VH | 26D | 1-3/8" - 1-3/4" | VH Drawer (1-3/8" barrel) | 5.7 lbs/box |
| 725MD3DW-IH | 26D | 1-3/8" - 1-3/4" | IH Drawer (1-3/8" barrel) | 5.7 lbs/box |
| 725MD3DWKVH | 26D | 1-3/8" - 1-3/4" | VH Drawer (key retaining, 1-3/8") | 5.7 lbs/box |



WARNING: This product can expose you to chemicals including chromium, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

725ML Mortise Mount Latch Locks

Shown as
VH DRAWER



725ML

ANSI/BHMA A156.11
Grade 1

Retrofits: Best 5L7ML. **Standard function:** Spring latch. **Key-retaining:** Key removable in locked position only. **Handing:** See chart on page 5. **Material thickness:** Standard lock fits up to 1-1/2" material thickness and 1-3/8" lock fits up to 1-3/4" material when mortised into the door or drawer material. Packed 10 per box.

| Item | Finish | Fits Mat. | Description | Weight |
|--------------|---------------------|------------------|---------------------------|-------------|
| 725ML-DR-RH | 26D, US26, US3, US4 | 1-1/16" - 1-1/2" | RH Door | 5.3 lbs/box |
| 725ML-DR-LH | 26D, US26, US3, US4 | 1-1/16" - 1-1/2" | LH Door | 5.3 lbs/box |
| 725ML-DW-VH | 26D, US26, US3, US4 | 1-1/16" - 1-1/2" | VH Drawer | 5.3 lbs/box |
| 725ML-DW-IH | 26D, US26, US3, US4 | 1-1/16" - 1-1/2" | IH Drawer | 5.3 lbs/box |
| 725ML-DWRVH | 26D, US26, US3, US4 | 1-1/16" - 1-1/2" | VH Drawer (reverse latch) | 5.3 lbs/box |
| 725ML-DWRIH | 26D, US26, US3, US4 | 1-1/16" - 1-1/2" | IH Drawer (reverse latch) | 5.3 lbs/box |
| US10B finish | | | | |

| Item | Finish | Fits Mat. | Description | Weight |
|-------------|--------|-----------------|-----------------------------------|-------------|
| 725ML3DR-RH | 26D | 1-3/8" - 1-3/4" | RH Door (1-3/8" barrel) | 5.9 lbs/box |
| 725ML3DR-LH | 26D | 1-3/8" - 1-3/4" | LH Door (1-3/8" barrel) | 5.9 lbs/box |
| 725ML3DW-VH | 26D | 1-3/8" - 1-3/4" | VH Drawer (1-3/8" barrel) | 5.9 lbs/box |
| 725ML3DW-IH | 26D | 1-3/8" - 1-3/4" | IH Drawer (1-3/8" barrel) | 5.9 lbs/box |
| 725ML3DWRVH | 26D | 1-3/8" - 1-3/4" | VH Drawer (reverse latch, 1-3/8") | 5.9 lbs/box |
| 725ML3DWRIH | 26D | 1-3/8" - 1-3/4" | IH Drawer (reverse latch, 1-3/8") | 5.9 lbs/box |



WARNING: This product can expose you to chemicals including chromium, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

725RD Rim (Surface) Mount Deadbolt Locks

Shown as
VH DRAWER



725RD

ANSI/BHMA A156.11
Grade 1

Retrofits: Best 5L7RD. **Standard function:** Key removable in locked or unlocked position. **Key-retaining:** Key removable in locked position only. **Handing:** See chart on page 5. **Packed 10 per box.**

| Item | Finish | Fits Mat. | Description | Weight |
|--------------|---------------------|-----------|---------------------------|---------------------|
| 725RD-DR-RH | 26D, US26, US3, US4 | 1-1/16" | RH Door | 5.0 lbs/box |
| 725RD-DR-LH | 26D, US26, US3, US4 | 1-1/16" | LH Door | 5.0 lbs/box |
| 725RD-DW-VH | 26D, US26, US3, US4 | 1-1/16" | VH Drawer | 5.0 lbs/box |
| 725RD-DW-IH | 26D, US26, US3, US4 | 1-1/16" | IH Drawer | 5.0 lbs/box |
| 725RD-DWKVH | 26D, US26, US3, US4 | 1-1/16" | VH Drawer (key retaining) | 5.0 lbs/box |
| US10B finish | | | | Add on price |

| Item | Finish | Fits Mat. | Description | Weight |
|-------------|--------|-----------|-----------------------------------|-------------|
| 725RD3DR-RH | 26D | 1-3/8" | RH Door (1-3/8" barrel) | 5.7 lbs/box |
| 725RD3DR-LH | 26D | 1-3/8" | LH Door (1-3/8" barrel) | 5.7 lbs/box |
| 725RD3DW-VH | 26D | 1-3/8" | VH Drawer (1-3/8" barrel) | 5.7 lbs/box |
| 725RD3DW-IH | 26D | 1-3/8" | IH Drawer (1-3/8" barrel) | 5.7 lbs/box |
| 725RD3DWKVH | 26D | 1-3/8" | VH Drawer (key retaining, 1-3/8") | 5.7 lbs/box |



WARNING: This product can expose you to chemicals including chromium, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

725RL Rim (Surface) Mount Latch Locks

Shown as
VH DRAWER



725RL

ANSI/BHMA A156.11
Grade 1

Retrofits: Best 5L7RL. **Standard function:** Spring latch. **Reverse latch:** Use for in-swinging doors. **Handing:** See chart on page 5. **Packed 10 per box.**

| Item | Finish | Fits Mat. | Description | Weight |
|--------------|---------------------|-----------|---------------------------|-------------|
| 725RL-DR-RH | 26D, US26, US3, US4 | 1-1/16" | RH Door | 5.3 lbs/box |
| 725RL-DR-LH | 26D, US26, US3, US4 | 1-1/16" | LH Door | 5.3 lbs/box |
| 725RL-DW-VH | 26D, US26, US3, US4 | 1-1/16" | VH Drawer | 5.3 lbs/box |
| 725RL-DW-IH | 26D, US26, US3, US4 | 1-1/16" | IH Drawer | 5.3 lbs/box |
| 725RL-DWRVH | 26D, US26, US3, US4 | 1-1/16" | VH Drawer (reverse latch) | 5.3 lbs/box |
| 725RL-DWRIH | 26D, US26, US3, US4 | 1-1/16" | IH Drawer (reverse latch) | 5.3 lbs/box |
| US10B finish | | | | |

| Item | Finish | Fits Mat. | Description | Weight |
|-------------|--------|-----------|-----------------------------------|-------------|
| 725RL3DR-RH | 26D | 1-3/8" | RH Door (1-3/8" barrel) | 5.9 lbs/box |
| 725RL3DR-LH | 26D | 1-3/8" | LH Door (1-3/8" barrel) | 5.9 lbs/box |
| 725RL3DW-VH | 26D | 1-3/8" | VH Drawer (1-3/8" barrel) | 5.9 lbs/box |
| 725RL3DW-IH | 26D | 1-3/8" | IH Drawer (1-3/8" barrel) | 5.9 lbs/box |
| 725RL3DWRVH | 26D | 1-3/8" | VH Drawer (reverse latch, 1-3/8") | 5.9 lbs/box |
| 725RL3DWRIH | 26D | 1-3/8" | IH Drawer (reverse latch, 1-3/8") | 5.9 lbs/box |



WARNING: This product can expose you to chemicals including chromium, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

725RSL Enclosure Locks for NEMA Traffic Control Boxes*

Shown as
VH DRAWER



725RSL-VH

IMPORTANT: For standard latch bolt, see 725RL or 725ML. **Retrofits:** Best 5L7RL (with option code -SL). **Function:** "square latching bolt."
*725RSL is a specialized function for use in metal electrical/traffic enclosure boxes. **Includes:** Solid brass cylinder housing (US26D or US4 finish only). **Handing:** See chart on page 5. **Packed 10 per box.**

| Item | Finish | Fits Mat. | Description | Weight |
|-----------|----------|-----------|--------------------------|-------------|
| 725RSL-RH | 26D, US4 | 1-1/16" | RH Door - Square Latch | 6.0 lbs/box |
| 725RSL-LH | 26D, US4 | 1-1/16" | LH Door - Square Latch | 6.0 lbs/box |
| 725RSL-VH | 26D, US4 | 1-1/16" | VH Drawer - Square Latch | 6.0 lbs/box |



WARNING: This product can expose you to chemicals including chromium, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

728MBL Mailbox Lock



Retrofits: Best 8L. **Standard function:** Spring latch. **Handing:** See chart on page 5. **Packed 10 per box.**

| Item | Finish | Fits Material | Description | Weight |
|--------|--------|---------------|-------------------------------|-------------|
| 728MBL | 26D | Adjustable | IC Mail Box Lock (right-hand) | 2.9 lbs/box |



WARNING: This product can expose you to chemicals including chromium, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

729R Showcase/Ratchet Lock



Retrofits: Best 3S. **Standard function:** Key removable in locked or unlocked position. **Includes:** Ships standard with 729RS-1 strap for 1/4" panel thickness. **Packed 10 per box.**

| Item | Finish | Size | Description | Weight |
|------|--------|-----------------|--------------------------------|-------------|
| 729R | 26D | For 1/4" panels | Ratchet lock for sliding doors | 6.2 lbs/box |

Complies with clause 6.3 (8.2-8.4) of ANSI/BHMA A156.11 ANSI standards
Woodwork Institute (WI) acknowledged product

| Item | Description | Packed |
|---------|---|-------------|
| 729RS-2 | Optional strap for 3/8" panel thickness | Packed Each |
| 729RS-3 | Optional strap for maximum 5/8", minimum 3/8" panel thickness | Packed Each |



WARNING: This product can expose you to chemicals including chromium, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

950IC Dead Latching Drawer Lock



Standard function: Spring latch with deadlocking mechanism. Turn lock 90 degrees for door function. **Includes:** Matching lip strike. **Packed 10 per box.**

| Item | Finish | Fits Material | Description | Weight |
|-------|----------|---------------|------------------------------|-------------|
| 950IC | 26D, US3 | 1-1/8" | IC dead latching drawer lock | 7.1 lbs/box |



WARNING: This product can expose you to chemicals including chromium, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

L72V Drawer Latch Lock



Standard function: Spring latch. For door applications, place lock on side. **Includes:** Lip strike. **SP1 option:** Includes prong driver with short pins for use with Sargent XC and Marks high security cylinders. **Packed 10 per box.**

| Item | Finish | Fits Material | Description | Weight |
|----------|----------|---------------|--|-------------|
| L72V | 26D, US3 | 1-1/8" | IC drawer latch lock | 6.9 lbs/box |
| L72V-SP1 | 26D, US3 | 1-1/8" | IC drawer latch lock (with short prongs) | 6.9 lbs/box |



WARNING: This product can expose you to chemicals including chromium, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

CYLINDERS Small Format IC & Schlage C Keyway

206 & 207 SFIC Cylinders (Cores are small format Best, Arrow, Falcon compatible)



BEST compatible interchangeable core cylinders

206 AND 207 SERIES AVAILABLE KEYWAYS

| | | | | | | | |
|---|---|---|---|---|----|----|--------|
| | | | | | | | |
| A | B | C | D | E | F | G | H |
| | | | | | | | |
| J | K | L | M | Q | 1C | 1D | KMT300 |

206/207 SERIES SMALL FORMAT 6 OR 7 PIN IC CYLINDERS



206 / 207 SFIC Cores

| Item | Description |
|--|--------------------------|
| 206(x*)-(y*) | 6 pin core, uncombined |
| 206(x*)-(y*)-CUST | 6 pin core, KA, KD or MK |
| 207(x*)-(y*) | 7 pin core, uncombined |
| 207(x*)-(y*)-CUST | 7 pin core, KA, KD or MK |
| 206/207 in US10B finish (A keyway only) add-on | |
| Grand master (3-level system) or systems with multiple master keys: Add to the "Stock master keyed or non stock KD, KA" price. Great grand master keyed (4-level system or higher), call factory for price. | |

x* = Specify keyway: A,B,C,D,E,F,G,H,J,K,L,M,Q,1C,1D,KMT300

y* = Specify finish: 26D, US4

207S SERIES SMALL FORMAT 7 PIN IC CYLINDERS

For use with Olympus 723S sliding door cylinder housings.



207S SFIC Cores

| Item | Description |
|----------------|--|
| 207SA-26D | 7 pin glass core, A keyway, uncombined |
| 207SA-26D-CUST | 7 pin glass core, A keyway, KA, KD or MK |

Stocked in A keyway. Other keyways: B,C,D,E,F,G,H,J,K,L,M,Q,1C,1D or KMT300 available by special order. Call for availability.

PAINTED CORES (BLUE / GREEN / RED)

We can match your blue, green or red painted Best cores.

| Item | Color | Description |
|----------|-------|----------------------|
| 207-A-BL | BLUE | 7 pin, keyed "Blue" |
| 207-A-GR | GREEN | 7 pin, keyed "Green" |
| 207-A-RD | RED | 7 pin, keyed "Red" |

The following warning is applicable to all parts listed on this page:

WARNING: This product can expose you to chemicals including chromium, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

SPECIFICATIONS

Cores: Equivalent to Best, Arrow, Falcon or similar small format interchangeable cores

Standard finish: 26D or US4 (US10B available)

Painted cores: 207 (7 pin only) available in blue (BL), green (GR) or red (RD)

KEYING INFORMATION

Uncombined: Core only (does not include pins, springs or keys)

Keyed cores: Specify KA, KD or MK.

Keyed cores include 2 change keys per core. 2 additional cut keys (master keys and/or control keys) are shipped with each order. Additional keys are available separately.

Stamping/Engraving: Custom stamping or engraving for cores and keys is available for an additional charge. See page 43 for details.

FOR USE WITH

L72V, 720, 721, 722, 723, 724, 725, 728, 729 and 950 locks

SFIC CONSTRUCTION CORES

SFIC locks ship standard with 725-PA plastic actuator (except 728MBL and 723S). Brass keyed construction cores are available for an additional charge and may be returned for credit at a later date. Construction cores receive one change key per 10 cores and one control key per 20 cores. Additional keys may be purchased at the standard price. For more information call our customer service department at 800-525-0954.

KEYBLANKS & CUT KEYS

x* = Specify keyway: A,B,C,D,E,F,G,H,J,K,L,M,Q,1C,1D,KMT300

| Item | Description |
|------------------|---|
| KB-400K(x*) | Keyblank for 6 or 7 pin core |
| KB-400K(x*)-CUST | Cut key for 6 or 7 pin core |
| KB-400K(x*)-CK | Cut control key for 6 or 7 pin core |
| KB-400K(x*)-MK | Cut master key for 6 or 7 pin core |
| KB-400KA-BL | Cut change key (for BLUE core) |
| KB-400KA-BL-CK | Cut control key (for BLUE core) |
| KB-400KA-GR | Cut change key (for GREEN core) |
| KB-400KA-GR-CK | Cut control key (for GREEN core) |
| KB-400KA-RD | Cut change key (for RED core) |
| KB-400KA-RD-CK | Cut control key (for RED core) |

78-201 Schlage C Keyway Cylinders



SCHLAGE style C keyway replacement cylinder

| Item No. | Finish | Universal Driver 10-360 Position | For use with | Keying (for US26D or US4 Cylinders) |
|--|------------|----------------------------------|--------------------------|--|
| 78-201H26D-CUST 78-201HUS4-CUST | 26D US4 | Horizontal | 700LC 829R-LC 850S | KD, KA 101, 102 or 0-BIT Stock master keyed or non stock KD, KA |
| 78-201V26D-CUST 78-201VUS4-CUST | 26D US4 | Vertical | 800LC 820LC | KD, KA 101, 102 or 0-BIT Stock master keyed or non stock KD, KA |
| 78-201-26D-CUST 78-201-US4-CUST | 26D US4 | N/A | Not required L78 | KD, KA 101, 102 or 0-BIT Stock master keyed or non stock KD, KA |
| Grand master (3-level system) or systems with multiple master keys: Add to the "Stock master keyed or non stock KD, KA" price. Great grand master keyed (4-level system or higher), call factory for price. | | | | |

Includes:

2 keys per cylinder

Keying information:
See page 6

Keys & keyblanks:
See page 43



WARNING: This product can expose you to chemicals including chromium, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

ACCESSORIES Wire Pulls

PA Series Plastic Actuators



725-PA


| Item | Description |
|-----------|--|
| 725-PA | Ships standard with small format IC locks: L72V,720,721,722,724,725, 728,729,950 locks Ships standard with Corbin/Russwin IC locks: CR1125,CR25 |
| 7788-PA-D | Ships standard with Schlage FSIC locks: L92V,777,888,920,929 |
| 931-PA | Ships standard with Medeco/Yale IC locks: 931,ME93,YA93 |



WARNING: This product can expose you to chemicals including chromium, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

SPACERS White Plastic

Small Pin For 7/8" Barrel Diameter Locks




WP21, WP22, WP23, WP24 interior spacers: These spacers are used for flush fitting locks on various material thicknesses. They are intended for use on the interior of the cabinet door or drawer and can be stacked to create the desired thickness. **Packed each.**

| Item | Finish | Description | Use With |
|------|---------------|--------------------|--------------------------------------|
| WP20 | White Plastic | 3/16" thick spacer | 100, 200, 500, 600, N078, R078, L20V |
| WP21 | White Plastic | 3/32" thick spacer | |
| WP22 | White Plastic | 1/4" thick spacer | |
| WP23 | White Plastic | 1/2" thick spacer | |
| WP24 | White Plastic | 1/8" thick spacer | 999, 998, 997, 996 |



WARNING: This product can expose you to chemicals including chromium, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

Large Pin For 1-1/8" Barrel Diameter Locks



10-348, 10-349, 10-350, & 10-351, WP725, WP726 interior spacers: These spacers are used for flush fitting locks on various material thicknesses. They are intended for use on the interior of the cabinet door or drawer and can be stacked to create the desired thickness. **Packed each.**

| Item | Finish | Description | Use With |
|--------|---------------|-----------------------|--|
| 10-348 | White Plastic | 1/4" thick spacer | 700, 721, 754, 777, 800, 850, 854, 888, 931, 950, L72V, L92V |
| 10-349 | White Plastic | 1/2" thick spacer | |
| 10-350 | White Plastic | 1/8" thick spacer | |
| 10-351 | White Plastic | 1/8" thick spacer | L78 |
| WP725 | White Plastic | 1/8" thick spacer for | 725RD, 725RL, CR1125 |
| WP726 | White Plastic | 1/4" thick spacer for | |



WARNING: This product can expose you to chemicals including chromium, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

SPACER COLLARS

TR200 Series For 1-1/8" Diameter Cam Locks



TR200A (PKG), TR201, TR202, TR203, TR204 trim collars: Provide forward spacing to bring lock face forward on thin material thicknesses. Packed each.

| Item | Finish | Description | Use With |
|--------|----------|---------------------|---|
| TR200A | 32D, US3 | Trim collar package | 720, 820, 920, CR25, ME93, SA54, YA93 Package includes: TR201, TR202 and TR203 |
| TR201 | 32D, US3 | 1/8" trim collar | 720, 820, 920, CR25, ME93, SA54, YA93 |
| TR202 | 32D, US3 | 1/4" trim collar | |
| TR203 | 32D, US3 | 3/8" trim collar | |
| TR204 | 32D | 5/32" trim collar | 720, 820, 920, CR25, ME93, SA54, YA93 |



WARNING: This product can expose you to chemicals including chromium, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

TRB7 Series For 3/4" Diameter Cam locks



TRB7-18, TRB7-14, TRB7-12 trim collars: Provide forward spacing to bring lock face forward on thin material thicknesses. Use with: 3/4" diameter DCN/DCR/B7 cam locks. Packed each.

| Item | Finish | Description | Use With |
|---------|--------|------------------|------------------------|
| TRB7-18 | 26D | 1/8" trim collar | DCN, DCR, B7 cam locks |
| TRB7-14 | 26D | 1/4" trim collar | |
| TRB7-12 | 26D | 1/2 trim collar | |



WARNING: This product can expose you to chemicals including chromium, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

TRIM RINGS

Trim Rings For 7/8" Barrel Diameter Locks



Fits: 7/8" diameter cabinet locks. **Function:** Covers up unevenly drilled holes or other flaws around the hole site. Packed each.

| Item | Finish | Description / Use with |
|--------|-----------|---|
| TR1256 | 26D, US4 | Trim ring for 7/8" diameter cabinet locks: 100, 200, 500, 600, 996, 997, 998, 999, L20V, N078, R078 |
| TR1256 | 10B, US19 | |



WARNING: This product can expose you to chemicals including chromium, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

Trim Rings For 1-1/8" Barrel Diameter Locks



Fits: 1-1/8" diameter cabinet locks. **Function:** Covers up unevenly drilled holes or other flaws around the hole site. Packed each.

| Item | Finish | Description / Use with |
|------|-----------|---|
| TR78 | 26D, US3 | Trim ring for 1-1/8" diameter cabinet locks: 700, 721, 725, CR1125, 754, 777, 800, 850, 854, 888, 931, 950, L72V, L78, L92V |
| TR78 | 10B, US19 | |



WARNING: This product can expose you to chemicals including chromium, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

THROUGH-BOLT Mounting Hardware

Small Pin For 7/8" Barrel Diameter Locks



ETS2 / ETST2
Through-bolt plate & spacer/template



ETS2-PL
Cabinet Pull



ETS6
Through-bolt plate

ETS2, ETS3, ETS6: Through-bolt mounting plate is for use on the exterior of the cabinet door or drawer and provide through-bolt mounting of cabinet locks for a more secure installation. **ETST2, ETST3:** Spacer/template is 1/8" thick and can be used either behind the ETS through-bolt plate on the front of the cabinet or between the cabinet lock body and the cabinet material on the inside of the cabinet or drawer. **ETS2-PL:** Is installed on the cabinet face and serves as a cabinet pull in either door or drawer applications. **Packed each.**

| Item | Finish | Thickness | Description / Use with |
|----------|----------|-----------|---|
| ETS2-PL | 26D, US3 | 1/8" | Cabinet pull for 100, 200, 500, 600, L20V |
| ETS2-125 | 26D, US3 | 1/8" | Through-bolt plate for 100, 200, 500, 600, L20V |
| ETS2-250 | 26D, US3 | 1/4" | Through-bolt plate for 100, 200, 500, 600, L20V |
| ETST2 | 26D, US3 | 1/8" | Spacer/template for ETS2 and ETS2-PL |
| ETS6 | 26D, US3 | 1/4" | Through-bolt plate for 999, 998, 997, 996 |



ETS2-PL installed with lock



WARNING: This product can expose you to chemicals including chromium, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

Large Pin For 1-1/8" Barrel Diameter Locks



ETS1 / ETST1
Through-bolt plate & spacer/template



ETS1-PL
Cabinet Pull



ETS4
Through-bolt plate for 777

ETS5
Through-bolt plate for 888

ETS1, ETS4, ETS5: Through-bolt mounting plate is for use on the exterior of the cabinet door or drawer and provide through-bolt mounting of cabinet locks for a more secure installation. **ETS1B:** Blank (no hole) faceplate for non-locking cabinets or drawers. **ETST1:** Spacer/template is 1/8" thick and can be used either behind the ETS through-bolt plate on the front of the cabinet or between the cabinet lock body and the cabinet material on the inside of the cabinet or drawer. **ETS1-PL:** Is installed on the cabinet face and serves as a cabinet pull in either door or drawer applications. **Packed each.**

| Item | Finish | Thickness | Description / Use with |
|----------|----------|-----------|--|
| ETS1-PL | 26D, US3 | 1/8" | Cabinet pull (requires use of ETS1-125 or ETS1-250) for 700, 721, 754, 777, 800, 850, 854, 888, 931, 950, L72V, L92V |
| ETS1-125 | 26D, US3 | 1/8" | Through-bolt plate for 700, 721, 754, 777, 800, 850, 854, 888, 931, 950, L72V, L92V |
| ETS1-250 | 26D, US3 | 1/4" | Through-bolt plate for 700, 721, 754, 777, 800, 850, 854, 888, 931, 950, L72V, L92V |
| ETS1B | 26D, US3 | 1/4" | Blank through-bolt plate (no center hole) |
| ETST1 | 26D, US3 | 1/8" | Spacer/template for ETS1, ETS1B, ETS1-PL, ETS4, ETS5 |
| ETS4 | 26D, US3 | 1/2" | Through-bolt plate for 777 |
| ETS5 | 26D, US3 | 1/2" | Through-bolt plate for 888 |



WARNING: This product can expose you to chemicals including chromium, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.



ETS1-PL installed with lock

STRIKES

Small Pin For 7/8" Barrel Diameter Locks



12-1
Angle Strike



12-2
Angle Strike




12-3
Angle Strike



12-5
Slotted Strike




999-STRIKE
Lipped Strike



07S
Slotted Strike



56-1
Bar Strike



12-4
Frameless
Drawer Strike

| Item | Finish | Description |
|------------|----------|---------------------------------------|
| 12-1 | 26D, US4 | Small angle strike |
| 12-2 | 26D | Heavy duty angle strike |
| 12-3 | 26D | Medium angle strike |
| 12-4 | ZP | Frameless drawer strike (zinc plated) |
| 12-5 | SS | Heavy duty slotted strike |
| 56-1 | 26D, US4 | Bar strike |
| 07S | 26D, US4 | Slotted strike |
| 999-STRIKE | US3 | Lipped strike |




WARNING: This product can expose you to chemicals including chromium, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.


Large Pin For 1-1/8" Barrel Diameter Locks



10-054
Bar Strike



10-055
Bar Strike



10-057
Bar Strike



10-058
Bar Strike



L78ST-1 / L78ST-2
Lipped Strike



10-056
Notched Strike



10-052
Slotted Strike

| Item | Finish | Description |
|------------|-----------------|---|
| 10-052 | 26D | Slotted strike |
| 10-054 | White Plastic | 1/4" bar strike |
| 10-055 | White Plastic | 1/2" bar strike |
| 10-056 | 26D | Notched strike |
| 10-057 | White Plastic | 0.65" bar strike |
| 10-058 | White Plastic | 3/8" bar strike |
| 10-352 | 26D | Screw pack: 10-052 slotted strike + screws |
| 10-354 | White Plastic | Screw pack: 10-054 1/4" bar strike + screws |
| 10-355 | White Plastic | Screw pack: 10-055 1/2" bar strike + screws |
| 850-210-SP | US4 | Lipped strike for 850/950 (1-1/8" barrel length) |
| 850-211-SP | US4 | Lipped strike for 850 (1-3/8" barrel length) |
| L78ST-1 | US3 | Lipped strike for L78 (1-1/8" barrel length) |
| L78ST-1-SS | Stainless Steel | Lipped strike for L72V, L92V (1-3/8" barrel length) |
| L78ST-2 | US3 | Lipped strike for L78 (1-3/8" barrel length) |



WARNING: This product can expose you to chemicals including chromium, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

IC Core For 725/CR1125 Series Locks




725-SP-MD



725-SP-RD



725-SP-ML



725-SP-RL

| Item | Finish | Description | Use With |
|---------------|-----------------|--|------------------|
| 725-SP-MD-US3 | US3 | Screw pack: Slotted strike + screws | Mortise Deadbolt |
| 725-SP-MD-SS | Stainless Steel | Screw pack: Slotted strike + screws | |
| 725-SP-ML-US3 | US3 | Screw pack: Slotted lip strike + screws | Mortise Latch |
| 725-SP-ML-SS | Stainless Steel | Screw pack: Slotted strike + screws | |
| 725-SP-RD-US3 | US3 | Screw pack: Flat strike + screws | Rim Deadbolt |
| 725-SP-RD-SS | Stainless Steel | Screw pack: Flat strike + screws | |
| 725-SP-RL-US3 | US3 | Screw pack: Flat lipped strike + screws | Rim Latch |
| 725-SP-RL-SS | Stainless Steel | Screw pack: Flat lipped strike + screws | |



WARNING: This product can expose you to chemicals including chromium, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.


CABINET HARDWARE & TOOLS

Elbow Catch & Slide Bolt



Elbow Catch

| Item | Description |
|----------|--|
| EC-1-26D | Elbow catch and strike components bulk packed separately without mounting screws |
| EC-2-26D | Elbow catch and strike packaged individually with mounting screws |
| EC-TEM | Elbow catch installation template |



WARNING: This product can expose you to chemicals including chromium, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.




Slide Bolt

| Item | Description |
|-----------|---|
| SB-3-US26 | 3" Slide Bolt (Distributor Pack), packaged individually with 4 screws |



WARNING: This product can expose you to chemicals including chromium, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

102 Series Wire Pulls



Oval Wire Pull
can be mounted
for use with doors
or drawers

Use: Wire pulls can be mounted on small or large pin Olympus 2000 handles or used as standard door/drawer pulls on wood or laminate cabinetry. **Packed each.**

| Item | Finish | Description |
|----------------|--------|--|
| 102-015-96SC | 26D | 3-3/4" satin chrome, oval wire pull |
| 102-015-96 | US3 | 3-3/4" polished brass, oval wire pull |
| 102-015-96-10B | 10B | 3-3/4" oil rubbed bronze, oval wire pull |
| 102-015-45C | 26D | 4" satin chrome, oval wire pull |
| 102-015-4 | US3 | 4" polished brass, oval wire pull |



WARNING: This product can expose you to chemicals including chromium, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

CL-HIT-25 Cabinet Lock Drill Guide



Includes: Four sizes of drill bushings: 3/4", 7/8", 1-1/8" and 1-1/4". For use with Forstner type drill bits. Not compatible with hole saws, paddle or spade type bits.

| Item | Description |
|-----------|-----------------------------|
| CL-HIT-25 | Cabinet Lock Drilling Guide |



WARNING: This product can expose you to chemicals including chromium, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

CL-MP-118 Double-D Metal Punch (for 1-1/8" diameter cam locks)



Usage: Punches a DOUBLE "D" hole in sheet metal cabinet drawers and doors. Use on metal cabinets or any type of sheet metal door made with 18 gauge (.048) or lighter steel. Punches a DOUBLE "D" hole size 7/8" wide by 1-1/8" high. For use with 1-1/8" diameter Olympus cabinet locks 720, 820, 920, CR25, ME93, SA54, YA93.

| Item | Description |
|-----------|--|
| CL-MP-118 | Double-D Metal Punch - for 1-1/8" diameter cam locks |



WARNING: This product can expose you to chemicals including chromium, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

DISPLAY BOARDS & SAMPLE KITS

FDB Series Olympus Display Boards



FDB-001



FDB-002



FDB-003



FDB-004



FDB-005



FDB-006

| Item | Description |
|---------|---|
| FDB-001 | Sample board includes large pin, small pin, interchangeable core and padlockable cam lock Includes the following locks: DCP500, 100DR, DCN2 w/DCNP pull, L78V, DCP, 725RL, 300SD, 700S, N078, 888, 729R w/729RS-3 |
| FDB-002 | Sample board for small pin locks Includes the following locks: 100DR, 200DW w/ETS2, 998V, N078, 300SD, DCN1 |
| FDB-003 | Sample board for large pin locks Includes the following locks: 700S, L92V w/ETS1, 800S, 820SC w/TR203, 777, 920 w/TR203 |
| FDB-004 | Sample board for interchangeable core locks Includes the following locks: L72V, 721DW w/ETS1, 721DR, 720, 725RD, 722S |
| FDB-005 | Sample board stick Includes the following locks: 720 w/TR203, 721DW w/ETS1, DCN1, 100DR, DCP500 |
| FDB-006 | Sample board stick Includes the following locks: DCN, 100DR w/ETS2, DCP500 |

WARNING: This product can expose you to chemicals including chromium, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

SK Series Product Sample & Service Kits



SK-002 Contains a broad sampling of our best selling locks and accessories. The kit comes in its own plastic, 2 level case with each product carefully marked and separated by dividers.

SK-003 Contains a broad sampling of our small format interchangeable core (SFIC) cabinet locks and accessories. The kit comes in its own plastic, 2 level case with each product carefully marked and separated by dividers.

SK-004 Contains a sampling of our most popular parts and accessories. The kit comes in its own plastic, 2 level case with parts marked and separated by dividers. Provides additional room for extra locks and accessories.

| Item | Description |
|--------|---|
| SK-002 | General Product Line See list of contents: olympuslock.com/sk-002.htm |
| SK-003 | Small Format IC Core See list of contents: olympuslock.com/sk-003.htm |
| SK-004 | Parts Kit See list of contents: olympuslock.com/sk-004.htm |
| SK-005 | N Series Locks See list of contents: olympuslock.com/sk-005.htm |
| SK-006 | Schlage C Keyway Locks See list of contents: olympuslock.com/sk-006.htm |

WARNING: This product can expose you to chemicals including chromium, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

SK-005 Contains a sampling of our N Series (National Keyway) cabinet locks and accessories. The kit comes in its own plastic, 2 level case with each product carefully marked and separated by dividers.

SK-006 Contains a sampling of our Schlage C Keyway cabinet locks and accessories. The kit comes in its own plastic, 2 level case with each product carefully marked and separated by dividers.

Pin Kits For N Series & R Series Cabinet Locks



Made in USA

| Item | Description | Qty/Pkg | Weight |
|-----------------------------------|---|---------|-----------|
| N1 Use with N Series | N1 Keying Kit (includes metal box) For Olympus N Series National D4291/D4292 keyway Includes: 100 ea. Drivers 1-4, 100 ea. Master drivers 2-9, 100 ea. Tumblers 0-9, 100 ea. Tumbler springs, 10 ea. Set screws, 1 ea. Plug follower | Kit | 5.5 ea. |
| R1 Use with R Series | R1 Keying Kit (includes metal box) For Olympus R Series CCL R1 keyway Includes: 100 ea. Master pins 2-9, 100 ea. Bottom pins 0-9, 100 ea. Drivers 0 & 5, 100 ea. Tumbler springs, 10 ea. Set screws, 1 ea. Plug follower | Kit | 5.5 ea. |
| Extra pins for key kits | Specify keyway and pins required (bags of 100) See chart below for individual pin part-numbers | 100/bag | |
| OC3737 | Tumbler springs for N or R series locks (bags of 100) | 100/bag | |
| S100 | Set screws for N or R series locks | Each | |
| FL1 | Plug follower for N or R series locks | Each | 0.034 ea. |

The following warning is applicable to all parts listed on this page:



WARNING: This product can expose you to chemicals including chromium, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

N SERIES National D4291/D4292 keyway pins

| Pin Item | Description | Qty/pkg |
|---------------|------------------|---------|
| OC3730 | Driver #1 | 100/bag |
| OC3731 | Driver #2 | 100/bag |
| OC3732 | Driver #3 | 100/bag |
| OC3733 | Driver #4 | 100/bag |
| OC3740 | Master driver #2 | 100/bag |
| OC3741 | Master driver #3 | 100/bag |
| OC3742 | Master driver #4 | 100/bag |
| OC3743 | Master driver #5 | 100/bag |
| OC3744 | Master driver #6 | 100/bag |
| OC3745 | Master driver #7 | 100/bag |
| OC3746 | Master driver #8 | 100/bag |
| OC3747 | Master driver #9 | 100/bag |
| OC3750 | Tumbler #0 | 100/bag |
| OC3751 | Tumbler #1 | 100/bag |
| OC3752 | Tumbler #2 | 100/bag |
| OC3753 | Tumbler #3 | 100/bag |
| OC3754 | Tumbler #4 | 100/bag |
| OC3755 | Tumbler #5 | 100/bag |
| OC3756 | Tumbler #6 | 100/bag |
| OC3757 | Tumbler #7 | 100/bag |
| OC3758 | Tumbler #8 | 100/bag |
| OC3759 | Tumbler #9 | 100/bag |

R SERIES CCL R1 keyway pins

| Pin Item | Description | Qty/pkg |
|-------------|---------------|---------|
| X025 | Master pin #2 | 100/bag |
| X038 | Master pin #3 | 100/bag |
| X050 | Master pin #4 | 100/bag |
| X063 | Master pin #5 | 100/bag |
| X075 | Master pin #6 | 100/bag |
| X088 | Master pin #7 | 100/bag |
| X100 | Master pin #8 | 100/bag |
| X113 | Master pin #9 | 100/bag |
| W111 | Bottom pin #0 | 100/bag |
| W123 | Bottom pin #1 | 100/bag |
| W136 | Bottom pin #2 | 100/bag |
| W148 | Bottom pin #3 | 100/bag |
| W161 | Bottom pin #4 | 100/bag |
| W173 | Bottom pin #5 | 100/bag |
| W186 | Bottom pin #6 | 100/bag |
| W198 | Bottom pin #7 | 100/bag |
| W210 | Bottom pin #8 | 100/bag |
| W223 | Bottom pin #9 | 100/bag |
| X155 | Driver #0 | 100/bag |
| X088 | Driver #5 | 100/bag |

KEYS & STAMPING CHARGES

Keying & Stamping Charges

For information on standard code stamping, see **Keying Information** on page 6.

| Keying | |
|--|--|
| Grand master (3-level system) or systems with multiple master keys: Add to the "Stock master keyed or non stock KD, KA" price. Great grand master keyed (4-level system or higher), call factory for price. | |
| Great grand master keyed (4-level system or higher): | |
| Special (non-standard) code stamping cost per lock: Includes special stamping face of cabinet lock and on one side of both operating keys. | |

N SERIES — NATIONAL KEYWAY

KEYBLANKS

| Item | Description |
|----------|---|
| KBN-4-NP | National 4 pin keyblank (D4291) |
| KBN-5-NP | National 5 pin keyblank (D4292) |
| KBN-5B | National 5 pin keyblank (D4292) non-magnetic |

CUT KEYS

| Item | For National Keyway Locks |
|-------------|--|
| KB-101-NP | Cut key for KA #101 |
| KB-103-NP | Cut key for KA #103 |
| KB-107-NP | Cut key for KA #107 |
| KB-915-NP | Cut key for KA #915 |
| KB-51001-NP | Cut key for KA #51001 |
| KB-51002-NP | Cut key for KA #51002 |
| KB-51003-NP | Cut key for KA #51003 |
| KB-51004-NP | Cut key for KA #51004 |
| KB-51005-NP | Cut key for KA #51005 |
| KB-51006-NP | Cut key for KA #51006 |
| KB-51007-NP | Cut key for KA #51007 |
| KB-51008-NP | Cut key for KA #51008 |
| KB-51009-NP | Cut key for KA #51009 |
| KB-51010-NP | Cut key for KA #51010 |
| KB-51011-NP | Cut key for KA #51011 |
| KBN-4-CUST | Custom cut 4-pin key |
| KBN-5-CUST | Custom cut 5-pin key |
| KBN-5B-CUST | Custom cut 5-pin key, non-magnetic |
| KB-GM1MK-NP | National GM1 (4-pin) master key |
| KB-GM2MK-NP | National GM2 (5-pin) master key |
| KB-GM2MK-5B | National GM2 (5-pin) master key MRI |
| KB-GM3MK-NP | National GM300 (5-pin) master key |

R SERIES — CCL R1 KEYWAY

KEYBLANKS

| Item | Description |
|----------|---|
| KBR-5-NP | CCL 5 pin keyblank (R1) |
| KBR-6-NP | CCL 6 pin keyblank (R1) |
| KBR-5B | CCL 6 pin keyblank (R1) non-magnetic |

CUT KEYS


| Item | For CCL Keyway Locks |
|-------------|---|
| KB-4T2-NP | Cut key for KA #4T21579 |
| KB-4T3-NP | Cut key for KA #4T37526 |
| KBR-5-CUST | Custom cut 5-pin key |
| KBR-5B-CUST | Custom cut 5-pin key, non-magnetic |
| KBR-6-CUST | Custom cut 6-pin key |
| KB-R1MK-NP | Cut CCL R1 (5 pin) master key |
| KB-R1MK-5B | Cut CCL R1 (5 pin) master key MRI |

The following warning is applicable to all parts listed on this page:



WARNING: This product can expose you to chemicals including chromium, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

KEY PROFILES



S SERIES — SCHLAGE C KEYWAY

KEYBLANKS

| Item | Description |
|--------|----------------------------|
| KBSC-6 | Schlage "C" 6 pin keyblank |

CUT KEYS

| Item | For Schlage C Keyway Locks |
|-------------|----------------------------------|
| KB-700-101 | Cut key for KA#101 |
| KB-700-102 | Cut key for KA#102 |
| KB-700-CUST | Custom cut key Schlage C keyway |
| KB-700MK | Cut Schlage C (6-pin) master key |

206/207 IC CORES & B7 CAM LOCKS

KEYBLANKS

| Item | Description |
|-------------|--|
| KB-400K(x*) | SFIC 6 or 7 pin keyblank (x*) - See page 35 for available keyways For use with small format 206/207 series IC cores or B7 series cam locks |

CUT KEYS

| Item | Description |
|------------------|---|
| KB-400K(x*)-CUST | Cut key for 6 or 7 pin core |
| KB-400K(x*)-CK | Cut control key for 6 or 7 pin core |
| KB-400K(x*)-MK | Cut master key for 6 or 7 pin core |
| KB-400KA-BL | Cut change key (for BLUE core) |
| KB-400KA-BL-CK | Cut control key (for BLUE core) |
| KB-400KA-GR | Cut change key (for GREEN core) |
| KB-400KA-GR-CK | Cut control key (for GREEN core) |
| KB-400KA-RD | Cut change key (for RED core) |
| KB-400KA-RD-CK | Cut control key (for RED core) |

ADDITIONAL Parts & Accessories

FOR DCN/DCR/B7/T37

| Item | Description |
|---------------|----------------------------------|
| B7-TS | Pin cover/top slide for B7 |
| DCNP-GW | Glass mounting washer |
| DCNP-RS | Plug retainer staple DCN/DCR/T37 |
| DCNP-SL | Pin cover/top slide for DCN/DCR |
| DCNP-SPW | Pronged wood washer |
| DCNP-200- OCD | Outer cam driver |
| DCNP-200-RCS | Reverse cam stop |
| DCNP-300-FP | Finger pull, stainless steel |
| S200-ZP-LT | Machine screw |
| DCNP-600-NUT | Brass fixing nut |
| DCNP-200-KR | Key retaining driver-drawer |
| DCNP-200-KDR | Key retaining driver-door |
| DCNP-500-ARP | Anti rotation plate |

FOR N SERIES & R SERIES LOCKS

| Item | Description |
|------------|---|
| 1256-3 | Cylinder washer, 100/200/500/600 |
| 1256-4-78 | Pin cover, 100/200/500/600, 7/8" |
| 1256-4-138 | Pin cover, 100/200/500/600, 1-3/8" |
| 07834C-1 | Pin cover for 300/400/N078/R078 |
| 15-1-35 | Extended bolt for 100/500 |
| 15-2 | 100/500 bolt driver (standard function) |
| 15-2KR | 100/500 key-retaining bolt driver |
| 26-2 | 200/600 bolt driver (standard function) |
| 26-2KR | 200/600 key-retaining bolt driver |
| S160 | Stop screw for 300/400 |
| 34-9 | Strike bushing for 300/400 |
| S170 | Bolt extender for 300/400 |
| S120-SS | Strike screw #6 x 1/2" SS (MRI) |
| S125-SS | Lock mounting screw #6 x 1" SS (MRI) |
| S130-UB | Assembly screw (100/200/500/600) (MRI) |

FOR 700 & 800

| Item | Description |
|--------------|--|
| 10-361 | Driver bar for 7/8" |
| 10-361-KR | Driver bar for 7/8" (key-retaining) |
| 10-362 | Driver bar for 1-3/8" |
| 10-362-KR | Driver bar for 1-3/8" (key-retaining) |
| 10-363 | Driver bar, Medeco |
| 10-364 | Driver bar, ASSA |
| 10-360 | Universal driver |
| 10-112 | Bolt driver, ASSA |
| 10-212 | Bolt driver, ASSA |
| 78-KABA-CONV | Kit for KABA cylinders (for 700LC/800LC) |
| S190 | Set screw |

777 & 888 SERIES

| Item | Description |
|------------|---|
| 7788-PA-13 | Plastic actuator, for key retaining |
| 7788-PA-24 | Plastic actuator, for key retaining |
| 7788-PA-D | Plastic actuator, for standard function |

920 SERIES

| Item | Description |
|-----------|---|
| 7788-PA-D | Plastic actuator, for standard function |

931 SERIES

| Item | Description |
|-----------|---|
| 931-DR-11 | Door driver disk |
| 931-DW-11 | Drawer driver disk |
| 931-PA | Plastic actuator |
| 931-1 | Spacer for Medeco 6-pin IC core cylinders |

721 SERIES

| Item | Description |
|---------------|---|
| 725-PA | Plastic actuator |
| 721-1 | Standard reversible bolt for 721 |
| 721-1-LB | Extended reversible bolt for 721 |
| 721-2 | Bolt driver (lost motion or key retaining) |
| 721-DR-11 | Prong driver (door) for 1-1/4" lock |
| 721-DW-11 | Prong driver (drawer) for 1-1/4" lock |
| 721-DRPD-138 | Prong driver (door) for 1-3/8" lock |
| 721-DWPD-138 | Prong driver (drawer) for 1-3/8" lock |
| 721-DR-11-SP1 | Short pin prong driver (door) for 1-1/4" lock |
| 721-DW-11-SP1 | Short pin prong driver (drawer) for 1-1/4" lock |
| S190 | Set screw |

CR1125/CR25 SERIES

| Item | Description |
|---------|--|
| 725-PA | Plastic actuator |
| 1125-1 | 6 pin core spacer |
| CR25-PD | Short-pin prong driver (for CR25 only) |

725 SERIES

| Item | Description |
|--------|--------------------------------------|
| 725-PA | Plastic actuator |
| 725-1 | Internal spacer for 6-pin SFIC cores |

729, 829 & 929 SHOWCASE/RATCHET LOCKS

| Item | Description |
|---------|--|
| 729RS-1 | Strap for 1/4" thick material (ships standard) |
| 729RS-2 | Strap for 3/8" thick material |
| 729RS-3 | Adjustable strap for up to 5/8" thick material |

720, 820, 920, CR25, ME93, SA54, YA93 CAM LOCKS (excludes 720B-DM)

| Item | Description |
|------------|---|
| 720-CDLM | Cam driver, lazy motion |
| 720-CDDM | Cam driver, direct motion (key-retain) door |
| 720-KR | Cam driver, direct motion (key-retain) drawer |
| 720-3-1 | Short cam, 7/8" |
| 720-3-2 | Long vertical cam, 1-3/4" |
| 720-3-3 | Long inverted cam, 1-3/4" |
| 720-3-4 | Long straight cam, 3" |
| 720-3-5 | Long inverted bent cam |
| 720-4 | Brass fixing nut |
| S200-ZP-LT | Machine screw |
| S260 | Threaded cam stop pin |
| 720-PL3 | Anti-rotation plate |

FOR 720LM/DM

| Item | Description |
|--------|------------------|
| 725-PA | Plastic actuator |
| 725-1 | Internal spacer |
| 720-PD | Prong driver |

720B-DM

| Item | Description |
|-----------|--------------------------|
| 725-PA | Plastic actuator |
| 720-3-D1 | Short cam, direct drive |
| 720-3-SC1 | Switch cam, direct drive |
| 720-4 | Brass fixing nut |
| 720-PL3 | Stabilizer plate |

The following warning is applicable to all parts listed on this page:



WARNING: This product can expose you to chemicals including chromium, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

BRASS PADLOCKS

CRB200 Corbin/Ruswin Interchangeable Core Padlock Bodies



Long Shackle

Regular Shackle

Accepts Corbin/Ruswin interchangeable core cylinders. **Packaged:** Packed each. **Cores/Cylinders:** Not included.

| Item | Width | Shackle | Keying | Packaged |
|---------------|-----------|--------------------------------------|---|----------|
| CRB200-IC6 | 2" - 50mm | 7/8" (25 mm) Opening Regular Shackle | Accepts Corbin/Ruswin 6-pin IC Cylinders (cylinders not included) | Each |
| CRB200-IC6-LS | 2" - 50mm | 2-5/8" (65 mm) Opening Long Shackle | Accepts Corbin/Ruswin 6-pin IC Cylinders (cylinders not included) | Each |



WARNING: This product can expose you to chemicals including chromium, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

N SERIES BRASS PADLOCKS

Keyway: National D4291 (4-pin) or D4292 (5-pin) keyway
Stock KD/KA: 4 pin standard
Stock KA#: 101, 103, 107, 915
Stock KA#: 51001 through 51004
Master keyed: 5 pin standard
Pin Kit: Use N1 Pin Kit for rekeying

Keyblanks: 4-pin use KBN-4-NP (equivalent to NA14, 1069L), 5-pin use KBN-5-NP (equivalent to NA12, 1069LA). See page 43 for cut keys and keyblanks.
Custom stamping: See page 43.
Keying information: See page 6.



PN50 N Series National Keyway Padlocks


Packaged: Packed each. **Keyway:** N Series, National keyway (D4291/D4292). Can be keyed to match Olympus N Series cabinet locks.

| Item | Width | Shackle | Pinning | Pin Tumbler Keying | Packaged |
|--------|-------|---------------------------------|----------------|--|----------|
| PN50 | 2" | 1-1/16" Opening Regular Shackle | 4 Pin 5 Pin | KD, KA 101,103,107,915,51001,51002,51003,51004 Stock master keyed or non stock KD, KA | Each |
| PN50LS | 2" | 2-1/16" Opening Long Shackle | 4 Pin 5 Pin | KD, KA 101,103,107,915,51001,51002,51003,51004 Stock master keyed or non stock KD, KA | Each |

Grand master (3-level system) or systems with multiple master keys: Add to the "Stock master keyed or non stock KD, KA" price. Great grand master keyed (4-level system or higher), call factory for price.



Long Shackle



Regular Shackle



WARNING: This product can expose you to chemicals including chromium, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

Match your padlocks to your N Series, National Keyway cabinet locks!

BRASS PADLOCKS

BP Mountain Series Blister Packed Brass Padlocks



Long Shackle

Regular Shackle



Special note on our keyed different padlocks: Keyed different codes are not guaranteed against interchange. **Packaged:** BP Mountain Series padlocks are sold in full box quantities only (see box quantities below).

| Item | Width | Keying | Shackle | Box Qty | Case Qty |
|---------|--------|-----------------|---------|---------|----------|
| BP075 | 3/4" | KD, KA 30 | Regular | 10 | 200 |
| BP100 | 1" | KD, KA 40,45 | Regular | 10 | 200 |
| BP125 | 1-1/4" | KD, KA 51 | Regular | 10 | 100 |
| BP125LS | 1-1/4" | KD, KA 51,59 | Long | 10 | 50 |
| BP150 | 1-1/2" | KD, KA 60,61,65 | Regular | 10 | 100 |
| BP150LS | 1-1/2" | KD, KA 60,65 | Long | 10 | 50 |
| BP175 | 1-3/4" | KD, KA 70,75 | Regular | 5 | 75 |
| BP200 | 2" | KD, KA 80 | Regular | 5 | 75 |



WARNING: This product can expose you to chemicals including chromium, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.


BP PADLOCK MEASUREMENTS

A = Body size

B = Distance between top of lock and inside shackle

C = Width of inside shackle


D = Shackle diameter



| Item | A | Keying | B | C | D | Box Qty | Box Weight |
|----------|--------|---------------------|--------|------|--------|---------|------------|
| BP075 | 3/4" | KD or KA 30 | 3/8" | 3/8" | 1/8" | 10 | 1.1 lbs. |
| BP100 | 1" | KD or KA 40, 45 | 1/2" | 1/2" | 5/32" | 10 | 1.1 lbs. |
| BP125 | 1-1/4" | KD or KA 51 | 5/8" | 5/8" | 7/32" | 10 | 2.1 lbs. |
| BP125-LS | 1-1/4" | KD or KA 51, 59 | 2-1/8" | 5/8" | 7/32" | 10 | 3.1 lbs. |
| BP150 | 1-1/2" | KD or KA 60, 61, 65 | 7/8" | 7/8" | 1/4" | 10 | 3.9 lbs. |
| BP150-LS | 1-1/2" | KD or KA 60, 65 | 2-1/2" | 7/8" | 1/4" | 10 | 4.7 lbs. |
| BP175 | 1-3/4" | KD or KA 70, 75 | 1" | 1" | 9/32" | 5 | 2.9 lbs. |
| BP200 | 2" | KD or KA 80 | 1-1/8" | 1" | 11/32" | 5 | 3.1 lbs. |

Note: All fractional measurements are approximate.

BP Padlock installed with DCP Padlockable Lock Lock



BP (MOUNTAIN) SERIES PADLOCK KEYBLANKS

| Item | Description | Packaged |
|-------|---------------------------------|----------|
| KB220 | Fits BP075 - 3/4" Padlock | 50/box |
| KB225 | Fits BP100 - 1" Padlock | 50/box |
| KB235 | Fits BP125 - 1-1/4" Padlock | 50/box |
| KB240 | Fits BP150 - 1-1/2" Padlock | 50/box |
| KB240 | Fits BP175 - 1-3/4" Padlock | 50/box |
| KB250 | Fits BP200 Padlock - 2" Padlock | 50/box |




WARNING: This product can expose you to chemicals including chromium, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.



Small Pin

Interchangeable Core



Schlage

Specialty



Padlocks

TERMS, CONDITIONS & WARRANTY

CONDITIONS OF SALE

Payment Terms: 2% 10 days, net 30 days. All payment terms are subject to credit approval. Past due balances are subject to a late payment charge of 1.5% per month, or the maximum permitted by applicable law, whichever is less.

Remittance Address: All payments should be sent by mail to: Olympus Lock, Inc., PO Box 1277, Lynnwood, WA 98046

Minimum Order: \$40 net excluding freight. Orders of less than \$40 will be subject to a \$10 under minimum surcharge or the difference between the order value and \$40 whichever is less.

Minimum Annual Purchases: \$10,000 net excluding freight for open account status.

Prices: Olympus Lock, Inc. reserves the right to change prices and add or remove items at any time and without prior notice.

Conditions: All specifications are subject to withdrawal or change at any time and without prior notice. Olympus Lock reserves the right to refuse orders which may be submitted. All prices F.O.B. Lynnwood, Washington, US Funds.

OFFICE HOURS & CONTACT INFORMATION

Office Hours: 7:00 AM to 4:00 PM Pacific Standard Time

Phone: 206-362-3290, **Toll-Free:** 800-525-0954, **Fax:** 206-362-3569

Street Address: 18424 Highway 99, Lynnwood, WA 98037

Website: www.olympuslock.com

Company email: info@olympuslock.com

U.S. SHIPMENTS

All merchandise is shipped F.O.B. from our Lynnwood, Washington warehouse and becomes the property of the customer when accepted by the carrier. Olympus Lock will pay freight charges on orders of **\$1,500.00** net or more to a single destination within the continental U.S.A. (excluding Alaska) via the carrier of our choice. For Hawaii and Alaska Customers: Olympus will pay freight on shipments of **\$1,500** net or more to closest U.S. West Coast port.

CANADIAN SHIPMENTS

All merchandise is shipped F.O.B. our Lynnwood, Washington warehouse and becomes the property of the customer when accepted by the carrier. Olympus Lock will pay freight charges on Canadian orders of **\$1,500** net or more to closest U.S.A. border crossing via the carrier of our choice provided this information is clearly specified at time of order. Olympus Lock will pay freight charges on Canadian orders of **\$2,000** net or more to a single Canadian destination via the carrier of our choice. All duty and/or customs charges are the sole responsibility of the customer.

DELIVERY

Claims resulting from loss, shortages or damage-in-transit must be reported to Olympus Lock within 15 days of delivery. Any claims resulting from shortages, overages, or the shipment of incorrect products by Olympus Lock must be reported to Olympus Lock within 15 days of delivery. Olympus Lock does not assume responsibility for any damages resulting from any delays in delivery.

CANCELLATIONS

Cancellations or alterations to orders will be accepted only when the cancellation or alteration can be made without loss to Olympus Lock. Orders for non-stock and/or custom items may not be cancelled after work has begun.

RETURNED GOODS POLICY

No material is to be returned without our verbal or written permission in advance. All returned goods require a Returned Goods Authorization (RGA) number to be obtained from Olympus Lock prior to returning the goods. Only products purchased within the last 12 months may be returned. Any products purchased more than 12 months prior are ineligible for return. Whether goods may be returned will be at the sole discretion of Olympus Lock, Inc. Merchandise returned must be identified as to original purchase order number, date of purchase, and shipper's name and address.

A 25% restocking fee will apply to all returned goods which are found not to be the responsibility of Olympus Lock.



**OLYMPUS
LOCK**

18424 Highway 99 | Lynnwood, WA 98037
206-362-3290 | 800-525-0954 | Fax 206-362-3569
Email: info@olympuslock.com
www.olympuslock.com

All goods must be shipped freight prepaid and received at our warehouse within 30 days of receiving an RGA number. Goods not received within 30 days of RGA issuance or for which an RGA number was not issued will not be returned and no credit will be issued.

Returned goods must be received in first-class resalable condition and in original factory packaging. The determination of "first-class resalable condition" will be at the sole discretion of Olympus Lock. Goods that are returned and determined by Olympus Lock not to be in first-class resalable condition will not be returned, will be scrapped at the factory, and no credit will be issued.

The following are non-returnable:

1. Custom keyed, non-stock items
2. Goods that have been installed
3. Goods that required custom stamping
4. Goods with custom, special order finishes
5. Products or parts that have been modified
6. Obsolete or discontinued items

LIMITED WARRANTY

Olympus Lock warrants that its products are free from defects in workmanship and materials under normal installation, use and service. This warranty does not cover defects or damages arising from improper installation, improper maintenance, ordinary wear and tear, misuse or abuse.

The only liability of the company in tort or in contract, whether under this warranty or otherwise shall be limited to repair or replacement of products which are returned prepaid to us within one year of the date of original purchase.

This is a limited warranty and is in lieu of all other representations and expressed or implied warranties. Under no circumstances shall Olympus Lock be made liable for any incidental or consequential damages or losses.

WARNING: CALIFORNIA PROPOSITION 65 STATEMENT

This product can expose you to chemicals including lead, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

What is California Proposition 65?

Also known as the Safe Drinking Water and Toxic Enforcement Act of 1986, California Proposition 65 is a law that requires warning to consumers if a product exposes consumers to a wide variety of chemicals known by the State of California to cause cancer, birth defects and/or other reproductive harm. Proposition 65 applies only in California.

What does the Proposition 65 warning mean?

A Proposition 65 warning means that the business issuing the warning knows that one or more listed chemicals is merely present in its product. A warning must be given unless a business demonstrates that the exposure it causes poses "no significant risk."

Why does Olympus Lock place a Proposition 65 warning on its products?

A Proposition 65 warning means one of two things: (1) the company evaluated the exposure and has concluded that product exceeds the "no significant risk level"; or (2) the company has chosen to provide a warning simply based on its knowledge about the presence of a listed chemical without attempting to evaluate the exposure.

Out of an abundance of caution, Olympus Lock has elected to place the Proposition 65 warning on all products shipped to California.



facebook.com/OlympusLock



youtube.com/OlympusLock



twitter.com/OlympusLock



linkedin.com/company/olympus-lock-inc-



enews sign up: olympuslock.com