



STAINLESS STEEL IMPECCABLE QUALITY AND DESIGN INNOVATION

As one of the world's leading manufacturers of stainless steel, our products reflect the ability to combine cutting edge technology with superior craftsmanship. Our stainless sinks feature a Satin Polished finish which is a result of our excellence in German design, quality and craftsmanship. This signature finish is the result of an extensive polishing process that creates an extremely consistent and luxurious appearance which is also smooth, hygienic, and extremely easy-to-clean. The difference is in every detail.

Superior Quality

- BLANCO premium sinks are made from superior quality 304 series stainless steel
- Exceptional luster, durability and protection from corrosion
- · For ultimate hardness and strength
- Most models are 18 gauge stainless steel, thicker and stronger than 20 gauge

Easy Care

- Stainless steel is impervious to water stains and calcium deposits
- · Easy to maintain
- · It does not rust and is nonporous
- · Stain and acid resistant
- All BLANCO sinks carry a limited lifetime warranty

Deep, Spacious Bowls

- Tight radius corners and extra deep bowls
- · Accommodate large pots and pans
- Rearpositioned drain holes in the sink
- More usable bowl space as well as more space in the cabinet below for storage





UNDERMOUNT STAINLESS STEEL SINKS

An elegant method of installation where the bowls are seamlessly mounted under the countertop. Immerse yourself in the simplicity, style and sophistification of our versatile single bowls. All stainless steel sinks are made of premium quality 304 series.



18/10, 18 gauge

SUPREME U 3/4

Specifications	Model No
Bowl Depth	4804U170
7" (17.78 cm)	
Minimum Cabinet Size	Optional Accessories
18" (45.72 cm)	4831170 Grid
Chrome Nickel Content	



WAVE U 1

Specifications	Model No
Bowl Depth 8" (20.32 cm)	4802U170
Minimum Cabinet Size 27" (68.58 cm)	Optional Accessories 4830170 Grid
Chrome Nickel Content 18/10, 18 gauge	

30° 32°



Specifications	Model No
Bowl Depth 8-1/2" (21.59 cm)	4805U170
Minimum Cabinet Size 27" (68.58 cm)	Optional Accessories 4832170 Grid
Chrome Nickel Content 18/8, 18 gauge	
Specifications	Model No
Bowl Depth 10" (25.4 cm)	4801U170
Minimum Cabinet Size 36" (91.44 cm)	Optional Accessories 4829170 Grid

Chrome | Nickel Content

18/10, 18 gauge



BLANCO PERFORMA



UNDERMOUNT STAINLESS STEEL SINKS

BLANCO STELLAR lives up to its name. It feels smooth, it looks good, it wears well ... it's uncompromised value.

All of these models have a 18/10 Chrome & Nickel content. (18 gauge)



Specifications	Model No
Bowl Depth	4809U170
9" (22.86 cm)	
Minimum Cabinet Size	Optional Accessories
33" (83.82 cm)	4836170 Grid



Specifications	Model No
Bowl Depth	4810U170
8" (20.32 cm)	
Minimum Cabinet Size	Optional Accessories
27" (68.58 cm)	4837170 Grid



Specifications	Model No
Bowls Depth	4806U170
8" (20.32 cm)	
Minimum Cabinet Size	Optional Accessories
36" (91.44 cm)	4833170 Grid



BLANCO STELLAR

Specifications

36" (91.44 cm)

Left 9" (22.86 cm) Right 7" (17.78 cm)

Minimum Cabinet Size

Bowl Depth

Specifications	Model No
Bowl Depth	4807U170
Left 9" (22.86 cm)	
Right 7" (17.78 cm)	
Minimum Cabinet Size	Optional
36" (91.44 cm)	Accessories



Model No 4808U170	20			
	20 8			2 2
Optional Accessories 4835170 Left (Grid	15"	14"	
4839170 Right		324	36"	

STELLAR U 1-3/4

36" (91.44 cm)

DROP-IN STAINLESS STEEL SINKS

14-1/8" 14" 14" 31-1/2"


Specifications Model No

Bowl Depth 4811170

Left 8" (20.32 cm)
Right 7" (17.78 cm

Minimum Cabinet Size Optional Accessories

4838170 Left Grid



Specifications Model No
Bowls Depth
7" (17.78 cm)
Minimum Cabinet Size
36" (91.44 cm)
Chrome | Nickel Content
18/8, 22 gauge

Model No

4812170
Optional Accessories
N/A



Specifications	Model No
Bowl Depth	4813170
8" (20.32 cm)	
Minimum Cabinet Size	Optional Accessories
36" (91.44 cm)	4841170 Grid
Chrome Nickel Content	
18/8, 20 gauge	

With this classical installation method the sink is inserted from above and its raised rim rests on top of the counter. Rail clip system provides easy installation with maximum countertop secure fit. Great for any countertop type.



BLANCO ESSENTIAL LAUNDRY SINK

Specifications	Model No
Bowl Depth 7" (17.78 cm)	4814170
Minimum Cabinet Size 26" (66.04 cm)	Optional Accessories N/A
Chrome Nickel Content 18/10, 22 gauge	

Ш	
П	
10	

SPEX II MEDIUM

Specifications	Model No
Bowl Depth	4803170
12" (30.48 cm)	
Minimum Cabinet Size	Optional Accessories
24" (60.96 cm)	N/A
Chrome Nickel Content	
18/10, 18 gauge	

ESSENTIAL LAUNDRY



SILGRANIT® II SINKS

Inspiration is everywhere. From the food we eat to the clothes we wear... even the beauty we see in nature every day. And because we can't resist being drawn to these stunning sights, we become inspired by them. That's why we've infused the magnificience of these intriguing elements into our colorful collection of SILGRANIT ® II sinks.

And while our inspiration is fueled by color, it's also influenced by the way we live. Each SILGRANIT ® II sink stands up to the toughest conditions, with a hard-as-stone surface that defies everything from scratches and stains to heat and fading. With so many colors to choose from, you may find your biggest challenge to be selecting just one.





SILGRANIT® II, crafted of 80% natural granite, features the look and feel of natural stone and resists scratches, stains, chips and heat. Colored all the way through, SILGRANIT® II won't fade in direct sunlight and is impervious to household acids and alkalis.

And its advanced surface technology ensures that it is non-porous, easy-to-clean and extremely hygienic. SILGRANIT® II is designed to stand up to the toughest challenges.

ANTHRACITE



BISCUIT



CAFÉ BROWN



- · Will not scratch
- Withstands temperatures of up to 536°F
- Can't burn, scorch or mark the surface
- SILGRANIT® II sinks are colored throughout and are non-fading
- Color is consistent from sink to sink
- Brilliant and easy-care
- Will not absorb odors or bacteria



Heat Resistant



Easy to Clean



Scratch Resistant



Acid Resistant



Stain Resistant



SILGRANIT® II UNDERMOUNT SINKS

SILGRANIT® II is a unique patented composite material unlike any other sink material. Unmatched strength and durability.




BLANCO DIAMONDTM U 1-3/4 CAFÉ BROWN



BLANCO PRECIS™ U 1 ANTHRACITE



_	32			7
18-19/32"	0	0	-13/16"	10*



Specifications
Bowl Depth
9-1/2" (24.13 cm)
Minimum Cabinet Size
36" (91.44 cm)

Specifications

36" (91.44 cm)

Left 9-1/2" (24.13 cm)

Minimum Cabinet Size

Right 8" (20.32 cm)

Bowl Depth

Model No
4815U250 Café Brown
4815U906 Anthracite
Optional Accessories
4842170 Grid

Model No



Specifications

Bowls Depth
9-1/2" (24.13 cm)

Minimum Cabinet Size
36" (91.44 cm)

4849170 Right Grid 4844215 Cutting Board Model No 4817U250 Café Brown 4817U906 Anthracite

4816U250 Café Brown

4816U906 Anthracite

Optional Accessories

4816U41 Biscuit

4843170 Left Grid

4817U250 Café Brown **4817U906** Anthracite **Optional Accessories**4848170 Left Grid
4846170 Right Grid
4845215 Cutting Board

PRECIS U 1

DIAMOND U 1-3/4

DIAMOND U 2

SILGRANIT® II DROP-IN SINKS

Unmatched strength and durability. A classic style designed for the hardworking kitchen. All SILGRANIT® II drop-in sinks are dual mount. (Can be installed as Drop-in & Undermount)



BLANCO DIAMOND™ 1 SUPER SINGLE CAFÉ BROWN AS UNDERMOUNT

DIAMOND 1-3/4 DIAMOND 1 SUPER SINGLE



Specifications

Bowl Depth 9-1/2" (24.13 cm)

Minimum Cabinet Size Drop-in 33" (83.82 cm) Underm. 35" (88.9 cm)

Model No

4818250 Café Brown **4818906** Anthracite **Optional Accessories** 4847170 Grid



Specifications

Bowl Depth Left 9-1/2" (24.13 cm) Right 8" (20.32 cm)

Minimum Cabinet Size Drop-in 33" (83.82 cm) Underm. 35" (88.9 cm)

Model No


4819250 Café Brown **4819906** Anthracite



Optional Accessories

4843170 Left Grid 4849170 Right Grid 4844215 Cutting Board





Specifications

Bowls Depth 9-1/2" (24.13 cm)

Minimum Cabinet Size Drop-in 33" (83.82 cm) Underm. 35" (88.9 cm)

Model No

4820250 Café Brown **4820906** Anthracite

Optional Accessories 4848170 Left Grid 4846170 Right Grid 4845215 Cutting Board



THE ULTIMATE CHOICE FOR YOUR KITCHEN

Italian-made faucets to enhance and complement the full spectrum of our stainless steel and SILGRANIT® II sinks. These superbly crafted and exquisitely designed expressions of both form and function, offer an abundance of performance features. All faucets are built to last with solid brass construction. They feature ceramic cartridge technology for easy maintenance and replacement, and for precise regulation of water flow and temperature.



Ease of Installation

- All BLANCO faucets are equipped with color-coded supply lines
- Flexible braided stainless steel inlet hoses
- Require a 1 3/8" diameter drilled faucet hole

High performance

- Are built to last
- Solid brass construction
- They feature ceramic cartridge technology
- Precise regulation of water flow and temperature

Premium Finishes



Stainless Steel



Chrome



SOLID BRASS CONSTRUCTION FAUCETS

Our new BLANCO CULINA Semi-Professional design combines high performance with high style. Notice the sleek closed coil, the streamlined handle inlay, and the magnetic spray holder - just a few of the details sure to add suprise and delight.



BLANCO CULINA

Dual Spray Feature

- Installation in a 1-3/8" hole
- Faucet height 22" | Reach 8-5/8"
- AB1953 Compliant
- Flexible steel spring spout for easy usage
- Quick release magnetic hand spray

Model No


Chrome

4827140



Stainless Steel **4827170**







BLANCO MERIDIAN

Pull-Down Handspray Feature


- Installation in a 1-3/8" hole
- Faucet height 19-1/4" | Reach 8-3/8"
- AB1953 Compliant
- Extra long supply lines
- 2.2 GPM flow rate

Model No

Chrome **4821140**







SOLID BRASS CONSTRUCTION FAUCETS

Blanco Rados | Beauty meets functionality in this contemporary faucet.

Blanco Linus | Is designed with a high-arc spout, which swivels 360 degrees to easily fill pots, pans and vases.



BLANCO RADOS

Pull-Down Handspray Feature

- Installation in a 1-3/8" hole
- Faucet height 15" | Reach 10"
- AB1953 Lead Free Compliant
- Extra long supply lines
- 2.2 GPM flow rate

Model No

Chrome **4822140**



Stainless Steel **4822170**







BLANCO LINUS

Pull-Out Single Function Spray Feature

- Installation in a 1-3/8" hole
- Faucet height 11" | Reach 8-1/2"
- AB1953 Lead Free Compliant
- Designed with a high arc spout
- 2.2 GPM flow rate

Model No

Chrome **4828140**







SOLID BRASS CONSTRUCTION FAUCETS

Blanco Grace Pot Filler | This traditionally styled pot filler features a unique swivel aerator providing maximum flexibility in the kitchen.

Blanco Grace | Victorian-inspired design may look delicate, but shows its strength when it comes to performance.



BLANCO GRACE POT FILLER

Dual Quarter-Turn Shut Off Valve Feature

- Wall mounted pot filler
- Overall length 23-3/4"
- AB1953 Lead Free Compliant
- Cold water only, non-mixing valve
- Unique swivel aerator provides easy use
- 2.2 GPM flow rate

Model No

Stainless Steel 4826170








BLANCO GRACE

Side Spray Feature

- Installation in a 1-3/8" hole
- Faucet height 12" | Reach 9"
- AB1953 Lead Free Compliant
- Extra long supply lines
- 2.2 GPM flow rate

Model No





SOLID BRASS CONSTRUCTION FAUCETS

Featuring a decorative loop handle, convenient pull-out spray and color-coded hot and cold supply lines, our BLANCO AIRES II faucet is anything but ordinary.





BLANCO AIRES II

- Pull-Out Spray Feature
 Installation in a 1-3/8" hole
- Faucet height 8" | Reach 8-1/2"
- AB1953 lead free compliant
- 1.8 GPM flow rate
- Extra long supply lines
- Water saving faucet

Model No

Chrome 4824140





BLANCO STAINLESS STEEL AND SILGRANIT® II SINK COMPLEMENTS

BLANCO accessories offer the highest quality in material and workmanship and are customized to fit your sink model.



BLANCO custom cutting boards offer a superior cutting surface. Premium wood boards with durable rubber feet for countertop use.



Custom-fitted stainless steel bottom grids offer protection for your sink from dishes and utensils. Stainless steel grids can be washed in the dishwasher. These heat-resistant grids can also be used on countertops. * *Grid with protective bumpers and feet.*

PERFORMA	X 4829170 GRID			
4801U170 PERFORMA U SUPER SINGLE 1	X			
SUPREME	X 4831170 GRID			
4804U170 SUPREME U 3/4	X			
WAVE	X 4830170 GRID			
4802U170 WAVE U 1	X			
PRECIS	X 4842170 GRID			
4815U906 PRECIS U 1 ANTHRACITE				
4815U250 PRECIS U 1 CAFÉ BROWN	X			
SPEX	4838170 GRID	4840170 GRID	4841170 GRID	4832170 GRID
4811170 SPEX II 1-3/4	X	X		
4812170 SPEX II EQUAL				
4813170 SPEX II LARGE			X	
4814170 SPEX II MEDIUM				
4805U170 SPEX II PLUS 1				X

DIAMO	ND	4843170 GRID	4846170 GRID	4847170 GRID	4848170 GRID	4849170 GRID	4844215 CUTTING BOARD	4845215 CUTTING BOARE
4819250	DIAMOND 1-3/4 CAFÉ BROWN	X				X	X	
4819906	DIAMOND 1-3/4 ANTHRACITE	X				X	X	
4820906	DIAMOND 2 ANTHRACITE		X		X			X
4820250	DIAMOND 2 CAFÉ BROWN			X		X		
4818906	DIAMOND U 1 ANTHRACITE			X				
4818250	DIAMOND U 1 CAFÉ BROWN			X				
4816U250	DIAMOND U 1-3/4 CAFÉ BROWN	X				X	X	
4816U906	DIAMOND U 1-3/4 ANTHRACITE	X				X	X	
4816U41	DIAMOND U 1-3/4 BISCUIT	X				X	X	
4817U906	DIAMOND U 2 ANTHRACITE		X		X			X
4817U250	DIAMOND U 2 CAFÉ BROWN		X		X			X

ESSENTIAL

	ម				
4803170 ESSENTIAL LAUNDR	Y N/A				
STELLAR	4833170 GRID	4834170 GRID	4835170 GRID	4836170 GRID	4837170 GRID
4806U170 STELLAR U EQUAL	X				
4807U170 STELLAR U 1.6		X			
4808U170 STELLAR U 1-3/4			X		
4809U170 STELLAR U SUPER				X	
4810U170 STELLAR U 1 MEDIU	M				X



UNITED STATES 1 800 619-5446

CONNECTICUT

Hartford

FLORIDA

Dania Beach Hialeah

Pompano Beach Riviera Beach

GEORGIA Atlanta ILLINOIS

Chicago

KENTUCKY Louisville

MASSACHUSETTS

Boston

MICHIGAN

Detroit

NEW JERSEY

Avenel Lincoln Park

NEW YORK

New York Syracuse

NORTH CAROLINA

Charlotte High Point Raleigh OHIO

Cincinnati Columbus

OREGONPortland

SOUTH CAROLINA

Greenville

TENNESSEENashville

WASHINGTON

Seattle



