




EXCELSIUS
CABINET DOORS

POLYESTER
5-PIECE
COLLECTION



Richelieu

Description

The **Polyester 5-Piece Collection** doors offer countless possibilities for kitchen designs to professionals. Moreover, these doors are also offered with a complete line of complementary products in matching colors: melamine panels, high-pressure laminate, moldings, edgebanding and an array of components.

The **Polyester 5-Piece Collection** doors are offered in many designs and colors. These trendy products are synonymous with quality, beauty and durability for all your kitchen, bathroom, closet organizer and various furniture projects.


CHARACTERISTICS:

- Moldings made of polyester laminate on MDF with a 1/4" melamine center
- Built just like a wooden door (in 5 pieces- face and back)
- The direction of the grain follows the direction of the molding
- Perpendicular direction of grain available
- Back & front in relief with matching colors
- Excellent thermal resistance
- Available in many models and colors
- Can be matched perfectly to other materials (melamine panels, HPL, edgebanding, moldings.)
- Easy maintenance
- Reduced profile is available for some models
- The industry's best production lead-times

NOMENCLATURE :


Drawer front:

Panel where the woodgrain of the 1/4" melamine center is horizontal





Door:

Panel where the woodgrain of the 1/4" melamine center is vertical



Reduced profile:

A smaller width molding available for some models only.



Glass frame:

Frame only, no center. A vinyl molding to be inserted in the groove is supplied in order to hold the glass in place.



Door with Lumicor®:

Door for which the melamine center has been replaced by a 1/4" acrylic decorative panel.

RECOMMANDATION:

We recommend the use of a third hinge (non-sprung) on doors measuring 36" and more in height.



Model S100

Options



Decorative door




Glass frame



Grooved center



Mullion glass frame






Decorative metal center

Please see p.14 to 18 for the complete range of available options.

For color availability, see the **POLYESTER 5-PIECE** COLLECTION color chart (tab).

Profiles



MODEL	Thickness	Width (frame)	Minimum (for 1" centers)	Minimum (definite)	Maximum (for warranty)	Maximum (definite)	Maximum (Combined W x H)
S100	7/8"	2 7/8"	6 3/4"	5 7/8"	50"	72"	9 sq. ft.
	22 mm	73 mm	171.5 mm	149 mm	1270 mm	1830 mm	0.83 sq. m.
S100-R Reduced	7/8"	2 1/4"	5 1/2"	4 5/8"	50"	72"	9 sq. ft.
	22 mm	57 mm	140 mm	117 mm	1270 mm	1830 mm	0.83 sq. m.

*Glass size: Door size minus 4 13/16" (122 mm)

Model S200

Options



Decorative door




Glass frame



Grooved center



Mullion glass frame






Decorative metal center

Please see p. 14 to 18 for the complete range of available options.

For color availability, see the **POLYESTER 5-PIECE** COLLECTION color chart (tab).

Profiles



MODEL	Thickness	Width (frame)	Minimum (for 1" centers)	Minimum (definite)	Maximum (for warranty)	Maximum (definite)	Maximum (Combined W x H)
S200	7/8"	2 7/8"	6 3/4"	5 7/8"	50"	72"	9 sq. ft.
	22 mm	73 mm	171.5 mm	149 mm	1270 mm	1830 mm	0.83 sq. m.
S200-R Reduced	7/8"	2 1/4"	5 1/2"	4 5/8"	50"	72"	9 sq. ft.
	22 mm	57 mm	140 mm	117 mm	1270 mm	1830 mm	0.83 sq. m.

*Glass size: Door size minus 4 13/16" (122 mm)



Model S300

Options

Matches perfectly with the *Angría* model of the **MODERNO** COLLECTION. These two models have the exact same exterior profile (chamfer).



Decorative door



Glass frame



Grooved center




Mullion glass frame



Decorative metal center


Please see p.14 to 18 for the complete range of available options.



Available in the same textured finishes as the **MODERNO** COLLECTION, for a perfect match.


For color availability, see the color chart (tab).

Profiles



Reduced

Not available for Model S300



The exterior profile (chamfer) of the S300 model is exactly the same as for the *Angría* model of the

MODERNO COLLECTION

MODEL	Thickness	Width (frame)	Minimum (for 1" centers)	Minimum (definite)	Maximum (for warranty)	Maximum (definite)	Maximum (Combined W x H)
S300	3/4"	2 1/4"	5 1/2"	4 5/8"	50"	72"	9 sq. ft.
	19 mm	57 mm	140 mm	117 mm	1270 mm	1830 mm	0.83 sq. m.

* Glass size: Door size minus 3 9/16" (90.5 mm)

Model S400


Options

Matches with the models of the **MODERNO** COLLECTION.



Aluminum finish glass frame

Available in glass frame or with one of the acrylic centers offered. (See p.16)



Decorative door



Glass frame

Door with horizontal cross piece (See p.14)




Grooved center



Mullion glass frame

Please see p.14 to 18 for the complete range of available options.




Available in the same textured finishes as the **MODERNO** COLLECTION, for a perfect match.

For color availability, see the color chart (tab).

Profiles


Standard



Glass frame*



Glass frame Aluminum finish*



Reduced Profile not available for Model S400

MODEL	Thickness	Width (frame)	Minimum (for 1" centers)	Minimum (definite)	Maximum (for warranty)	Maximum (definite)	Maximum (Combined W x H)
S400	3/4"	2 1/4"	5 1/2"	4 5/8"	50"	72"	9 sq. ft.
	19 mm	57 mm	140 mm	117 mm	1270 mm	1830 mm	0.83 sq. m.

* Glass size: Door size minus 3 9/16" (90.5 mm)



Model S500

Options



Decorative door



Glass frame



Grooved center



Mullion glass frame




Decorative metal center

Please see p.14 to 18 for the complete range of available options.

For color availability, see the **POLYESTER 5-PIECE** COLLECTION color chart (tab).

Profiles


Standard



Reduced

Not available for Model S500

Glass frame*



MODEL	Thickness	Width (frame)	Minimum (for 1" centers)	Minimum (definite)	Maximum (for warranty)	Maximum (definite)	Maximum (Combined W x H)
S500	3/4"	2 1/2"	6"	5 1/8"	50"	72"	9 pi ²
	19 mm	64 mm	152 mm	130 mm	1270 mm	1830 mm	0,83 m ²

* Glass size: Door size minus 4 1/16" (103 mm)

Model S600

Options



Reduced profile



Decorative door



Glass frame



Grooved center



Mullion glass frame






Decorative metal center

Please see p.14 to 18 for the complete range of available options.

For color availability, see the **POLYESTER 5-PIECE** COLLECTION color chart (tab).

Profiles



MODEL	Thickness	Width (frame)	Minimum (for 1" centers)	Minimum (definite)	Maximum (for warranty)	Maximum (definite)	Maximum (Combined W x H)
S600	13/16"	3 9/16"	8 1/8"	7 1/4"	50"	72"	9 sq. ft.
	20.6 mm	90.6 mm	207 mm	184 mm	1270 mm	1830 mm	0.83 sq. m.
S600-R Reduced	13/16"	2 9/32"	5 9/16"	4 11/16"	50"	72"	9 sq. ft.
	20.6 mm	58 mm	142 mm	119 mm	1270 mm	1830 mm	0.83 sq. m.

* Glass size: Door size minus 3 19/32" (92 mm)



Model S700

Options



Decorative door




Glass frame



Grooved center



Mullion glass frame




Decorative metal center

Please see p.14 to 18 for the complete range of available options.

For color availability, see the **POLYESTER 5-PIECE** COLLECTION color chart (tab).

Profiles


Standard



Reduced

Not available for Model S700

Glass frame*



MODEL	Thickness	Width (frame)	Minimum (for 1" centers)	Minimum (definite)	Maximum (for warranty)	Maximum (definite)	Maximum (Combined W x H)
S700	13/16"	2 9/32"	5 9/16"	4 11/16"	50"	72"	9 sq. ft.
	20.6 mm	58 mm	142 mm	119 mm	1270 mm	1830 mm	0.83 sq. m.

* Glass size: Door size minus 3 19/32" (92 mm)



Model S800

Options

Matches with the models of the **MODERNO** COLLECTION.



Decorative door



Glass frame

Door with horizontal cross piece
(See p.14)




Grooved center



Mullion glass frame

Please see p.14 to 18 for the complete range of available options.




Available in the same textured finishes as the **MODERNO** COLLECTION, for a perfect match.


For color availability, see the color chart (tab).

Profiles

Standard (Vertical piece)



Standard (Horizontal piece)



Glass frame*



MODEL	Thickness	Width (frame)	Minimum (for 1" centers)	Minimum (definite height)	Minimum (definite width)	Maximum (for warranty)	Maximum (definite)	Maximum (combined W x H)
S800	3/4"	2 1/4"	5 1/2"	4 5/8"	6 3/4"	50"	72"	9 sq. ft.
	19 mm	57 mm	140 mm	117 mm	171 mm	1270 mm	1830 mm	0.83 sq. m.


* Glass size: Door size minus 3 9/16" (90.5 mm)




Model S900

Options

Matches with the models of the **MODERNO** COLLECTION.



Decorative door



Glass frame



Grooved center




Mullion glass frame



Decorative metal center

Please see p.14 to 18 for the complete range of available options.




Available in the same textured finishes as the **MODERNO** COLLECTION, for a perfect match.

For color availability, see the color chart (tab).

Profiles


Standard



Reduced

Not available for Model S900

Glass frame*



MODEL	Thickness	Width (frame)	Minimum (for 1" centers)	Minimum (definite)	Maximum (for warranty)	Maximum (definite)	Maximum (Combined W x H)
S900	7/8"	3 1/4"	7 1/2"	6 5/8"	50"	72"	9 sq. ft.
	22 mm	82.5 mm	190.5 mm	168 mm	1270 mm	1830 mm	0.83 sq. m.

* Glass size: Door size minus 5 9/16" (141 mm)




Model S1000

Options

Matches with the models of the **MODERNO** COLLECTION



Decorative door



Glass frame



Grooved center




Mullion glass frame



Decorative metal center

Please see p. 14 to 18 for the complete range of available options.




Available in the same textured finishes as the **MODERNO** COLLECTION, for a perfect match.


For color availability, see the color chart (tab).

Profiles


Standard (Vertical piece)



Standard (Horizontal piece)



Glass frame*



MODEL	Thickness	Width (frame)	Minimum height (for 1" centers)	Minimum (definite height)	Minimum (definite width)	Maximum (for warranty)	Maximum (definite)	Maximum (Combined W x H)
S1000	7/8"	3 1/4"	5 1/2"	4 5/8"	8 3/4"	50"	72"	9 sq. ft.
	22 mm	82.5 mm	140 mm	117 mm	222 mm	1270 mm	1830 mm	0.83 sq. m.

*Glass size: Door height minus 3 9/16" (90.5 mm)
Door width minus 5 9/16" (141 mm)



Model S1100

Options



Decorative door



Glass frame



Grooved center



Mullion glass frame




Decorative metal center

Please see p.14 to 18 for the complete range of available options.


For color availability, see the **POLYESTER 5-PIECE** COLLECTION color chart (tab).

Profiles


Standard (Vertical piece)



Standard (Horizontal piece)



Glass frame*



MODEL	Thickness	Width (frame)	Minimum height (for 1" centers)	Minimum (definite height)	Minimum (definite width)	Maximum (for warranty)	Maximum (definite)	Maximum (Combined W x H)
S1100	7/8"	3 1/4"	5 9/16"	4 11/16"	8 3/4"	50"	72"	9 sq. ft.
	22 mm	82.5 mm	141 mm	119 mm	222 mm	1270 mm	1830 mm	0.83 sq. m.

*Glass size: Door height minus 3 19/32" (92 mm)
Door width minus 5 9/16" (141 mm)

Grooved center

Options



The **Polyester 5-Piece Collection** doors can also be made with a v-groove center. The grooves are made of two (2) micro "V" that are then dyed to bring out the beauty of the door (see list below). Using a manufacturing technique exclusive to **Excelsius**, each door has a central double groove with adjacent grooves every 1.5 inches.

These grooved center doors are available in all models and colors. A maximum height of 72 inches (1828 mm) and a maximum width of 48 inches (1219 mm) must be respected.

If you want brown grooves instead of white grooves for your Antique White, Excel White and Sand Bank doors, you must very clearly specify BROWN GROOVES on your order or the grooves will be white.

Please see p.14 to 18 for the complete range of available options.

AVAILABLE MODELS	Available colors	Maximum (height)	Maximum (width)	Maximum (Combined W x H)
All models	All colors	72" (1828 mm)	48" (1219 mm)	9 sq. ft. (0.83 sq. m.)

Also available

1/4" GROOVED MELAMINE – 32" x 48" or 48" x 48" Dolomite finish or *Rio* and *Medina* textured finishes

Models S400 & S800 with horizontal cross piece



Model S400

The doors *S400 and S800 with horizontal cross piece* offer many possibilities. You can have different combinations of materials in the same door.

The position of the horizontal cross piece is decided by the customer. The height of the top section is measured from the top of the door to the center of the horizontal cross piece.

CHOICES FOR THE TOP SECTION

- Melamine
- Grooved center
- Glass frame
- Lumicor®
- Mullion glass frame *
- Decorative metal *

CHOICES FOR THE BOTTOM SECTION

- Melamine
- Grooved center
- Glass frame
- Lumicor®
- Mullion glass frame *
- Decorative metal *

* Must respect the size tolerance already established (see decorative metal p.18 and mullion glass frame p.16).

MODEL	Minimum (width)	Maximum (width)	Minimum (height)	Maximum** (height)
S400	6 1/2" (165 mm)	24" (610 mm)	12" (305 mm)	72" (1829 mm)
S800	6 3/4" (171 mm)	24" (610 mm)	12" (305 mm)	72" (1829 mm)

** Doors measuring 50" and more in height are not covered by any warranty.

Mullion glass frame



D-06



D-01



D-02



D-03



D-04



D-05



D-07
(left)



D-07
(right)



D-08

NUMBER OF PANES

Height of the door	Panes
min. up to 23 31/32"	4
24" to 35 31/32"	6
36" to 50"	8

MODEL	Minimum (width)	Maximum (width)	Minimum (height)	Maximum (height)
D-01, D-02, D-03, D-04, D-07, D-08	11 5/8" (295 mm)	21" (533 mm)	11 5/8" (295 mm)	50" (1270 mm)
D-05	14 1/4" (362 mm)	21" (533 mm)	14 1/4" (362 mm)	50" (1270 mm)
D-06	13 1/4" (337 mm)	21" (533 mm)	13 1/4" (337 mm)	50" (1270 mm)

* Available in door sizes indicated in the table above.

** Mullion glass frame is not available for the model S600 but is available for its reduced profile (S600-R).

The *5-Piece Collection* mullion glass frame is offered in custom sizes* and in eight different models. They are available in all the models** and colors of our program. The number of panes will vary between 4, 6 or 8 depending on the height of the door.

Made of 1/4" melamine, the mullions are attached to the frame with the same removable metal bracket used for the decorative metal inserts, which allows you to insert glass or not, according to your specific needs.

Decorative centers



The **5-Piece Collection** doors give you the possibility to order your doors with a regular acrylic decorative center (delivered not assembled to frame) or with a **Lumicor®** center, installed at the factory.




The **Lumicor®** acrylic center is fully integrated into the molding before the door is assembled. The result is a decorative door with an impeccable finish.



The regular acrylic is held in place by a rubber support molding (supplied with the glass frame). Delivered not assembled.

Available models

Lumicor®



Angel Vine
26000



Coastal
22100



Meadow
22200



Silver Spun
01300



Zito (Autumn)
12600

Acrylic



Clear Satin
3170
(green edge)



White Satin
3120



Crystal Clear
2120
(clear edge)



The 5400 aluminum finish glass frame is only available with acrylic center.

The acrylics are available for all glass frames.

Decorative metal



F-01



F-02



F-03



F-04

Available colors



Black (C-01)



Silver (C-02)



Bronze (C-03)



Rust (C-04)

MODEL	Minimum (width) F-01. F-02. F-03	Minimum (width) F-04	Maximum (width)	Minimum (height)	Maximum (height)
S100, S200	13" (330 mm)	10" (254 mm)	21" (533 mm)	F-01. F-02. F-03 24" (610 mm) F-04 12 5/8" (321 mm)	50" (1270 mm)
S100-R, S200-R, S300, S400 S600-R** S700, S800	11 3/4" (299 mm)	8 3/4" (223 mm)	19 3/4" (502 mm)		
S900, S1000 S1100	13 3/4" (349 mm)	10 3/4" (274 mm)	21 3/4" (552 mm)		

With a thickness of 3/16" (4.75 mm), our new decorative metal centers are offered custom-made* to add a decorative touch to all your projects. They are offered in 4 models and 4 colors.

The metal inserts are kept in place by a removable attachment (see picture below). This allows you to insert glass or not according to your specific needs.



* Available in door sizes indicated in the table above.

Certain models may vary slightly from picture when ordered larger than 16".

** Decorative metal option is not available for the model S600 but is available for its reduced profile (S600-R).

Components



The components are available for the **5-Piece Collection**, using the door styles of the **Moderno Collection**.

Only available with **Rio** and **Medina** textured colors.

Components and specialty panels

Our specialty panels, manufactured in the size of your choice, have one or more square edges (not machined), optionally edgebanded with a broad selection of edgebanding. They are suitable as doors on a corner module (Lazy Susan), as end panels, fillers, etc.

When ordering, please indicate which edges should be square and whether they should be edgebanded or not. Laminate sheets, edgebanding, and different types of panels are also available.

Please consult the price list and check availability with Richelieu.



Production Lead-times

REGULAR ORDERS:

The maximum production lead-time (date leaving the factory) for a regular order is ten business days. To compute the business days, start counting from the day following reception of the signed order at our factory. Whenever possible, we will produce the orders as soon as possible. If, for reasons beyond our control, production time should exceed ten business days, we will notify the customer immediately.

SPECIAL ORDERS: ADDITION*

ADDITION (1 to 5 units)

- Order received before 10:30 AM: Leaves the factory the same day[†]
- Order received after 10:30 AM: Leaves the factory the following business day

ADDITION (6 units and more)

- Orders of more than 5 units that are marked "ADDITION" will be processed as normal orders with a maximum production time of ten business days.

SPECIAL ORDERS: REMAKE**

REMAKE (1 to 5 units)

- Order received before 10:30 AM: Leaves the factory the same day[†]
- Order received after 10:30 AM: Leaves the factory the following business day

REMAKE (6 to 10 units)

- Order received before 10:30 AM: Leaves the factory the following business day
- Order received after 10:30 AM: Leaves the factory on the second business day

REMAKE (11 units and more)

- Order received before 10:30 AM: Leaves the factory on the second business day
- Order received after 10:30 AM: Leaves the factory on the third business day

Note: *The time given is the reception time of the order by email at our factory and NOT at Richelieu.*

**ADDITION: Error or omission on the part of the cabinet maker on an order already produced and delivered during the previous 30 days.*

***REMAKE: Error or omission on the part of the manufacturer, remakes involve no cost for the cabinet maker.*

†This delay could be of 2 business days during winter time.

EXPRESS ORDERS:

We offer an Express service for your door orders from 1 to 5 business days depending on your needs (the business days start from the day after the order is confirmed).

The prices are as follows:

- 1 business day* = surcharge of 60%
- 2 business days* = surcharge of 40%
- 3 business days** = surcharge of 25%
- 4 business days** = surcharge of 20%
- 5 business days*** = surcharge of 15%

* Available for doors with melamine or Lumicor® center and for glass frames.

** For doors with grooved center, mullion glass frame and doors with horizontal cross piece, the minimum lead-time is 3 business days.

*** For decorative metal, except for black, the minimum lead-time is 5 business days. The express service is not available for black decorative metal.

All doors from the **Polyester 5-Piece Collection** are covered by a **5-year** limited warranty against all manufacturing defects.

INCLUDED:

(Covered by the warranty)

- Wrong size (tolerance $\pm 1/32"$ or ± 0.8 mm)
- Out of square (tolerance $\pm 1/32"$ or ± 0.8 mm out of square)
- Warping greater than tolerance (see General Rules)
- Loosening of polyester paper from MDF substrate
- Delamination of MDF substrate

For such inclusions to be covered, the door must not have suffered any shocks, exposure to a source of heat, contact with water or any other liquid substances. Moreover, it must have been installed according to recognized industry practices.

GENERAL RULES:

- All claims must be lodged before the expiration of the warranty period, i.e., 5 years from the delivery date of the doors. Replacement or repair of a door may in no case extend the original 5-year warranty.
- Both invoice and defective door must be returned to *Lecxeco inc.* for expert examination.
- The doors to be replaced will be invoiced at 100% and a credit will be produced following examination of the defective doors.
- If, at the time the warranty is being used, the color and/or model of the doors in question are no longer available for reasons beyond our control, we reserve the right to replace (or credit) the defective door(s) with another equivalent color or model without compensation for the balance of the doors of the same order.
- Transportation costs for the delivery of the replacement doors are subject to the same coverage percentages as the doors being replaced.
- The warranty is limited to the replacement or repair of the defective door without any compensation for labour and/or loss of use of the product.
- The warping warranty only applies to doors 32" or less with a 1/8" tolerance (measured at center, with the door flat on a very straight surface, e.g., panel saw).
- Warping problems must be detected and reported within 10 days following reception of the order, and the defective door(s) must not have been altered in any way (drilled for hinges, handles installed, etc).
- Door claims that involve breakage at the reception of the order with no damaged box must be made within five days following reception of the order, and the defective door(s) must not have been altered in any way (drilled for hinges, handles installed, etc). The door(s) in question must be returned to *Lecxeco inc.*
- Doors measuring 50" and more are not covered by any warranty.
- The warranty coverage is prorated as follows:
 - 100% for the first two years
 - 75% for the third year
 - 50% for the fourth year
 - 25% for the fifth year

NOT INCLUDED:

(Not covered by the warranty)

- Polyester, melamine, joint and assembly breaks following shock, negligence, misuse, exposure to a source of excessive heat (over 300° F) or contact with water or other liquid substance (swelling of material)
- All defects that result from misuse and/or use not in accordance with recognized industry practices
- Deterioration of a door that was exposed to abnormal temperature and/or humidity conditions
- Burns on one of the materials
- Stains on one of the door components
- Degradation of the product due to material aging or normal wear and tear

DOORS DAMAGED DURING TRANSPORTATION:






























When you receive the boxes, always make sure they have not been damaged during transportation before signing the delivery document. If any of the boxes have been damaged, write "Damaged Box" or "Damaged Boxes" on the waybill. You must keep the box(es) in question as well as the doors to be replaced for our claim to the transportation company. Notify us immediately about the problem so that repaired doors or replacement doors may be shipped to you as soon as possible.











MISSING BOXES:

When you receive the boxes, please make sure the number of boxes delivered matches the number shown on the delivery document. If some boxes are missing, write "Missing Boxes" on the document before signing it, indicating the number of missing boxes. Notify us immediately about the problem so that a search can be made to locate the missing package(s).

Available colors June 2015 (US)

Printed colors may differ from reality.
For more accuracy, check the sample with Richelieu.


TEXTURED FINISHES																							
Authentick (Arauco, Flakeboard)		\$100	\$200	\$300	\$400	\$500	\$700	\$800	\$900	\$1000	\$1100	Brushed Elm (Uniboard)		\$100	\$200	\$300	\$400	\$500	\$700	\$800	\$900	\$1000	\$1100
	Tobacco groovz WF391				•	•		•					Silva H50				•	•		•			
	Licorice groovz WF392				•	•		•					Zahara H51				•	•		•			
	Concrete groovz WF393				•	•		•					Riva H52				•	•		•			
	Arctic groovz WF394				•	•		•					Ember H53				•	•		•			
	Coffee groovz WF395				•	•		•					Skye H54				•	•		•			
Sawcut (Arauco, Flakeboard)													Mystic H55				•	•		•			
	Weathered Vane WF407												Driftwood H70				•	•		•			
	Haystack WF408												Luxe H71				•	•		•			
	Ranch Gate WF409																						
Rio (Uniboard) Also available for all models of the <i>Moderno</i> Collection		\$100	\$200	\$300	\$400	\$600	\$700	\$800	\$900	\$1000	\$1100	Medina (Arauco, Flakeboard) Also available for all models of the <i>Moderno</i> Collection		\$100	\$200	\$300	\$400	\$600	\$700	\$800	\$900	\$1000	\$1100
	Grigio Panval/G17			•	•			•	•	•			White Flakeboard/ W100				•	•		•	•	•	
	Caramello Panval/G18			•	•			•	•	•			Antique White Flakeboard/ SF210				•	•		•	•	•	
	Bianco Richelieu/711			•	•			•	•	•			Zambukka Flakeboard/WF226				•	•		•	•	•	
	Mielle Richelieu/712			•	•			•	•	•			Vanilla stix Flakeboard/WF294				•	•		•	•	•	
	Terra Richelieu/713			•	•			•	•	•			Mochatini Flakeboard/WF296				•	•		•	•	•	
	Toscana Richelieu/714			•	•			•	•	•			Ash pinstripe Flakeboard/WF118				•	•		•	•	•	
													Verismo Flakeboard/WF202				•	•		•	•	•	

Dolomite finish		S100	S200	S300	S400	S600	S700	S800	S900	S1000	S1100	Dolomite finish		S100	S200	S300	S400	S600	S700	S800	S900	S1000	S1100
	Bourbon Cherry Panval/204	●			●								Verismo Flakeboard/WF202				●	●	●	●	●	●	●
	Tobacco Cherry Panval/205	●	●		●	●	●	●					Chocolate Pear tree Tafisa/L444	●	●		●	●	●	●	●	●	●
	Choco Cherry Panval/207	●			●	●	●						Sable Glow Flakeboard/WF228										
	Ruby Cherry Panval/221	●											Antique White Panval/810 Flakeboard/SF210	●	●		●	●	●	●	●	●	●
	Sand Bank Panval/513	●			●		●	●	●	●	●		Excel White Panval/113 Flakeboard/W400	●	●		●	●	●	●	●	●	●


Complementary Products

LIGHT SHIELDS


Angria¹



Ravenna¹










Calabria-PVC¹



¹ Only available in *Rio* and *Medina* Textured Finishes (Angria, Ravenna, Calabria-PVC)

MOLDINGS

	Crown Molding (NM164)	Crown Molding (NM165)	Shaker Crown (NM166)	O'Gee (NM167)	Concave O'Gee (NM173)	Concave O'Gee (NM171)	Light shield (NM160)
FINISHES							
Authentick			●			●	●
Brushed Elm / Sawcut		●	●		●		●
Rio and Medina		●			●		●
Dolomite	●	●		●	●		●



CANADA

Tel.: 1 866 979-5999 • Fax: 1 866 421-8477

ALBERTA

Calgary
Edmonton

BRITISH COLUMBIA

Kelowna
Vancouver
Victoria

MANITOBA

Winnipeg

NEW

BRUNSWICK
Moncton

NOVA SCOTIA

Halifax

ONTARIO

Barrie
Kitchener
Mississauga

Ottawa

Sudbury
Thunder Bay
Toronto

QUÉBEC

Drummondville
Laval
Longueuil

Montréal
Québec

SASKATCHEWAN

Regina
Saskatoon

NEWFOUNDLAND

St. John's

UNITED STATES

Tel.: 1 877 556-5150 • Fax: 1 877 556-5151

CONNECTICUT

Hartford

FLORIDA

Dania Beach
Hialeah
Pompano Beach
Riviera Beach

GEORGIA

Atlanta

ILLINOIS

Chicago

INDIANA

Indianapolis

KENTUCKY

Louisville

MASSACHUSETTS

Boston

MICHIGAN

Detroit

NEW JERSEY

Avenel
Lincoln Park

NEW YORK

New York
Syracuse

NORTH CAROLINA

Charlotte
Greensboro
High Point
Raleigh

OHIO

Cincinnati
Cleveland
Columbus

OREGON

Portland

SOUTH CAROLINA

Greenville

TENNESSEE

Nashville

WASHINGTON

Seattle

