

LED VIVO STAINLESS STEEL RECESSED PUCK LIGHT 1.5 W

- · Easy and quick installation no electrician required
- · Friction fit installation
- · Quick connect system, no soldering of wires
- · Includes a male and female 8" (203 mm) connector to daisy chain lights



No.	Light color	Height	Recess depth	Bore hole
265122195	Warm White	5/8" (16 mm)	2 11/16" (68 mm)	2 1/8" (57 mm)
265124195	Neutral White	5/8" (16 mm)	2 11/16" (68 mm)	2 1/8" (57 mm)

LED TAPE LIGHT ROLL 58 W TOTAL

Easy-clip system to connect two strips together: no need to use any additional screws!

- · 13' long (4 m) x 3/8" (10 mm) wide, 14.4 W per 3' (1 m)
- · Available in 3 different color temperatures
- · Quick-connect cables available in 3 lengths: 20" (508 mm), 40" (1.02 m), and 79" (2.01 m)



No.Light colorFinish50460122Warm whiteWhite50460124Neutral whiteWhite50460121Cool whiteWhite

ACCESSORIES FOR LED VIVO AND LED TAPE LIGHT ROLL

POWER CORD OPTIONS

Black White		Length	
5042090	5042030	20" (508 mm)	
5044090 5044030		40" (1.02 m)	
5047990	5047930	79" (2.01 m)	

POWER SUPPLY (required, choose one)

No.	Watts	Finish
2652412	12 W max.	Black
2651236	36 W max.	White
2651260	60 W max.	White

More options are available, please visit www.richelieu.com








Tel.: 1 800 361-6000 Fax: 1 800 363-0193 UNITED STATES

Tel.: 1 800 619-5446 Fax: 1 800 876-7454



- · Allow for design customization like never before
- · Profiles are available in both surface mounted or recessed applications
- · Sold in 8' (2.44 m) lengths and include opal lens



SURFACE MOUNTED PROFILES

Fig.	No.	Description	
30141210 Aluminum profile		Aluminum profile	
A	30141270	8 end caps for No. 30141210 aluminum profile	
30141100 1/4" (6 mm) low aluminum profile		1/4" (6 mm) low aluminum profile	
В	30141122	4 end caps for No. 30141100 low aluminum profile	

CLIPS FOR SURFACE MOUNTING


No.	Description	
30141283	4 mounting brackets, 45° angled	
30141280	4 flat mounting brackets	
30141004	4 swivel mounting brackets	



45° ANGLED SURFACE MOUNTED PROFILE

No.	Description
30141650	45° Surface mounted aluminum profile

LED TAPE LIGHTS SOLD SEPARATELY.
YOU HAVE MANY OPTIONS TO CHOOSE FROM.
PLEASE VISIT WWW.RICHELIEU.COM





BRING YOUR CLOSET TO LIGHT!

LED VEGA II 1.6 W LITHIUM POWERED RECHARGEABLE LIGHT WITH MOTION SENSOR



- · 3.7 V lithium battery
- · Easy installation wireless lighting!
- · Integrated PIR motion sensor detects the opening/closing of a door or cabinet and automatically turns the light on
- · 30 seconds after no movement is detected, the light will turn off
- · Charge time is 4 hours, stand-by time is 60 days



No.	Light color	Finish
43015122	Warm white	Aluminum
43015124	Neutral white	Aluminum



SWITCHES

4-STEP TOUCH DIMMER SWITCH

- · 4-step lighting intensities: 25%, 50%, 75%, 100% changing with one simple touch
- · Includes male and female connectors for easy, quick connect to power supply and power cord
- · Surface-mount installation
- · 60W max.



ON/OFF SWITCH

- · Easy installation
- · Includes male and female connectors for easy, quick connect to power supply and 10' (3 m) power cord

No.	Finish
31225	Black

MOTION SENSOR SWITCH

- · 72 W max. on 24 V
- · Detection range: 10' (3 m), 120°
- · One minute after no movement is detected, the lights will turn off
- · Includes a 6" (152 mm) female connector to directly link to power supply and a 6" (152 mm) male connector to connect to tape light or tape light roll.



No.	Watts	Finish
71248030	72 W	White



ILLUMINATED **CLOSET RODS**

LED GOCCIA CLOSET ROD

Aluminum finish with a unique teardrop design.

- · Motion detector built into each fixture (IRF detector will turn the light off after 30 seconds of no movement)
- · Each unit includes a 78" (1981 mm) cable for connection to power supply
- · Designed by Giuseppe Bavuso

CLOSET RODS - COOL WHITE LED LIGHT INCLUDED

No.	Length	Watts
10880229	29 1/8" (740 mm)	2.88 W
10880335	35 7/16" (900 mm)	3.84 W
10880441	41 3/4" (1.06 m)	4.56 W
10880554	54 5/16" (1.38 m)	6 W





CLOSET ROD PROFILE

- · 8' (2.44 m) aluminum profile with opal lens offers the perfect customizable solution for closets!
- · Bring light into the closet one rod at a time using the LED tape light roll (sold separately).

No.	Diameter	Finish
30147850	1 3/16" (30 mm)	Aluminum





1 3/16" (30 mm) CLOSET ROD SUPPORTS

No.	Mounting	Туре	Finish
2215602174	Screw	Open	Dull chrome
2215612174	Screw	Closed	Dull chrome



CANADA

Tel.: 1 800 361-6000 | Fax: 1 800 363-0193

ALBERTA Calgary Edmonton

BRITISH COLUMBIA Kelowna Vancouver Victoria



MANITOBA Winnipeg

NEW BRUNSWICK

NEWFOUNDLAND St. John's

NOVA SCOTIA

ONTARIO Barrie Kitchener Mississauga Ottawa

Sudbury Thunder Bay Toronto

QUÉBEC Laval Montréal Québec

SASKATCHEWAN Regina Saskatoon

UNITED STATES

Tel.: 1 800 619-5446 | Fax: 1 800 876-7454

CONNECTICUT Hartford

FLORIDA
Dania Beach
Hialeah
Jacksonville
Orlando
Pompano Beach
Riviera Beach
Sarasota
Tampa

GEORGIA Atlanta Savannah

ILLINOIS Chicago

INDIANA Indianapolis KENTUCKY Louisville

MAINE Portland

MASSACHUSETTS Boston

MICHIGAN Detroit

NEW JERSEY Lincoln Park

NEW YORK CITY Long Island City New York

NEW YORK – UPSTATE Buffalo Syracuse NORTH CAROLINA Charlotte Greensboro

OHIO Cincinnati

SOUTH CAROLINA Greenville

TENNESSEE Memphis Nashville

TEXAS Dallas Houston

WASHINGTON Seattle Printed in Canada \$2