#### **Wood Veneers**

#### **Decorative Panels**

#### **Decorative Laminates**

**SCREWS AND FASTENERS** 

**FURNITURE EQUIPMENT** 

**CASTERS AND LEGS** 

HINGES

**SLIDES** 

1

2

3

4

5











#### **Lightweight Panels**







# Richelieu CEDAN Section 13A

<b>GENUINE WOOD VEN</b>	EERS WITH PA	PER BACKING			
GENOINE WOOD VEN			Backing	010"	
		rapei	backing .	.010	(Self-Adhesive)
	48"x 96"	48"x 96" bulk*	12"x 96"	24"× 96"	24"x 96"
SPECIES	10 % 70		- BOOK MA		21 % 70
ASH, WHITE (07)	07489610	07489610R	_	_	_
CHERRY (08)	08489610	08489610R	_	152496RS	082496APR
CHERRY (15) 48" x 120"	FS15FA0410RJ	_	_	_	_
HICKORY (23)	23489610	_	_	_	_
MAHOGANY, AFRICA (43)	43489610	43489610R	_	_	_
MAPLE (10)	10489610	10489610R	_	102496RS	102496APR
MAPLE (10) 48" x120"	104812010	_	_	_	_
OAK, RED (05)	05489610	05489610R	051296RS	052496RS	052496APR
OAK, RED (05) 48" x120"	054812010	_	_	_	_
OAK, WHITE (06)	06489610	06489610R	_	_	_
OAK, WHITE (06) 48" x120"	FS06QA0410RJ	_	_	_	_
PINE, KNOTTY (13)	13489610	13489610R	131296RS	132496RS	_
PINE, WHITE (54)	54489610	_	_	_	_
WALNUT (16)	16489610	16489610R	_	_	_
		RIFT CU	- BOOK MA	TCHING	
OAK, RED (21)	21489610	_	_	_	_
		QUARTER (	CUT- BOOK	MATCHING	
CHERRY (08)	_	62489610R	_	_	_
MAPLE (10)	FS10QA0408RJ	FS10QA0410RJ	_	_	_
OAK, RED (25)	_	25489610R	_	_	_
OAK, WHITE (36)	36489610	36489610R	_	_	_
WALNUT (38)	_	38489610R	_	_	_
		ROTARY C	UT - SLIP M	ATCHING	
MAPLE (86)	86489610	86489610R	_	-	_
BIRCH, WHITE SELECT (03)	03489610	03489610R	031296RS	032496RS	_
OAK, RED (89)	89489610R	_	_	_	_
		VE	RTICAL GRA	.IN	•
FIR (19)	19489610R	_	_	-	_

GENUINE WOOD VENEERS WITH PAPER BACKING				
	Paper Backing .020"		Paper Backing .030"	
	48"x 96"	48"x 96" bulk*	48"x 96"	
SPECIES	FLAT CUT - BOC	K MATCHING		
ASH, WHITE (07)	_	07489620R	-	
CHERRY (08)	_	08489620R	-	
MAPLE (10)	10489620	10489620R	FS10FC0408RT	
OAK, RED (05)	05489620	05489620R	-	
OAK, RED (05) 48" x120"	05489620	05489620R	-	
	ROTARY CUT - SLIP MATCHING			
BIRCH, WHITE SELECT (03)	_	03489620R	_	

<sup>\*</sup>Normally, our products are packed and shipped in transparent plastic tubes. The bulk marking indicates that the product will be shipped without its standard packing.

#### PRODUCT DESCRIPTION

#### **PAPER BACKING**

Veneers with paper backing need to be glued using contact cement. Two backing thicknesses are available: .010" or .020". Veneers with .010" backing are available preglued or prefinished.

.010" THICKNESS

Recommended for perfect surfaces.

.020" THICKNESS

Recommended for surfaces with slight imperfections.

#### **PSA (PEEL AND STICK)**

Paperback PSA (Pressure Sensitive Adhesive) may be filled, sanded, stained, and final finished just like paperbacked veneers with the added convenience of simple peel and stick attachment.

#### **HARD BACKER**

The BP Brown and PB Beige hard backer veneer sheet are a semi-flexible product. It has flexibility making it possible to use with small curved application.

Its rigidity provides resistance to impact, and eliminates the telegraphing of substrate imperfections.

This product offer a superior stability. Moreover, it has a great fire and moisture resistance and there is no added formaldehyde.

#### 2-PLYS (wood on wood)

2-plys veneer is made of two layers of veneer, making it stiffer and more resistant to impacts. Its use is strongly recommended for applications requiring a water-based glue.

# HPL (High Pressure Laminate) The HPL is a high pressure laminate semi-flexible hard backer veneer sheet product. It has flexibility making it possible to use with medium curved application. Its rigidity provides resistance to impact and eliminates the telegraphing of substrate imperfections. This product offer a superior stability.



# Richelieu **CEDAN Section 13A**

<b>GENUINE WOOD VEN</b>	IEERS				
	2-plys	Phenolic	HPL	Prefinished	PSA (Peel
	p.,,-		=		and Stick)
	48" x 96"	48"x 96"	48"x 96"	48"x 96"	24"x 96"
SPECIES	40 X 70		UT - BOOK MA		24 X 70
ASH, WHITE (07)	0748962	07489645	07489645HPL	_	_
ASH WHITE (07)	_	07489645PB*	_	_	_
CHERRY (08)	0848962	08489645	08489645HPL	_	082496AP
CHERRY (08)	-	08489645PB*	_	_	_
CHERRY (08) 48" x 120"	08481202	_	_	_	_
HICKORY (23)	_	23489645	_	_	_
MAHOGANY, AFRICA (43)	4348962	43489645	_	_	_
MAPLE (10)	1048962	10489645	10489645HPL	_	_
MAPLE (10)	FS10FP0408RY	10489645PB*	_	_	102496AP
MAPLE (10) 48" x 120"	FS10FA0410RY	104812045PB*	_	_	_
OAK, RED (05)	0548962	05489645	05489645HPL	054896M5	_
OAK, RED (05)	_	05489645PB*	_	_	_
OAK, WHITE (06)	0648962	_	_	_	_
PINE, CAROLINA(14)	_	14489645	_	_	_
PINE, KNOTTY (13)	_	13489645	_	_	_
PINE, WHITE (54)	5448962	54489645	_	_	_
WALNUT (16)	1648962	16489645*	_	_	_
WALNUT BURL (26)	2648962	_	_	_	_
		QUARTE	R CUT- BOOK N	MATCHING	
OAK, RED (25)	2548962	_	25489645HPL	_	_
WALNUT (38)	3848962	_	_	_	_
		ROTARY	CUT - SLIP MA	ATCHING	
BIRCH, WHITE SELECT (03)	0348962	03489645	03489645HPL	_	_
BIRCH, WHITE SELECT (03)	_	03489645PB *	_	_	_
MAPLE (86)	8648962	_	_	_	_
OAK, RED (89)	8948962	_	-	-	_

01 mg 11=2 (01)					
<b>GENUINE WOOD VENEERS</b>					
		Glued		PB Brown	PB Beige
	8"x 96"	12"x 96"	24"x 96"	48" x 96"	48" x 96"
SPECIES	FLAT CUT -	BOOK MATC	HING		
MAPLE (10)	_	102496EGS	_	_	-
MAPLE (10)	_	_	_	_	_
MAPLE (10) 48" x 120"	_	_	_	104812045	_
OAK, RED (05)	050896EG	051296EGS	052496EGS	06489645	_
PINE, KNOTTY (13)	_	131296EGS	132496EGS	_	_
PINE, WHITE (54)	_	_	_	_	_
WALNUT (16)	_	_	162496EGS	_	_
		QUART	ER CUT- BOO	K MATCHING	
CHERRY (62)	_	-	_	62489645	_
OAK, WHITE (36)	_	_	_	36489645	_
OAK, RED (25)	_	_	_	25489645	_
WALNUT (38)	_	_	_	38489645	_
		ROTA	RY CUT - SLIP	MATCHING	
BIRCH, WHITE SELECT (03)	_	031296EGS	032496EGS	_	_
BIRCH, WHITE SELECT (03) 48" x 120"	_	_	034812045	_	_
MAPLE (86)	-	_	_	86489645	FS10RC4D08RB
OAK, RED (89)	_	_	_	89489645	_

#### PRODUCT DESCRIPTION

Veneers with paper backing need to be glued using contact cement. Two backing thicknesses are available: .010" or .020". Veneers with .010" backing are available preglued or

Recommended for perfect surfaces.

.020" THICKNESS

imperfections.

Paperback PSA (Pressure Sensitive Adhesive) may be filled, sanded, stained, and final finished just like paperbacked veneers with the added convenience of simple peel and stick attachment.

#### 2-PLYS (wood on wood)

2-plys veneer is made of two layers of veneer, making it stiffer and more resistant to impacts. Its use is strongly recommended for applications requiring a water-based glue.

#### **HPL (High Pressure Laminate)** The HPL is a high pressure laminate semi-flexible hard backer veneer sheet product. It has flexibility making it possible to use with medium curved

application. Its rigidity provides resistance to impact and eliminates the telegraphing of substrate imperfections. This product offer a superior stability.

#### **PAPER BACKING**

prefinished.

.010" THICKNESS

Recommended for surfaces with slight

#### **PSA (PEEL AND STICK)**

# SINKS AND FAUCETS 10

OFFICE

11

SLIDING DOORS

9

8

SCREWS AND FASTENERS

2 FURNITURE EQUIPMENT

3

HINGES

SLIDES

CASTERS AND LEGS

KITCHEN SOLUTIONS

CLOSET SOLUTIONS

LIGHTING SOLUTIONS

6

12

GLASS HARDWARE 13

14

EDGE-BANDING

15

16

17

18

TOOLS AND SECURITY

19

20 COMMERCIAL DISPLAY HARDWARE

21

MOLDING, RAILING AND BATHROOM HARDWARE

# **Richelieu CEDAN Section 13A**

#### **EXOTIC WOOD PROGRAM**

SPECIES         VENDOR #         CUT #         48" X 96" X 010" PAPER BACKING         7/8" X 500' FLEECE         13/16" X 250' PRE-GLUED           Alder, Red Knotty Oregon         66AF         F/C         66AF489610R         -         -           Alder, Red European         79AF         F/C         79AF489610R         79AF78500         79AF1316250           Anigre, FlGured Light to Medium         28AQ         Q/C         28AQ489610R         28AQ78500         28AQ1316250           Anigre, FlGured Medium to Heavy         28BQ         Q/C         28BQ489610R         SPECIAL ORDER           Anigre, Plain         27AF         F/C         27AF489610R         27AF78500         27AF1316250           Anigre, Plain         27AQ         Q/C         27AQ489610R         SPECIAL ORDER           Bamboo (plain-large) Natural         96AF         F/C         96AF489610R         96AF78500         96AF1316250           Bamboo (side-narrow) Natural         96AQ         Q/C         96AQ489610R         94AQ78500         96AQ1316250           Bamboo (side-narrow) Carbonized         94AQ         Q/C         94AQ489610R         94AQ78500         94AQ1316250           Beech, Steamed         22AF         F/C         22AF489610R         22AF78500         22AF1316250
Alder, Red European         79AF         F/C         79AF489610R         79AF78500         79AF1316250           Anigre, FlGured Light to Medium         28AQ         Q/C         28AQ489610R         28AQ78500         28AQ1316250           Anigre, FlGured Medium to Heavy         28BQ         Q/C         28BQ489610R         SPECIAL ORDER           Anigre, Plain         27AF         F/C         27AF489610R         27AF78500         27AF1316250           Anigre, Plain         27AQ         Q/C         27AQ489610R         SPECIAL ORDER           Bamboo (plain-large) Natural         96AF         F/C         96AF489610R         96AF78500         96AF1316250           Bamboo (plain-large) Carbonized         94AF         F/C         94AF489610R         94AF78500         94AF1316250           Bamboo (side-narrow) Natural         96AQ         Q/C         96AQ489610R         96AQ78500         96AQ1316250           Bamboo (side-narrow) Carbonized         94AQ         Q/C         94AQ489610R         94AQ78500         94AQ1316250
Anigre, FlGured Light to Medium         28AQ         Q/C         28AQ489610R         28AQ78500         28AQ1316250           Anigre, FlGured Medium to Heavy         28BQ         Q/C         28BQ489610R         SPECIAL ORDER           Anigre, Plain         27AF         F/C         27AF489610R         27AF78500         27AF1316250           Anigre, Plain         27AQ         Q/C         27AQ489610R         SPECIAL ORDER           Bamboo (plain-large) Natural         96AF         F/C         96AF489610R         96AF78500         96AF1316250           Bamboo (plain-large) Carbonized         94AF         F/C         94AF489610R         94AF78500         94AF1316250           Bamboo (side-narrow) Natural         96AQ         Q/C         96AQ489610R         96AQ78500         96AQ1316250           Bamboo (side-narrow) Carbonized         94AQ         Q/C         94AQ489610R         94AQ78500         94AQ1316250
Anigre, FlGured Medium to Heavy         28BQ         Q/C         28BQ489610R         SPECIAL ORDER           Anigre, Plain         27AF         F/C         27AF489610R         27AF78500         27AF1316250           Anigre, Plain         27AQ         Q/C         27AQ489610R         SPECIAL ORDER           Bamboo (plain-large) Natural         96AF         F/C         96AF489610R         96AF78500         96AF1316250           Bamboo (plain-large) Carbonized         94AF         F/C         94AF489610R         94AF78500         94AF1316250           Bamboo (side-narrow) Natural         96AQ         Q/C         96AQ489610R         96AQ78500         96AQ1316250           Bamboo (side-narrow) Carbonized         94AQ         Q/C         94AQ489610R         94AQ78500         94AQ1316250
Anigre, Plain         27AF         F/C         27AF489610R         27AF78500         27AF1316250           Anigre, Plain         27AQ         Q/C         27AQ489610R         SPECIAL ORDER           Bamboo (plain-large) Natural         96AF         F/C         96AF489610R         96AF78500         96AF1316250           Bamboo (plain-large) Carbonized         94AF         F/C         94AF489610R         94AF78500         94AF1316250           Bamboo (side-narrow) Natural         96AQ         Q/C         96AQ489610R         96AQ78500         96AQ1316250           Bamboo (side-narrow) Carbonized         94AQ         Q/C         94AQ489610R         94AQ78500         94AQ1316250
Anigre, Plain         27AQ         Q/C         27AQ489610R         SPECIAL ORDER           Bamboo (plain-large) Natural         96AF         F/C         96AF489610R         96AF78500         96AF1316250           Bamboo (plain-large) Carbonized         94AF         F/C         94AF489610R         94AF78500         94AF1316250           Bamboo (side-narrow) Natural         96AQ         Q/C         96AQ489610R         96AQ78500         96AQ1316250           Bamboo (side-narrow) Carbonized         94AQ         Q/C         94AQ489610R         94AQ78500         94AQ1316250
Bamboo (plain-large) Natural         96AF         F/C         96AF489610R         96AF78500         96AF1316250           Bamboo (plain-large) Carbonized         94AF         F/C         94AF489610R         94AF78500         94AF1316250           Bamboo (side-narrow) Natural         96AQ         Q/C         96AQ489610R         96AQ78500         96AQ1316250           Bamboo (side-narrow) Carbonized         94AQ         Q/C         94AQ489610R         94AQ78500         94AQ1316250
Bamboo (plain-large) Carbonized         94AF         F/C         94AF489610R         94AF78500         94AF1316250           Bamboo (side-narrow) Natural         96AQ         Q/C         96AQ489610R         96AQ78500         96AQ1316250           Bamboo (side-narrow) Carbonized         94AQ         Q/C         94AQ489610R         94AQ78500         94AQ1316250
Bamboo (side-narrow) Natural         96AQ         Q/C         96AQ489610R         96AQ78500         96AQ1316250           Bamboo (side-narrow) Carbonized         94AQ         Q/C         94AQ489610R         94AQ78500         94AQ1316250
Bamboo (side-narrow) Carbonized 94AQ Q/C 94AQ489610R 94AQ78500 94AQ1316250
People Steemed 22AE E/C 22AE490440B 22AE79E00 22AE42449E0
Beech, Steamed 22AF F/C 22AF489610R 22AF78500 22AF1316250
Beech, Steamed 22AQ Q/C 22AQ489610R SPECIAL ORDER
Bubinga 29AF F/C 29AF489610R 29AF78500 29AF1316250
Bubinga 29AQ Q/C 29AQ489610R SPECIAL ORDER
Bubinga, Pommeled 69AR R/C 69AR489610R 69AR78500 69AR1316250
Cumaru         59AF         F/C         59AF489610R         59AF78500         59AF1316250
Eucalyptus, Figured 89AQ Q/C 89AQ489610R 89AQ78500 89AQ1316250
Jatoba (Brazilian Cherry)         95AF         F/C         95AF489610R         95AF78500         95AF1316250
Kewasinga         52AR         R/C         52AR489610R         52AR78500         52AR1316250
Lyptus 63AF F/C 63AF489610R 63AF78500 63AF1316250
Lyptus 63AQ Q/C 63AQ489610R SPECIAL ORDER
Makore         80AF         F/C         80AF489610R         80AF78500         80AF1316250
Makore 80AQ Q/C 80AQ489610R SPECIAL ORDER
Maple, Birdeye Light to Medium 20CM R/C 20CM489610R 20CM78500 20CM1316250
Maple, Birdeye Medium to Heavy 20FH R/C 20FH489610R SPECIAL ORDER
Oak, White Heavy Flake 06AK Q/C 06AK489610R
Pearwood 53AF F/C 53AF489610R 53AF78500 53AF1316250
Platane 88AQ Q/C 88AQ489610R 88AQ78500 88AQ1316250
Rosewood, Santos 18AF F/C 18AF489610R 18AF78500 18AF1316250
Sapele Ribbon 45AQ Q/C 45AQ489610R 45AQ78500 45AQ1316250
Sapele, Pommeled 76AR R/C 76AR489610R 76AR78500 76AR1316250
Sycamore, English Figured 44AF F/C 44AF489610R 44AF78500 44AF1316250
Sycamore, English Figured 44AQ Q/C 44AQ489610R SPECIAL ORDER
Wenge 32AF F/C 32AF489610R 32AF78500 32AF1316250
Wenge 32AQ Q/C 32AQ489610R SPECIAL ORDER
- 46AQ Q/C 46AQ489610R 46AQ78500 46AQ1316250

ALL SHEETS ARE SANDED WITH A 180GR PAPER.

CUT CODE F/C: FLAT CUT Q/C: QUARTER CUT R/C: ROTARY CUT N/C: NO CUT V/G: VERTICAL GRAIN

#### **MANUFACTURING AND APPEARANCE**

#### MANUFACTURE APPEARANCE



#### **FLAT CUT**

Also called PLAIN SLICING, it is the most common method of veneer manufacturing, producing a grain pattern known as cathedral. Because each leaf in the flich is similar, a consistent and even matching pattern is possible. Flat cut veneer is ideally suited for wall panels and furniture.

#### MANUFACTURE APPEARANCE



#### **QUARTER CUT**

This cut requires the largest diameter logs and produces straight-grained veneers. The quarter slicing of oak can result in the appearance of flake.

#### RIFT CUT

Produced by cutting at a slight angle to the radius to produce a quartered appearance without excessive ray flake. The rift cut method is commondly used for oak, and can only be used on sizable logs. Rift cut veneer can easily be sequenced and matched.

#### MANUFACTURE **APPEARANCE**



#### **ROTARY CUT**

The log is turned in a circular motion against a knife, peeling off a continuous thin sheet of wood veneer (like unrolling wrapping paper). It is the most economical method of producing veneer, resulting in the highest yield. The grain is inconsistent and sheets are most difficult to match. This type of veneer is best suited for paint grade or utility surfaces.



# Richelieu **CEDAN Section 13A**

#### **EXOTIC WOOD PROGRAM**

			Veneer		Edge	banding
SPECIES	CUT	48" x 96" PB Brown	48" x 96" Non-Glued	48" x 96" 2-ply	7/8" x 500' Fleece	13/16" x 250' Pre-Glued
Alder, Red Knotty Oregon	F/C	_	_	6648962	_	_
Alder, Red Knotty Oregon	Q/C	_	66489610	-	_	_
Zebrawood	Q/C	34489645	_	_	46AQ78500	46AQ1316250

ALL SHEETS ARE SANDED WITH A 180GR PAPER.

#### **EVOLUTION HD VENEER**

			VENEER
SPECIES	VENDOR #	CUT	48" X 96" X 010" PAPER BACKING
Ebony, Macassar	31QJ	Q/C	31QHD489610R
Ebony, silver	4902	Q/C	FI4902QJ0408RJ
Fir	19QJ	Q/C	19QHD489610R
Haze	1259	Q/C	FI1259QJ0408RJ
Maple, Arctic	1110	Q/C	FI1110QJ0408RJ
Maple, Birdseye - Heavy	20HJ	N/C	20FHD489610R
Maple, Birdseye - Heavy	9241	Q/C	FI9241BJ0408RJ
Oak, White	06QJ	Q/C	06QHD489610R
Oak, Mission White	3261	Q/C	FI3261QJ0408RJ
Obechies, Gray	2861	Q/C	FI2861QJ0410RJ
Obechies, Gray*	2861	Q/C	FI2861QJ0408RJ
Rosewood	18FJ	F/C	18FHD489610R
Teak, Deco	1660	Q/C	FI1660QJ0408RJ
Teak, Golden	1639	Q/C	FI1639QJ0408RJ
Teak, Rift Style	1697	Q/C	FI1697QJ0408RJ
Walnut, Brown	16QJ	Q/C	16QHD489610R
Walnut, Dark	4537	Q/C	FI4537QJ0408RJ
Wenge	32QJ	Q/C	32QHD489610R
Wenge, Espresso	4956	Q/C	FI4956QJ0408RJ
Wenge, Espresso*	4956	Q/C	FI4956QJ0410RJ
Zebran Congo	3683	Q/C	FI3683QJ0408RJ
Zingana	4682	Q/C	FI4682QJ0408RJ

#### **EVOLUTION HD VENEER**

*48" x 120" x 10"			VEN	IEER
SPECIES	VENDOR #	CUT	48" X 96" PHENOLIC PB BEIGE	48" X 96" PHENOLIC PB BROWN
Ebony, Macassar	31QJ	Q/C	-	31QHD489645
Fir	19QJ	Q/C	19QHD489645PB	_
Fir	19QJ	Q/C	19QHD489610R	-
Oak, White	06QJ	Q/C	-	06QHD489645
Rosewood	18FJ	F/C	_	18FHD489645
Teak, Brown	17FJ	F/C	-	17FHD489645
Walnut, Brown	16QJ	Q/C	-	16QHD489645
Zebrawood	46JQ	Q/C	_	46QHD489645

Tel.: 1 800 619.5446 • Fax: 1 800 876.7454

# AND APPEARANCE

MANUFACTURE **APPEARANCE** 



#### **FLAT CUT**

Also called PLAIN SLICING, it is the most common method of veneer manufacturing, producing a grain pattern known as cathedral. Because each leaf in the flich is similar, a consistent and even matching pattern is possible. Flat cut veneer is ideally suited for wall panels and furniture.

MANUFACTURE APPEARANCE

#### **QUARTER CUT**

This cut requires the largest diameter logs and produces straight-grained veneers. The quarter slicing of oak can result in the appearance of flake.

#### RIFT CUT

Produced by cutting at a slight angle to the radius to produce a quartered appearance without excessive ray flake. The rift cut method is commondly used for oak, and can only be used on sizable logs. Rift cut veneer can easily be sequenced and matched.

**MANUFACTURE APPEARANCE** 

#### **ROTARY CUT**

The log is turned in a circular motion against a knife, peeling off a continuous thin sheet of wood veneer (like unrolling wrapping paper). It is the most economical method of producing veneer, resulting in the highest yield. The grain is inconsistent and sheets are most difficult to match. This type of veneer is best suited for paint grade or utility surfaces.

**CCRMUS 2017** 

**Page 13A5** 

**MANUFACTURING** 

4 SLIDES

> 5 CASTERS AND LEGS

SCREWS AND FASTENERS

2 FURNITURE EQUIPMENT

HINGES

6 KITCHEN SOLUTIONS

7 CLOSET SOLUTIONS

8 LIGHTING SOLUTIONS

9

10

11 SLIDING DOORS

12 GLASS HARDWARE

13

14 EDGE-BANDING

15

16

17

18

TOOLS AND SECURITY

19


# Richelieu Section 13A

NOTES



### **FormArt Collection**





PRODUCT	DIMENSIONS
RIC13UW	48" x 96" x 1" 1220 mm x 2440 mm x 25 mm

PRODUCT	DIMENSIONS
RIC13UW45	48" x 96" x 1" 1220 mm x 2440 mm x 25 mm



PRODUCT	DIMENSIONS
RIC17UW	48" x 96" x 1" 1220 mm x 2440 mm x 25 mm

# Richelieu **Section 13B**



#### FormArt Collection

Our FormArt panels are produced from MDF and are available in contemporary designs. Panel thickness varies according to the pattern chosen. Panels can be installed sequentially and have a white melamine backing to ensure greater stability.

Application: Ideal for wall or ceiling

- Panels are paintable, and can be tinted or treated in a thousand ways
- Made of MDF Superior Plus
- Sold unfinished

#### Specification(s):

- Height: 96"
- Thickness: 1"

- Fire retardant
- Formaldehyde-free panel
- Moisture-resistant panel

Sold per sheet

applications

- Perfect for contemporary designs
- Other models and sizes are available upon request
- Width: 48"
- Sequential to: 48" and 96"

Also available by special order:

- Thermoplastic-covered panel

**CCRMUS 2017** 

**Page 13B1** 

SCREWS AND FASTENERS

2

FURNITURE EQUIPMENT

4 SLIDES

5 CASTERS AND LEGS

6 KITCHEN SOLUTIONS

CLOSET SOLUTIONS

8 LIGHTING SOLUTIONS

SINKS AND FAUCETS 10

9

11

SLIDING DOORS 12

GLASS HARDWARE 13

14 EDGE-BANDING

15

16

17

18 TOOLS AND SECURITY

19

20



### **FormArt Collection**



PRODUCT	DIMENSIONS
RIC34UW	48" x 96" x 1" 1220 mm x 2440 mm x 25 mm

PRODUCT	DIMENSIONS
RIC35UW	48" x 96" x 1" 1220 mm x 2440 mm x 25 mm




PRODUCT	DIMENSIONS
RIC36UW	48" x 96" x 1" 1220 mm x 2440 mm x 25 mm



PRODUCT	DIMENSIONS
RIC39UW	48" x 96" x 1" 1220 mm x 2440 mm x 25 mm

# Richelieu **Section 13B**



#### **FormArt Collection**

Our FormArt panels are produced from MDF and are available in contemporary designs. Panel thickness varies according to the pattern chosen. Panels can be installed sequentially and have a white melamine backing to ensure greater stability.

Application: Ideal for wall or ceiling applications

- Panels are paintable, and can be tinted or treated in a thousand ways
- Perfect for contemporary designs
- Made of MDF Superior Plus
- Other models and sizes are available upon request
- Sold unfinished

#### Specification(s):

- Width: 48"
- Height: 96"
- Thickness: 1"
- Sequential to: 48" and 96"


Also available by special order:

- Thermoplastic-covered panel
- Fire retardant
- Formaldehyde-free panel
- Moisture-resistant panel


Sold per sheet




#### **FormArt Collection**




	AN ANDERSON
PRODUCT	DIMENSIONS
RIC01W	48" x 96" x 1"



	PRODUCT	DIMENSIONS
ı	RIC04W	48" x 96" x 1" 1220 mm x 2440 mm x 25 mm




PRODUCT	DIMENSIONS
RIC20UGBW	48" x 96" x 1" 1220 mm x 2440 mm x 25 mm



PRODUCT	DIMENSIONS
RIC30UW	48" x 96" x 1" 1220 mm x 2440 mm x 25 mm

# Richelieu **Section 13B**



#### **FormArt Collection**

Our FormArt panels are produced from MDF and are available in contemporary designs. Panel thickness varies according to the pattern chosen. Panels can be installed sequentially and have a white melamine backing to ensure greater stability.

applications

- Panels are paintable, and can be tinted or treated in a thousand ways
- Made of MDF Superior Plus
- Other models and sizes are
- Sold unfinished

- Width: 48"
- Thickness: 1"
- Sequential to: 48" and 96"

Also available by special order:

- Thermoplastic-covered panel
- Fire retardant
- Formaldehyde-free panel

Sold per sheet

Application: Ideal for wall or ceiling

- Perfect for contemporary designs
- available upon request

#### Specification(s):

- Height: 96"
- Moisture-resistant panel

**CCRMUS 2017** 

SCREWS AND FASTENERS

2 FURNITURE EQUIPMENT

SLIDES

5 CASTERS AND LEGS

6 KITCHEN SOLUTIONS

CLOSET SOLUTIONS

8 LIGHTING SOLUTIONS

9 SINKS AND FAUCETS

10 OFFICE

11 SLIDING DOORS

12 GLASS HARDWARE

13

14 EDGE-BANDING

15

16

17

18 TOOLS AND SECURITY


19

20 COMMERCIAL DISPLAY HARDWARE

21




#### **FormArt Collection**



HEIMELELUSCU	


PRODUCT	DIMENSIONS
RIC08UW	48" x 96" x 3/4" 1220 mm x 2440 mm x 19 mm

PRODUCT	DIMENSIONS
RIC25W	48" x 96" x 3/4" 1220 mm x 2440 mm x 19 mm




PRODUCT	DIMENSIONS
RIC27W	48" x 96" x 5/8" 1220 mm x 2440 mm x 15 mm

PRODUCT	DIMENSIONS	
RIC29UW	48" x 96" x 5/8" 1220 mm x 2440 mm x 15 mm	



PRODUCT	DIMENSIONS	
RIC21UGBW	48" x 96" x 5/8" 1220 mm x 2440 mm x 15 mm	

# Richelieu Section 13B



#### **FormArt Collection**

Our FormArt panels are produced from MDF and are available in contemporary designs. Panel thickness varies according to the pattern chosen. Panels can be installed sequentially and have a white melamine backing to ensure greater stability.

Application: Ideal for wall or ceiling applications

- Panels are paintable, and can be tinted or treated in a thousand ways
- Perfect for contemporary designs
- Made of MDF Superior Plus
- Other models and sizes are available upon request
- Sold unfinished

#### Specification(s):

- Width: 48"
- Height: 96"
- Thickness: 3/4" or 5/8"
- Sequential to: 48" and 96"


Also available by special order:

- Thermoplastic-covered panel (except RIC08UW)
- Fire retardant
- Formaldehyde-free panel
- Moisture-resistant panel (except RIC26W)

Sold per sheet




### **PerfoArt Collection**




PRODUCT	DIMENSIONS
RIC101M	24" x 96" x 3/4" 610 mm x 2440 mm x 19 mm



PRODUCT	DIMENSIONS
RIC102M	24" x 96" x 3/4" 610 mm x 2440 mm x 19 mm



PRODUCT	DIMENSIONS	
RIC103M	24" x 96" x 3/4" 610 mm x 2440 mm x 19 mm	



PRODUCT	DIMENSIONS
RIC104M	24" x 96" x 3/4" 610 mm x 2440 mm x 19 mm

# Richelieu **Section 13B**



### PerfoArt Collection

The PerfoArt Collection decorative perforated MDF.

Application: Ideal for wall or ceiling

- Panels are paintable, and can be tinted or treated in a thousand ways

- Sold unfinished

#### Specification(s):

- Width: 24"
- Height: 96"

- \* Fire retardant
- \* Formaldehyde-free panel
- \* Moisture-resistant panel
- Other sizes available upon request

	1	MB

panels are made from raw, pattern-

applications

- Perfect for contemporary designs
- Made of MDF Superior Plus

- Thickness: 3/4"

Also available by special order:

Sold per sheet

**CCRMUS 2017** 

**Page 13B5** 

5 CASTERS AND LEGS

SCREWS AND FASTENERS

2 FURNITURE EQUIPMENT

3

4 SLIDES

KITCHEN SOLUTIONS

CLOSET SOLUTIONS

8 LIGHTING SOLUTIONS

9 SINKS AND FAUCETS

10 OFFICE

11 SLIDING DOORS

12 GLASS HARDWARE

13

14 EDGE-BANDING

15

16

17

18 TOOLS AND SECURITY

19



# **Decorative Panels**

### **CrystalArt Collection**

Our new CrystalArt collection sheets are made of GP clear-cast acrylic. Feel the joy of sparkling champagne with our new transparent collection.


Application: Walls

#### Specification(s):

- Easy to resize with a saw or laser
- Easy to machine
- Edges can be flame polished

PRODUCT	WIDTH	HEIGHT	THICKNESS
RIC23P	48"	96"	3/4"
RIC23P16	48"	47-3/4"	3/4"
RIC23P16L	23-3/4"	96"	3/4"

# Richelieu Section 13B





Sold per sheet



# **Decorative Panels**

StrukArt

#### Flat Texture with Shallow Pattern





PRODUCT	FINISH	THICKNESS
H2390H25704505	Oak Chocolate	3/16"
H2390H25704506	Light Oak	3/16"
H2390H25718505	Oak Chocolate	3/4"
H2390H25718506	Light Oak	3/4"



Mosaik - 2343

PRODUCT	FINISH	THICKNESS
H2343H25718505	Oak Chocolate	3/4"
H2343H25718506	Light Oak	3/4"



**Schilf - 2252** 

PRODUCT	FINISH	THICKNESS
H2252H25704505	Oak Chocolate	3/16"
H2252H25704506	Light Oak	3/16"
H2252H25718505	Oak Chocolate	3/4"
H2252H25718506	Light Oak	3/4"

# Richelieu **Section 13B**



#### StrukArt Panels

Textured embossed panels. The depth of the textures creates a distinctive and unique play of light and shadow and an unmatched blend of look and feel.

Application: For all interior surfaces: Furniture units, sliding doors, cabinets, walls, exhibition booths,

- Embossing Direction: In the
- Panel Core: MDF
- Veneer: Reconstituted
- Lacquered: No

#### Specification(s):

- Width: 41-3/8"
- Height: 96-1/2"

and more.

- Repeating Pattern: No (except for Delta - 2390)
- 1050 mm direction

Sold per sheet

**CCRMUS 2017** 

SCREWS AND FASTENERS

2 FURNITURE EQUIPMENT

HINGES

4 SLIDES

5 CASTERS AND LEGS

6 KITCHEN SOLUTIONS

CLOSET SOLUTIONS

8 LIGHTING SOLUTIONS

9 SINKS AND FAUCETS

10 OFFICE

11 SLIDING DOORS

12 GLASS HARDWARE

13

14 EDGE-BANDING

15

16

17

18

19



### **Deep and Narrow Textures**



Stone T - 2420

PRODUCT	FINISH	THICKNESS
H2420V25721001	White Oak	13/16"
H2420V25721004	Heartwood Walnut	13/16"



Spalt Linear - 2468

Spart Emical 2-100			
PRODUCT	FINISH	THICKNESS	
H2468H15521001*	White Oak	13/16"	
H2468H15521002*	Larch Smoked	13/16"	
H2468H15521003*	Antique Walnut	13/16"	
H2468V25721003	White Oak	13/16"	
H2468V25721002	Larch Smoked	13/16"	
H2468V25721001	Antique Walnut	13/16"	

\* Width: 25" CCRMUS 2017



**Borke Linear - 2487** 

PRODUCT	FINISH	THICKNESS
H2487V25721002	Larch Smoked	13/16"
H2487V25721003	Antique Walnut	13/16"



Ocean - 2344

PRODUCT	FINISH	THICKNESS
H2344V25721005	Oak Chocolate	13/16"
H2344V25721006	Light Oak	13/16"

# Richelieu Section 13B



#### StrukArt Panels

Textured embossed panels. The depth of the textures creates a distinctive and unique play of light and shadow and an unmatched blend of look and feel.

Application: For all interior surfaces: Furniture units, sliding doors, cabinets, walls, exhibition booths, and more.

- Repeating Pattern: No
- Embossing Direction: In the 96-1/2", except Spalt-linear 2468 having 25 and 96-1/2"
- Panel Core: Stone T 2420 Particle board, Borke Linear - 2487 and Spalt Linear - 2468: Plywood core
- Veneer: Wood
- Lacquered: No

#### Specification(s):

- 41 3/8 x 96 1/2
- \* Also available in 25 x 96-1/2" for the Spalt Linear 2468 only


Sold per sheet




# **Decorative Panels**

### **Antik Panels**









Antik - 2452

PRODUCT	FINISH	THICKNESS
H251225706509	Smoked Oak	1/4"
H251225716009	Smoked Oak	5/8"
H251225719509	Smoked Oak	3/4"
H251225706507	Natural Oak	1/4"
H251225716007	Natural Oak	5/8"
H251225719507	Natural Oak	3/4"
H251225706508	Gray Oak	1/4"
H251225716008	Gray Oak	5/8"
H251225719508	Gray Oak	3/4"
H251225706501	Oak Chocolate	1/4"
H251225716001	Oak Chocolate	5/8"
H251225719501	Oak Chocolate	3/4"

# Richelieu **Section 13B**



#### StrukArt Panels

Hand-finished wood, treated to look aged – the primary material used to create Antik panels. The wood is then transformed into veneer and pressed into molds that mimic the wood surface of yesteryear. The process preserves traces left by the passage of time to create panels that are authentic, unique and expressive.

Panel length indicates direction of embossed wood-grain pattern.

- Repeating Pattern: No
- Panel Core: MDF
- Material: Wood
- Lacquered: Yes (Matte)

#### Specification(s):

- Width: 41-3/8"
- Height: 96-1/2"

• Veneer: Real Oak

14 EDGE-BANDING

SCREWS AND FASTENERS

2 FURNITURE EQUIPMENT

3

SLIDES

CASTERS AND LEGS

KITCHEN SOLUTIONS

CLOSET SOLUTIONS

LIGHTING SOLUTIONS

8

9

SINKS AND FAUCETS

10

OFFICE

11

SLIDING DOORS

12

13

GLASS HARDWARE

6

15

16

17

18

19


COMMERCIAL DISPLAY HARDWARE



**Page 13B9** 

# **Richelieu Section 13B**

# Screening Panels – Aluminum





**FINISH** 

Aluminum

Gold (Anodized)

Caro 10/15 D

**PRODUCT** 

PM00210

PM002160

Refresh your decor with simp
shapes. These geometric design
can help you customize your
furniture, cabinet doors, walls
ceilings, and more.

**Screening Panel** 

gns rooms,

Perforated Aluminum Panel

Very light

**OPENING** 

45% Open

45% Open


- Easy to handle
- Opening represents air flow. The larger opening, the more air flow

#### Specification(s):

- Width: 39"
- Length: 26"
- Thickness: 3/64"


**Alegro KB** 

PRODUCT	FINISH	OPENING
PM00110	Aluminum	43% Open
PM00110	Gold (Anodized)	43% Open




Caro 8/14 G

PRODUCT	FINISH	OPENING
PM00110	Aluminum	33% Open
PM00110	Gold (Anodized)	33% Open




**Alegro DL** 

PRODUCT	FINISH	OPENING
PM00110	Aluminum	33% Open
PM00110	Gold (Anodized)	33% Open



### **Alegro OR**

PRODUCT	FINISH	OPENING
PM00110	Aluminum	37% Open
PM00110	Gold (Anodized)	37% Open




### **Alegro DH**

PRODUCT	FINISH	OPENING
PM00110	Aluminum	37% Open
PM00110	Gold (Anodized)	37% Open



# **Decorative Panels**

# Screening Panels – MDF




Caro 8/14 G

PRODUCT	FINISH	OPENING
P001	Natural	33% Open




### **Alegro CR20**

PRODUCT	FINISH	<b>OPENING</b>
P002	Natural	40% Open




Caro 10/15 D

PRODUCT	FINISH	OPENING
P003	Natural	45% Open




Alegro DH

PRODUCT	FINISH	OPENING
P004	Natural	39% Open



Alegro DL

PRODUCT	FINISH	<b>OPENING</b>
P005	Natural	33% Open



Alegro JA

PRODUCT	FINISH	<b>OPENING</b>
P006	Natural	33% Open





### **Screening Panel**

Renew your decor with simplicity of form. These geometric shapes will help you customize your rooms, furniture, cabinet doors, walls, ceilings, etc.

Perforated MDF Panel

- Ready to paint
- Very light
- Easy to handle
- Opening represents air flow. The larger opening, the more air flow

#### Specification(s):

- Width: 72"
- Length: 24"
- Thickness: 1/8"

Sold per sheet

**CCRMUS 2017** 

**Page 13B11** 

SCREWS AND FASTENERS

2 FURNITURE EQUIPMENT

4 SLIDES

5 CASTERS AND LEGS

6 KITCHEN SOLUTIONS

CLOSET SOLUTIONS

8 LIGHTING SOLUTIONS

9 SINKS AND FAUCETS

10 OFFICE

11 SLIDING DOORS

12 GLASS HARDWARE

13

14 EDGE-BANDING

15

16

17

18

TOOLS AND SECURITY

19



# Richelieu Section 13B

# Screening Panels – MDF





Ecto V

P008

**PRODUCT** 



**OPENING** 

49% Open

#### **Screening Panel**

Renew your decor with simplicity of form. These geometric shapes will help you customize your rooms, furniture, cabinet doors, walls, ceilings, etc.

#### Perforated MDF Panel

- Ready to paint
- Very light
- Easy to handle
- Opening represents air flow. The larger opening, the more air flow


#### Specification(s):

- Width: 72"
- Length: 24"
- Thickness: 1/8"

Sold per sheet

Rondo

PRODUCT	FINISH	OPENING
P007	Natural	24% Open



**FINISH** 


Natural

### Alegro VI

PRODUCT	FINISH	OPENING
P009	Natural	25% Open




PRODUCT	FINISH	OPENING
P010	Natural	49% Open



Caro 8/28 G

PRODUCT	FINISH	OPENING
P011	Natural	8% Open

### **Sahara Collection**



**Oak Titanium** 

PRODUCT	THICKNESS
HS0503	3/16"
HS1903	3/4"



Oak Choco

PRODUCT	THICKNESS
HS0502	3/16"
HS1902	3/4"



**Sand Oak** 

PRODUCT	THICKNESS
HS0501	3/16"
HS1901	3/4"



**Black** 

PRODU	СТ	THICKNESS
HS0590		3/16"

Tel.: 1 800 619.5446 • Fax: 1 800 876.7454



Reconstructed wood surface on a MDF panel.

Application on any vertical interior surface: Store fixtures, columns, display cases, doors, exhibition stands, elevators, many more!

- Lengthwise direction
- One side embossed
- Surfaces sanded and ready for finishing

#### Specification(s):

- Height: 95-7/8"
- Width: 47-1/8"

Sold per sheet

# **Section 13B**

Sahara Collection

3 HINGES

SCREWS AND FASTENERS

2 FURNITURE EQUIPMENT

SLIDES

5 CASTERS AND LEGS

6 KITCHEN SOLUTIONS

CLOSET SOLUTIONS

8 LIGHTING SOLUTIONS

9

SINKS AND FAUCETS

10

11 SLIDING DOORS

12 GLASS HARDWARE

13

14 EDGE-BANDING

15

16


17


18 TOOLS AND SECURITY

19

20 COMMERCIAL DISPLAY HARDWARE

### **Brick and Stone**





#### **Brick**

Square Footage: 9.60 Width: 41-21/64" Height: 33-1/2"

PRODUCT	FINISH
PR70	Old Brick

#### **GB Brick**

**Square Footage:** 11.98 **Width:** 49-7/32" **Height:** 35-3/64"

PRODUCT	FINISH
PR550	Antique Red

# Richelieu Section 13B





### Brick

Our production techniques allow faithful reproduction of the textures and hues of stone and brick. The surface of the material contains real stone particles, sure to be the envy of your guests.

- North American Certification ASTME 84-12 (class B)
- Excellent thermal and acoustic insulating properties.
- Quick and easy to install

Sold per panel





#### **Loft Brick**

Square Footage: 11.98 Height: 33-5/64" Width: 50-25/64"

PRODUCT	FINISH
PR532	Old White


#### **Inspiration Stone**

**Square Footage:** 10.22 **Height:** 31-1/2" **Width:** 46-27/32"

PRODUCT	FINISH
PPR311	White



# **Brick and Stone**



#### **Baztan Stone**

**Square Footage: 10.76** Height: 33-5/64" Width: 46-27/32"

PRODUCT	FINISH
PR35	White
PR36	Gray
PR37	Brown



### **Pizarra Alpes Stone**

Square Footage: 10.81 Height: 35-5/8" Width: 43-45/64"

PRODUCT	FINISH
PR440	Sandy White
PR444	Anthracite
PR445	Italian White

# Richelieu **Section 13B**



#### Stone

Our production techniques allow faithful reproduction of the textures and hues of stone and brick. The surface of the material contains real stone particles, sure to be the


- North American Certification ASTME 84-12 (class B)
- Excellent thermal and acoustic
- Quick and easy to install

envy of your guests.

- insulating properties

Sold per panel

### Contemporary



#### **Cubic Stone**

Square Footage: 10.65 Height: 35-7/16" Width: 43-5/16"

PRODUCT	FINISH
PR301	White
PPR302	Anthracite



#### Corner

Gives the edges of your creation a uniform appearance.

Sold by unit

PRODUCT	FOR PANEL	COLLECTION	QTY
PR03E	PR03	Brick	1
PR70E	PR70	Brick	1
PR35E	PR35	Baztan	1
PR36E	PR36	Baztan	1
PR37E	PR37	Baztan	1
PR440E	PR440	Pizarra	1
PR444E	PR444	Pizarra	1
PR445E	PR445	Pizarra	1
PR301E	PR301	Cubic	1
PR302E	PPR302	Cubic	1
PR311E	PPR311	Inspiration	1

**CCRMUS 2017** 

**Page 13B15** 

SCREWS AND FASTENERS

2 FURNITURE EQUIPMENT

CASTERS AND LEGS

6 KITCHEN SOLUTIONS

CLOSET SOLUTIONS

8 LIGHTING SOLUTIONS

9 SINKS AND FAUCETS

10

11

SLIDING DOORS

12 GLASS HARDWARE

14 EDGE-BANDING

15

16

17

18

19

# **Decorative Panels**

#### **Paint - 250 ml**

Paint joints and holes to obtain an impeccable finish. This is a special paint with pure acrylic resins and highquality pigments.

Sold by unit

PRODUCT	FOR PANEL	QTY
PT01	PR440 and PR36	12
PT05 AND PTE26	PR37	12
PT12	PR03, PR70 and PR550	12
PT500 AND PT501	PR550	12

### Spray Paint - 400 ml

An excellent waterbased PU enamel with very fast drying characteristics producing high quality finishes (2.5  $m^2$  / aerosol 400 ml).

- Excellent opacity, good durability of color and low VOC content and odor
- Easy to apply and recoat

PRODUCT	FOR PANEL	QTY
PTX19	PR444 and PPR302	1
PTX20	PR445, PR301, PR35 and PPR311	1

### Putty - 350 ml

Fill joints and drill holes with putty. This is a single-component sealant made from a mixture of synthetic resin dispersions.

Sold by unit

PRODUCT	FOR PANEL	QTY
MSA10	PR36 and PR440	12
MSA60	PR444	12
MSA50	PR550 and PR70	12
MSA231	PR03, PR70, PR35, PR36, PR37, PR440, PR444, PR445, PR301, PPR302, PPR311, PT500 and PT501	12

# Richelieu Section 13B









# **Decorative Panels**

#### **Barillo**





PRODUCT	FINISH
PWO802	Cabarnet Sauvignon



**Pinot Panel** 

PRODUCT	FINISH
PW0801	Pinot

# **Richelieu Section 13B**

SCREWS AND FASTENERS

2 FURNITURE EQUIPMENT

HINGES

4 SLIDES

5 CASTERS AND LEGS

6

KITCHEN SOLUTIONS

CLOSET SOLUTIONS

LIGHTING SOLUTIONS

8

9

SINKS AND FAUCETS

10

OFFICE

11

SLIDING DOORS

12 GLASS HARDWARE

13

14 EDGE-BANDING

15

16

17



#### **Barillo Collection**

Our commitment to technological innovation has positioned us to keep pace with the constantly evolving world of interior design. These cutting-edge panels are a fabulous and stunning solution to the industry's latest trend of creating interior spaces through unusual combinations of many different patterns, colors and materials.

- Made from recycled Oak Wood
- Perfect finish
- Does not require maintenance
- Excellent acoustic insulating
- Easy to handle and transport
- Ideal for commercial or residential applications

#### Specification(s):

- Square Footage: 3.45
- Height: 15-3/4"

Sold per panel

- of Rioja wine barrels
- Easy and simple installation

- properties

- Width: 31-1/2"

**CCRMUS 2017** 

**Page 13B17** 

18 TOOLS AND SECURITY

19





#### **Brillanté - Solid Color**







#### **Brillanté**

Richelieu

**Section 13B** 

The Brillanté Collection revitalizes the MDF panel, offering you components designed to create stunning interiors.

The Brillanté Collection produces perfectly smooth panels using its state-of-the-art manufacturing technology, resulting in a gloss level of over 90%, and exceeding current industry standards.

Both sides of the MDF core are covered with decorative paper and laminated. A high gloss finish is then applied to the outer side of the panel and a matte finish to the interior side. Finally, the panel is covered in a removable protective film.

With their high gloss lacquer finish, Brillanté Collection panels are the ideal solution for creating:

- Decorative walls
- Architectural elements
- Kitchen cabinetry
- Closet organizers
- Home offices
- And so much more
- A 90% gloss level
- Excellent resistance to heat and scratches
- Resistant to UV rays and discoloration
- Available with two-tone or identical color edgebanding
- Ideal for vertical applications

#### Specification(s):

- Width: 48"
- Length: 108"
- Thickness: 18 mm

Sold per panel

Naranja

PRODUCT	COLOR
N746123057490	Orange

Rojo

PRODUCT	COLOR
N746143057490	Red

**Pistacho** 

PRODUCT	COLOR
N746133057490	Green

**Black** 



Magnolia




PRODUCT	COLOR
N746083057490	Magnolia
N746113057490	Gray
N746103057490	Black

**Blanco** 

PRODUCT	COLOR
N746193057490	White


### Brillanté - Woodgrain




Guayana

**COLOR** 

Beige





**Euroline 03** 

PRODUCT	COLOR
N746233057490	Gray/Black

CCRMUS 2017


N746183057490

Olivio

**PRODUCT** 

#### Harmony - 18.8 mm panels - 51" x 110" (1295 mm x 2794 mm)

PRODUCT	ULTRA GLOSS	SUPER MATTE
Bianco M001	KM001GL18849	KM001MAT18849
Nero M012	KM012GL18849	KM012MAT18849
Grigio Reale M067	KM067GL18849	KM067MAT18849
Tortora M021	KM021GL18849	KM021MAT18849
Grigio M060	KM060GL18849	KM060MAT18849
Cammello M055	KM055GL18849	KM055MAT18849
Rosso M006	KM006GL18849	_



PRODUCT	METALLIC
Nero Metallic M008	KM008MET18849
Grigio Metallic M025	KM025MET18849
Cappuccino Metallic M041	KM041MET18849

### Harmony - 1 mm edgebanding - 0.906" x 246' (23 mm x 75 m)

PRODUCT	<b>ULTRA GLOSS</b>	<b>SUPER MATTE</b>
Bianco M001	KM001GLEDGE75	KM001MATEDGE75
Nero M012	KM012GLEDGE75	KM012MATEDGE75
Grigio Reale M067	KM067GLEDGE75	KM067MATEDGE75
Tortora M021	KM021GLEDGE75	KM021MATEDGE75
Grigio M060	KM060GLEDGE75	KM060MATEDGE75
Cammello M055	KM055GLEDGE75	KM055MATEDGE75
Rosso M006	KM006GLEDGE75	_




PRODUCT	METALLIC
Nero Metallic M008	KM008METEDGE75
Grigio Metallic M025	KM025METEDGE75
Cappuccino Metallic M041	KM041METEDGE75

#### Harmony - 1.4mm sheets - 51" x 110" (1295 mm x 2794 mm)

PRODUCT	<b>ULTRA GLOSS</b>	SUPER MATTE
Bianco M001	KM001GL1449	KM001MAT1449
Nero M012	KM012GL1449	KM012MAT1449
Grigio Reale M067	KM067GL1449	KM067MAT1449
Tortora M021	KM021GL1449	KM021MAT1449
Grigio M060	KM060GL1449	KM060MAT1449
Cammello M055	KM055GL1449	KM055MAT1449
Rosso M006	KM006GL1449	_



Tel.: 1 800 619.5446 • Fax: 1 800 876.7454







#### Harmony

Harmony acrylic panels are a highquality product that provides a strong visual impact and stylish results. These panels are available in a wide range of colors with exactly the same hue, whether in an ultra-gloss or supermatte finish.

What's more, the super-matte finish leaves no visible fingerprints behind.

Highly scratch resistant, the Harmony series with its 18.8 mm "carb2" particle core panels is particularly suitable to furniture making and cabinetry. The 1.4 mm sheets can be used for store fixtures, living room, kitchen or bathroom furnishings, thus providing tremendous flexibility.

#### Advantages

- Highly heat resistant: will not warp
- Highly abrasion, water and stain resistant • Resistant to UV rays and discoloration
- Easy to clean

#### Ultra-gloss finish

- Extremely resistant lacquered mirror effect
- · May be repolished

#### Super-matte finish

- · Leaves no visible fingerprints behind
- Ultra-opaque surface
- · Chemical and stain resistant

16

19

**CCRMUS 2017** 

SCREWS AND FASTENERS 2

FURNITURE EQUIPMENT

SLIDES

CASTERS AND LEGS

6 KITCHEN SOLUTIONS

CLOSET SOLUTIONS

8 LIGHTING SOLUTIONS

10

9

11

SLIDING DOORS

12 GLASS HARDWARE

13

14 EDGE-BANDING

15

17

18



#### **Antibacterial**

Three colors with super-matte finish are available with Zerobact technology, which prevents the growth of bacteria on surfaces, making it ideal for medical facilities, laboratories, bathrooms, schools and daycare centres.

### Harmony - 18.8 mm panels - 51" x 110" (1295 mm x 2794 mm)

PRODUCT	SUPER MATTE	
Bianco M001	KM001MAT18849	
Tortora M021	KM021MAT18849	
Grigio M060	KM060MAT18849	

### Harmony – 1.4 mm sheets – 51" x 110" (1295 mm x 2794 mm)

PRODUCT	SUPER MATTE	
Bianco M001	KM001MAT1449	
Tortora M021	KM021MAT1449	
Grigio M060 KM060MAT14		







# Richelieu Section 13B



#### **Harmony**

Harmony acrylic panels are a highquality product that provides a strong visual impact and stylish results. These panels are available in a wide range of colors with exactly the same hue, whether in an ultra-gloss or supermatte finish.

What's more, the super-matte finish leaves no visible fingerprints behind.

Highly scratch resistant, the Harmony series with its 18.8 mm "carb2" particle core panels is particularly suitable to furniture making and cabinetry. The 1.4 mm sheets can be used for store fixtures, living room, kitchen or bathroom furnishings, thus providing tremendous flexibility.

#### Advantages

- Highly heat resistant: will not warp
- Highly abrasion, water and stain resistant
  Resistant to UV rays and discoloration
- Easy to clean

#### Ultra-gloss finish

- Extremely resistant lacquered mirror effect
- May be repolished

#### Super-matte finish

- Leaves no visible fingerprints behind
- Ultra-opaque surface
- Chemical and stain resistant





PRODUCT	FINISH
DWA240G	Matte Metal

PRODUCT	FINISH	
DW6250G	Brushed Aluminum	



PRODUCT	FINISH	
DW6256G	Brushed Steel	

# **Section 13C**



#### **Decorative Metal**

High-pressure laminate coated with a layer of aluminum, copper or stainless steel. The decorative layer is either lacquered or anodized and provides permanent protection against corrosion and oxidation.

Application: Any vertical interior surface, store fixtures, furniture,

- All sheets are covered with a removable protective film
- Panels have a formaldehyde emission of <0.01 PPM according to EN DIN 717/1
- Fully recyclable core composed of 100% organic secondary components obtained from renewable resources
- Not recommended for exterior use, high-humidity areas, or horizontal surfaces with high abrasion

#### Specification(s):

- FSC: Yes
- Width: 48"
- Thickness: 1/32"

Sold per sheet



**CCRMUS 2017** 

**Page 13C1** 

Richelieu

SCREWS AND FASTENERS

2 FURNITURE EQUIPMENT

3 HINGES

4 SLIDES

5 CASTERS AND LEGS

6

KITCHEN SOLUTIONS

CLOSET SOLUTIONS

8 LIGHTING SOLUTIONS

9

SINKS AND FAUCETS

10

11

SLIDING DOORS

12

14

EDGE-BANDING

15

16

17

18 TOOLS AND SECURITY

19

20 COMMERCIAL DISPLAY HARDWARE

GLASS HARDWARE



columns, display cases, wall and ceiling panels, doors, exhibitions stands, elevators, etc.

- Length: 96"



# **Richelieu Section 13C**

#### **Re-Y-Stone**


**PRODUCT** 

DWS5200EVE



**FINISH** 

Black



#### **Decorative Laminate**


More than 60% of the board is composed of recycled paper and the remaining 30-40% is a bio-resin. Surfaces of the board are not corrosive, nor do they oxidize. They require no additional surface treatment (e.g. varnish or paint). All decorative surfaces can be cleaned with a mild soap solution. Abrasive cleaners such as scouring powder should be avoided.

- 100% ecological
- Non-polluting
- Non-petroleum based
- Made of recycled core, decor paper, and natural resin extracted from sugar production waste
- The material also has the advantage of a high degree of flexural rigidity due to its high modulus of elasticity
- Application on any vertical interior surface: Store fixtures, furniture, columns, display cases, wall and ceiling panels, doors, exhibition stands, elevators, etc
- Not recommended for exterior use, high-humidity areas, or horizontal surfaces with high abrasion

PRODUCT	FINISH	THICKNESS
DWS5201MON	Brown	3/64"

#### **Roots**





#### Stonehenge

Moon

**THICKNESS** 

3/64"

PRODUCT	FINISH	THICKNESS
DWS5200STO	Black	1/16"

#### Specification(s):

- FSC: Yes
- Width: 48"
- Length: 96"

Sold per sheet





#### Havanna


I	PRODUCT	FINISH	THICKNESS
ſ	DWS5201HAV	Brown	1/16"






# **Section 13C**

### **Black and White Collection**





**FINISH** 

Black

White

**THICKNESS** 

1/32"

1/32"

### **Decorative Laminates**

Core sheets impregnated with phenolic and/or melamine synthetic resins and a surface layer impregnated with an aminoplast resin (primarily melamine synthetic resin) are pressed together on a highpressure laminate.

Application on any vertical interior surface: Store fixtures, furniture, columns, display cases, wall and ceiling panels, doors, exhibition stands, elevators, etc. Not recommended for exterior use, highhumidity areas, or horizontal surfaces with high abrasion.


#### Specification(s):

- FSC: Yes
- Width: 48"
- Length: 96'

Sold per sheet

#### **BKE**

PRODUCT	FINISH	THICKNESS
DWE11BKE	Black	3/64"
DWE111BKE	White	3/64"



#### **PTG**

**THICKNESS** 

1/32"


1/32"

**PRODUCT** 

DWE11PGQ

DWE111PGQ


PRODUCT	FINISH	THICKNESS
DWE11PTG	Black	1/32"
DWE111PTG	White	1/32"



**FINISH** 

Black

White



#### **RSN**

PRODUCT	FINISH	THICKNESS		
DWE11RSN	Black	1/32"		
DWE111RSN	White	1/32"		



**PKQ** 

**PRODUCT** 

**DWE11PKQ** 

DWE111PKQ

PRODUCT	FINISH	THICKNESS	
DWE11PTK	Black	1/32"	
DWE111PTK	White	1/32"	



**CCRMUS 2017** 

**Page 13C3** 

Richelieu

6 KITCHEN SOLUTIONS

CLOSET SOLUTIONS

SCREWS AND FASTENERS

2 FURNITURE EQUIPMENT

4 SLIDES

5 CASTERS AND LEGS

8 LIGHTING SOLUTIONS

9 SINKS AND FAUCETS

10

11 SLIDING DOORS

12 GLASS HARDWARE

13

14 EDGE-BANDING

15

16

17

18

TOOLS AND SECURITY

19



# **Decorative Laminates**

# **Richelieu Section 13C**

### Copper





**Kairo** 

PRODUCT	THICKNESS		
DWCA02	1/16"		



PRODUCT	THICKNESS		
DWCA03	1/16"		





**Sydney** 

PRODUCT	THICKNESS		
DWCA08	1/16"		

Rio

PRODUCT	THICKNESS
DWCA10	1/16"



### **Decorative Laminates**

These high-pressure laminate panels with genuine aluminum, copper or stainless steel surfaces create a modern look in any room. Decorative metal surfaces are either anodized or lacquer-coated for permanent protection against corrosion and oxidation.


For all vertical, interior surfaces: Shop interiors, furniture units, columns, displays, wall panels, doors, exhibition booths, elevators and more.

• Not recommended for exterior use, high-humidity areas, or horizontal surfaces with high abrasion

#### Specification(s):

- FSC: Yes
- Finish: Copper
- Width: 48"
- Length: 96"

Sold per sheet



**CA23** 

PRODUCT	THICKNESS		
DWCA23	3/64"		





# **Richelieu**

2 FURNITURE EQUIPMENT

SCREWS AND FASTENERS

4 SLIDES

5 CASTERS AND LEGS

6 KITCHEN SOLUTIONS

CLOSET SOLUTIONS

8 LIGHTING SOLUTIONS

9 SINKS AND FAUCETS

10 OFFICE

11 SLIDING DOORS

12 GLASS HARDWARE

13

14 EDGE-BANDING

15

16


17

18 TOOLS AND SECURITY

19

COMMERCIAL DISPLAY HARDWARE

**Section 13C** 



Copper

Copper **PRODUCT** 


DWC421

Copper

PRODUCT	THICKNESS		
DWC400	1/32"		

**THICKNESS** 

1/32"



**Turmalina** 

PRODUCT	THICKNESS
DWC411	1/32"



**Antique** 

PRODUCT	THICKNESS
DWC471	1/32"



These high-pressure laminate panels with genuine aluminum, copper or stainless steel surfaces create a modern look in any room. Decorative metal surfaces are either anodized or lacquer-coated for permanent protection against corrosion and oxidation.

For all vertical, interior surfaces: Shop interiors, furniture units, columns, displays, wall panels, doors, exhibition booths, elevators and more.

• Not recommended for exterior use, high-humidity areas, or horizontal surfaces with high abrasion

#### Specification(s):

- FSC: Yes
- Finish: CopperWidth: 48"
- Length: 96"
- Thickness: 1/32"

Sold per sheet



**CCRMUS 2017** 

**Page 13C5** 



# Richelieu Section 13C



# **Decorative Laminates**

Metal sheet with laminated back. The lnox collection represents the perfect synthesis of high-grade steel and modern design. This elegant metal decor accentuates each room in a truly dazzling way. Wherever quality and extraordinary interior design are highly valued, high-grade steel makes the ideal surface material. Everyone will be enchanted by its sleek, elegant appearance.

- All sheets are covered with a removable protective film
- Application on any vertical interior surface: Store fixtures, furniture, columns, display cases, wall and ceiling panels, doors, exhibition stands, elevators, etc
- Not recommended for exterior use, high-humidity areas, or horizontal surfaces with high abrasion

#### Specification(s):

- FSC: Yes
- Width: 48"
- Length: 96"
- Thickness: 1/32"

Sold per sheet

#### Stainless Steel



**PRODUCT** 

DS299GEB32

#### Aluminum




**Polished Aluminum** 

PRODUCT DW6251



**Brushed Aluminum** 

PRODUCT
DWA245



Matte Metal

PRODUCT DWA204



**Polished Brass** 

PRODUCT DW6255



**Brushed Brass** 

PRODUCT

DW6254



**Brushed Steel** 

PRODUCT DWA247

CCRMUS 2017

**Black Mirror** 

**Brushed Taupe** 

**PRODUCT** 

DWA253

**PRODUCT** 

DWA216

# **Textured Aluminum**




DWA250473



DWA250GEK



DWA250603




DWA250604



DWA250612



DWA250619



### **Decorative Metal**




DWA256BWD\*



DWA253BWD\*



DWBD50210



**DWKP50210** 



DWA240NTZ



DWA253NTZ

\*Thickness: 1/16"

# Richelieu **Section 13C**



#### **Decorative Laminates**

High-pressure laminate coated with a layer of aluminum, copper or stainless steel. The decorative layer is either lacquered or anodized and provides permanent protection against corrosion and oxidation.

- All sheets are covered with a removable protective film
- Application on any vertical interior surface: Store fixtures, furniture, columns, display cases, wall and ceiling panels, doors, exhibition stands, elevators, etc
- Not recommended for exterior use, high-humidity areas, or horizontal surfaces with high abrasion

#### Specification(s):

- FSC: Yes
- Width: 48"
- Length: 96"
- Thickness: 1/32" (\*except products DWA256BWD and DWA253BWD 1/16")

Sold per sheet



**CCRMUS 2017** 

**Page 13C7** 

SCREWS AND FASTENERS

2

FURNITURE EQUIPMENT

4 SLIDES

5 CASTERS AND LEGS

6 KITCHEN SOLUTIONS

CLOSET SOLUTIONS

8 LIGHTING SOLUTIONS

9 SINKS AND FAUCETS

10 OFFICE

11 SLIDING DOORS

12 GLASS HARDWARE

13

14 EDGE-BANDING

15

16

17

18 TOOLS AND SECURITY

19

20



# Richelieu Section 13C


NOTES



# **Lightweight Panels**

#### **Components**

PRODUCT	FINISH	HEIGHT	DEPTH	THICKNESS	EDGES
N81002997133	MDF	24"	12-3/4"	1-3/4"	1 Long, 2 Short
N81352997133	CEDAN Veneers: Natural Birch	24"	12-3/4"	1-3/4"	1 Long, 2 Short
N81002997135	MDF	30"	12-3/4"	1-3/4"	1 Long, 2 Short
N81352997135	CEDAN Veneers: Natural Birch	30"	12-3/4"	1-3/4"	1 Long, 2 Short
N81002997242	MDF	35"	24"	1-3/4"	Unfinished
N81352997242	CEDAN Veneers: Natural Birch	35"	24"	1-3/4"	2 Long
N81002997134	MDF	36"	12-3/4"	1-3/4"	1 Long, 2 Short
N81352997134	CEDAN Veneers: Natural Birch	36"	12-3/4"	1-3/4"	1 Long, 2 Short
N81002997243	MDF	41"	24"	1-3/4"	Unfinished
N81352997243	CEDAN Veneers: Natural Birch	41"	24"	1-3/4"	2 Long
N81002997143	MDF	48"	14"	1-3/4"	Unfinished
N81352997143	CEDAN Veneers: Natural Birch	48"	14"	1-3/4"	1 Long
N81002997141	MDF	84-1/2"	14"	1-3/4"	Unfinished
N81352997141	CEDAN Veneers: Natural Birch	84-1/2"	14"	1-3/4"	1 Long
N81002997244	MDF	84-1/2"	24"	1-3/4"	Unfinished
N81002997142	MDF	96-1/2"	14"	1-3/4"	Unfinished
N81352997142	CEDAN Veneers: Natural Birch	96-1/2"	14"	1-3/4"	1 Long
N81002997245	MDF	96-1/2"	24"	1-3/4"	Unfinished
N81002997302	MDF	96-1/2"	30"	1-3/4"	Unfinished



# Richelieu **Section 13D**



### Lightweight panels

Lightweight panels are made of wood particles.

Hot-melt polyurethane glue (without urea-formaldehyde) is used during

Components - Lightweight panels with finish on required sides only (for cabinets and furniture work)

#### Advantages

- Strong, rigid, and stable
- Major savings in shipping and handling, compared to traditional panels
- Highly recyclable content. Most of the product components are made
- Crush resistant

#### Application

- For cabinet and furniture work
- Cabinets, counters, and work surfaces
- Residential, commercial or institutional applications
- Office and corporate furniture

Sold per panel

honeycomb paper cell and recycled

- Easy to cut and drill, perfect for curved and complex shapes
- from recycled and recyclable fibres

**CCRMUS 2017** 

**Page 13D1** 

SCREWS AND FASTENERS

2 FURNITURE EQUIPMENT

4 SLIDES

5 CASTERS AND LEGS

6 KITCHEN SOLUTIONS

CLOSET SOLUTIONS

8 LIGHTING SOLUTIONS

9 SINKS AND FAUCETS

10

11 SLIDING DOORS

12 GLASS HARDWARE

13

14 EDGE-BANDING

15

16

17

18

TOOLS AND SECURITY

19



# **Lightweight Panels**

### Shelves

PRODUCT	WIDTH	DEPTH	THICKNESS	EDGES	FINISH
N80352997122	23-3/4"	11-5/8"	1-3/4"	1 Long, 2 Short	CEDAN Veneers: Natural Birch
N80002997122	23-3/4"	11-5/8"	1-3/4"	1 Long, 2 Short	MDF
N8032A2997122E	23-3/4"	11-5/8"	1-3/4"	1 Long, 2 Short	CEDAN Veneers: Natural Birch
N80352997124	30-1/4"	11-5/8"	1-3/4"	1 Long, 2 Short	CEDAN Veneers: Natural Birch
N80002997124	30-1/4"	11-5/8"	1-3/4"	1 Long, 2 Short	MDF
N80352997125	47-7/8"	11-5/8"	1-3/4"	1 Long, 2 Short	CEDAN Veneers: Natural Birch
N80002997125	47-7/8"	11-5/8"	1-3/4"	1 Long, 2 Short	MDF
N80352997126	60-3/4"	11-5/8"	1-3/4"	1 Long, 2 Short	CEDAN Veneers: Natural Birch
N80002997126	60-3/4"	11-5/8"	1-3/4"	1 Long, 2 Short	MDF
N80352997127	71-7/8"	11-5/8"	1-3/4"	1 Long, 2 Short	CEDAN Veneers: Natural Birch
N80002997127	71-7/8"	11-5/8"	1-3/4"	1 Long, 2 Short	MDF
N80262997127E	71-7/8"	11-5/8"	1-3/4"	1 Long, 2 Short	CEDAN Veneers: Natural Birch



# Richelieu Section 13D



### Lightweight panels

Lightweight panels are assembled with honeycomb paper cell, made from recycled fibres.

Hot-melt polyurethane glue (without urea-formaldehyde) is used during assembly.

Panels are considerably lighter than traditional panels, creating optimal ergonomics for the user as well as major savings in transportation costs.

Panels are finished on all sides except for the side to be fixed to the wall.

Sold per panel