



**Richelieu**  
**ERGO**

# CONTENTS

ADJUSTABLE TABLE BASES ..... 3

MOBILE TV CART ..... 10

TABLE LEGS AND ACCESSORIES ..... 11

STRUCTURAL TABLE LEGS ..... 16

SIT2STAND WORKSTATIONS ..... 21

LAPTOP STANDS ..... 23

KEYBOARD ARMS..... 24

KEYBOARD TRAYS ..... 26

KEYBOARD TRAY & ARMS COMBOS ..... 27

SLIDING DRAWERS..... 30

MONITOR ARMS..... 32

MONITOR SUPPORTS ..... 45

CPU HOLDERS..... 47

LIGHTING SOLUTIONS ..... 49

POWER MANAGEMENT ..... 51

CHARGER SOLUTIONS ..... 56

WIRE MANAGEMENT ..... 58

DESK ACCESSORIES ..... 63

ELECTRONIC LOCKS..... 65

RFID CARD SET ..... 67



## UNITE SERIES ADJUSTABLE BASES

No more searching for your favorite positions, our handset provides 4 programmable positions along with an LED readout of desk height. The sophisticated programming in our control box creates the quality of movement you'd expect from a high-end product. We only use powder-coated steel construction and powerful DC motors with high lifting capacities.

### ADVANTAGES AND BENEFITS


- Software ensures soft start/stop
- Hall sensor measures speed and alignment
- Temperature sensors protect circuitry and motors to ensure long life
- Full height range: Seated to full standing 23 1/2" - 49" (597 mm - 1.245 m)
- Adjustability speed: 1 1/2" (38 mm) per second
- LED programmable handset
- Adjustable leveling legs

PRECISE

SMART

SPEEDY

STRONG



No.	Load Capacity	Motor	Leg/stage	Finish
50078290	250 lb (113 kg)	2	2 legs, 3 stages	Black
500782100				Silver
50078230				White
50078390	350 lb (159 kg)	3	3 legs, 3 stages	Black
500783100				Silver
50078330				White



## ADVANTAGES AND BENEFITS

- Powder-coated steel construction
- Sophisticated programming control box
- Software ensures soft start/stop
- Hall sensor measures speed and alignment
- Temperature sensors protect circuitry and motors to ensure long life

SMART

SPEEDY

STRONG

## UNITE SERIES ADJUSTABLE TABLE MOUNT BASE

## SPECIFICATIONS

- Leg dimensions: 3 5/32" x 2" (80 x 51 mm)
- Adjustability speed: 1 1/2"/s (38 mm/s)
- Anti-collision stop: yes
- Gas pressure: 800 N

No.	Load Capacity	Motor	Leg/stage	Finish
<b>500782GM100</b>	250 lb (113 kg)	2	2 legs, 3 stages	Silver

## HEIGHT-ADJUSTABLE BASE ACCESSORIES

No.	Description	Finish
<b>500785A90</b>	Basic up/down switch	Black
<b>500785B130</b>	Round up/down switch	White
<b>500785B230</b>	Square up/down switch	White
<b>50078590</b>	Programmable switch	Black



50078590



500785B130



500785B230



500785A90

## ACES SERIES ADJUSTABLE BASES

## SPECIFICATIONS

- Includes basic up/down control switch
- Round table legs
- Adjustability speed: 1 1/2" (38 mm) per second
- Adjustable leveling legs



**OPTIONAL SWITCH**  
4 programmable positions  
with desk height LED readout  
**50078590**

No.	Load Capacity	Motor	Leg/stage	Finish
<b>50078430</b>	250 lb (113 kg)	2	2 legs, 2 stages	White
<b>50078490</b>				Black
<b>500784100</b>				Silver



## FEDORA SERIES ADJUSTABLE BASES

The T-leg styling is ideal for most applications and fits beautifully in today's open designs. The two-stage frame is tested and approved in accordance with ANSI / BIFMA X5.5-2014.

Easily assembled in a few quick step!

### ADVANTAGES AND BENEFITS

- Powder-coated steel construction
- Sophisticated programming control box
- Software ensures soft start/stop
- Hall sensor measures speed and alignment
- Temperature sensors protect circuitry and motors to ensure long life

### SPECIFICATIONS

- Speed: 1 1/4" (32 mm) per second
- Expandable frame width: 44 1/8" - 59 7/8" (1.12 - 1.52 m)
- Frame height: 25 7/8" - 46 1/8" (657 mm - 1.172 m) (not including top)

*Fixed widths are available through special order.*



EASY

VERSATILE

CONTEMPORARY LOOK



No.	Load Capacity	Motor	Leg/stage	Finish
50072L2S30	200 lb (91 kg)	1	2 legs, 2 stages	White
50072L2S90				Black
50072L2S100				Silver

### REQUIRED PRODUCT

No.	Description
5002L2SRK	Adjustable rail kit, required to complete leg kit



OPTIONAL  
PROGRAMMABLE  
SWITCH  
with LED display  
**5002L2SPS**




## DESK IN A BOX

### ADVANTAGES AND BENEFITS

- Tested to 45,000 cycles
- Programmable handset
- 5-year warranty on motors and frames and 2 years on electrical parts

### SPECIFICATIONS

- Single motor runs at 25/32" (20 mm) per second



No.	Load Capacity	Motor	Leg/stage	Finish
5002L2S244890	176 lb (80 kg)	1	2 legs, 2 stages	Black
5002L2S244860				Rustic

## ARISE II SERIES ADJUSTABLE BASES

### SPECIFICATIONS

- Adjustability speed: 1 1/2" (38 mm) per second
- Soft-touch up/down buttons
- Adjustable leveling legs



Soft-touch up/down buttons



External power supply



OPTIONAL SWITCH  
4 programmable positions with  
LED readout of desk height

50078590



No.	Load Capacity	Motor	Leg/stage	Finish
500745490	165 lb (75 kg)	1	1 leg, 2 stages	Black

## ARISE III SERIES ADJUSTABLE BASES


### ADVANTAGES AND BENEFITS

- Pedestal-style electric height-adjustable base, perfect for corner applications or training tables
- Includes a steel drawer, ideal for storing pens, paper, staplers, or any other items you don't want on your work surface

### SPECIFICATIONS

- Max top size range: 30" - 36" x 30" - 36" (762 - 914 mm x 762 - 914 mm)
- Programmable handset with 4 presets
- Built-in drawer W x D x H:  
19" x 12" x 2 9/16" (483 x 305 x 65 mm)
- Drawing weight rating: 44 lb (20 kg)

No.	Load Capacity	Motor	Leg/stage	Finish
500746100	175 lb (79 kg)	1	1 leg, 3 stages	Silver



## SUDO SERIES ADJUSTABLE BASES

### ADVANTAGES AND BENEFITS

- Lightweight pneumatic base
- Perfect for the user with minimal desk clutter who wants to sit and stand throughout the day
- Easily free floats a work surface
- Accommodating a laptop, phone and desk lamp along with your day-to-day paperwork

### SPECIFICATIONS

- Work surface width: 47" - 59" (1.194 - 1.499 m)
- Gas pressure : 120 N

No.	Load Capacity	Leg/stage	Finish
500788530	50 lb (22.7 kg)	2 legs, 2 stages	White
500788590			Black
5007885100			Silver



MOBILE SIT/STAND LAPTOP DESKS

ADVANTAGES AND BENEFITS

- Perfect for home, office, or classroom
- Can be used as notebook cart, podium, student desk, additional desk, display stand, and many other applications
- No complicated electronic controls
- Fast adjustment

SPECIFICATIONS

- Pneumatic height-adjustable movable/lockable sit/standing desk
- No electricity needed and no cable clusters
- Easy squeeze lever for raising and lowering
- Wide steel base reduces wobble for superior stability
- Max. load capacity: 22 lb (10 kg)

No.	Finish
500LTS2S90	Black
500LTS2S30	White





## HEIGHT-ADJUSTABLE PEDESTAL BASES

Whether you want to stand or sit, these are the perfect solutions for small meeting tables or a side table in the office. Easily adjusted with the pull and lever and assisted with pneumatics.

### FIXED ROUND WEIGHTED BASES

- Height range: 24" - 39 5/8" (610 mm - 1.006 m)
- Column size: D78
- Load capacity: 9 - 13 lb (4 - 6 kg)

No.	Finish
<b>500PB90</b>	Black
<b>500PB30</b>	White
<b>500PB100</b>	Gray

### MOBILE BASES

- Height range: 27 9/16" - 43 5/16" (700 mm - 1.1 m)
- Caster diameter Ø: 1 31/32 (50 mm)
- Column size: D78
- Load capacity: 9 - 13 lb (4 - 6 kg)

No.	Finish
<b>500PBM90</b>	Black
<b>500PBM30</b>	White
<b>500PBM100</b>	Gray



## PRESTIGE FLIP TOP BASES

Prestige flip top table bases are perfect for overcoming space constraints. Flip top tables are extremely convenient as they are portable and can be stored away when not in use. Prestige flip top bases are telescopic to accommodate 3 lengths and multiple depths. Perfect for home, office, training rooms, presentations, and small workshops.

### ADVANTAGES AND BENEFITS

- Dual-sided lever for a quick flip of the top
- Fast and simple transition from work surface to storage
- Tables nest for compact storage
- Hardware kit included
- Minimal assembly required; assembles in minutes



No.	3 adjustable length settings	Width	Height	Finish
<b>500FTTB130</b>				White
<b>500FTTB190</b>	59 1/16" - 78 3/4" (1.5 - 2 m)	19 5/8" - 23 5/8" (500 - 600 mm)	29 1/2" (750 mm)	Black
<b>500FTTB1100</b>				Silver



\*Wood top and modesty panels not included

## MOBILE TV CART

Mobile TV Cart accommodates most 32" - 55" (813 mm - 1.397 m) TVs. Screen can be tilted up and down ( $-10^{\circ}$ ,  $+10^{\circ}$ ) for an optimal viewing experience.

### ADVANTAGES AND BENEFITS

- Tool-less tilt: allows for effortless positioning
- Heavy-duty casters with locking mechanism: can be moved or secured as required
- Load capacity: 80 lb (36.3 kg)


No.	Finish
500MTVC90	Black



**Quick-release spring lock**  
for effortless height-adjustment



**Integrated cable management**  
keeps everything organized





## DESK C-LEG

Perfect for classrooms, training spaces, team meeting areas, open offices and much more.

### ADVANTAGES AND BENEFITS

- Wires and cabling can be hidden inside the metal frame
- Feet are individually adjustable for leveling purposes
- Designed for fast and easy assembly
- Easy to install

### SPECIFICATIONS

- Height adjustment and excellent stability supplied by 4 levelers (2 /leg)
- Height: 28 1/2" to 28 7/8" (724 - 733 mm)
- Width: 2 7/16" (62 mm)
- Depth: 23 5/8" (600 mm)
- Load capacity/leg: 265 lb (120 kg)



No.	Finish
646072100106	Gray

## DESIGN TABLE LEGS

### SPECIFICATIONS

- Height: 27 3/4" (705 mm)
- Adjustability: 3/4" (19 mm)
- Load capacity/leg: 331 lb (150 kg)

See the full line of design table legs at [richelieu.com](http://richelieu.com)



No.	Finish
612705106	Silver

DESIGN LEGS

SPECIFICATIONS

- Height: 28" (711 mm)
- Width: 2 3/8" (60 mm)
- Adjustment: 3/8" (10 mm)
- Load capacity: 331 lb (150 kg)

No.	Finish
64671010	Aluminum



SQUARE



Flush mounting



SPECIFICATIONS

- Height: 27 1/2" (700 mm)
- Adjustment: 3/8" (10 mm)
- Load capacity: 331 lb (150 kg)

No.	Description	Finish
63771010	Oval	Aluminum
63271010	Teardrop	
63371010	Triangular	


OVAL



TEARDROP



TRIANGULAR



ADJUSTABLE SQUARE LEGS

SPECIFICATIONS

- Adjustment: 3/8" (10 mm)
- Load capacity/leg: 331 lb (150 kg)

No.	Height	Dimensions	Finish
642705010	27 3/4" (705 mm)	3 15/16" x 3 15/16" (100 x 100 mm)	Aluminum
645705140		3 5/32" x 3 5/32" (80 x 80 mm)	Chrome
645705170			Stainless Steel
644705140		2 3/8" x 2 3/8" (60 x 60 mm)	Chrome
644705170	Stainless Steel		
644870140	34 1/4" (870 mm)		Chrome
644870170			Stainless Steel
643705140	27 3/4" (705 mm)	1 31/32" x 1 31/32" (50 x 50 mm)	Chrome
643705170			Stainless Steel





## GLASS LEGS

### SPECIFICATIONS

- Diameter: 2 3/8" (60 mm)
- Height: 28 3/8" (720 mm)
- Adjustment: 1 3/16" (30 mm)
- Load capacity: 331 lb (150 kg)


No.	Finish
61271010	Ridged Satin Aluminum



### GLASS TABLE LEG ADAPTOR

- Glue to table with UV glue (D030143) and screw on leg

No.	Finish
81200170	Stainless Steel



## CLICK FOLDING TABLE LEGS

### SPECIFICATIONS

- Diameter: 2" (51 mm)
- Height: 27 15/16" (710 mm)
- Adjustment: 1 3/16" (30 mm)
- Load capacity/leg: Max. 220 lb (100 kg)



No.	Finish
65671010	Aluminum
65671090	Matte Black



## TABLE LEGS

No.	Diameter	Height	Load capacity	Finish
<b>615710</b>	2 3/8" (60 mm)	27 1/2" - 28 3/4" (700 - 730 mm)		30, 90, 140, 170, 175
<b>615870</b>	2 3/8" (60 mm)	34 1/4" - 35 7/16" (870 - 900 mm)	331 lb (150 kg)	30, 90, 140, 175
<b>620710</b>	3 5/32" (80 mm)	27 15/16" - 29 1/8" (710 - 740 mm)		10, 30, 90, 140, 175, 900



## OPTIONAL TABLE LEG COVERS

Ref.	No.	Diameter	Height	Finish
<b>A</b>	<b>6600010</b>	2 3/4"	5 1/2"	170
<b>B</b>	<b>660004</b>	(70 mm)	(140 mm)	90

A



B



## ADJUSTABLE TABLE LEGS

### ROUND

No.	Diameter	Height	Load capacity	Finish
<b>550100</b>	1 31/32" (50 mm)	3 15/16" - 5 29/32" (100 - 150 mm)	331 lb (150 kg)	10, 140, 170, 900



### SQUARE

No.	Diameter	Height	Load capacity	Finish
<b>555100</b>	1 15/16" (49 mm)	3 15/16" - 9 27/32" (100 - 250 mm)	772 lb (350 kg)	140, 170, 300, 900



	21	Maple
	25	Oak
	28	Cherry
	290	Walnut
	10	Aluminum
	30	White
	90	Black
	140	Chrome
	170	Stainless Steel
	175	Brushed Nickel
	900	Matte Black

## ZOOM SERIES TABLE LEGS



Ref.	Legs	Diameter	Height	Load capacity	Finish
A	660710	2 3/8" (60 mm)	27 31/32" - 31 29/32" (710 - 810 mm)	331 lb (150 kg)	140, 170, 900
B	660650		25 19/32" - 29 17/32" (650 - 750 mm)		

Zoom legs: 100-mm height adjustment

Ref.	Casters	Diameter	Height	Load capacity	Finish
C	660001	1 31/32" (50 mm)	2 27/32" (72 mm)	265 lb (120 kg)	90
D	660002	2 3/4" (70 mm)	4 3/4" (120 mm)		



PRACTICAL

FUNCTIONAL

ERGONOMIC

## OFFICE FURNITURE DESIGN CASTERS

## ADVANTAGES AND BENEFITS

- Unique design with no central core
- Available in self-locking version, in manual brake version or without brake
- Max. load capacity: 110 lb (50 kg)



307147100



307151140



307145100

No.	Fastening type	Mounting type				Plate dimensions	Finish
307141100	Swivel without brake	Plate				1 27/32" x 1 27/32" (47 x 47 mm)	Metalic Gray and Matte Gray
307151140							Black and Chrome
307145100	Swivel with brake	Friction Grip Stem					Metalic Gray and Matte Gray
307157140						N/A	Black and Chrome
307147100	Self-locking					N/A	Metalic Gray and Matte Gray

## LEVELERS

No.	Base diameter	Load capacity
69432R	1 5/8" (41 mm)	110 lb (50 kg)
69402R	1 1/8" (29 mm)	



See the full line of casters and levelers at [richelieu.com](http://richelieu.com)

HAIRPIN LEGS

PRACTICAL SOLUTION COMBINED WITH MODERN DESIGN

Steel legs with an elegant and modern look for a simple and robust support.

SPECIFICATIONS

- Diameter of each metal rod: 15/32" (12 mm)
- Mounting plate is welded on
- Plate thickness: 1/8" (3 mm)
- Comes with four mounting holes for maximum support
- The glides (included) protect and stabilize the legs on the floor
- Load capacity/leg: 551 lb (250 kg)



No.	Height	Finish
704150900	5 29/32" (150 mm)	Matte Black
704200900	7 7/8" (200 mm)	
704250900	9 27/32" (250 mm)	
704300900	11 13/16" (300 mm)	
704350900	13 25/32" (350 mm)	
704400900	15 3/4" (400 mm)	
704710900	28" (710 mm)	
704870900	34 1/4" (870 mm)	



STREAMLINED AND STYLISH LOOK

AVAILABLE IN A VARIETY OF HEIGHTS





## H-SHAPED TABLE LEGS

These structural table legs feature industrial design and a contemporary look with a hint of vintage style. Ideal for all your commercial and residential projects such as: conference tables, desks and much more.

### SPECIFICATIONS


- Available in four finishes: Stainless Steel (170), Matte Chrome (174), Matte Black (900) and Matte Black Iron (909)
- Width: 25 3/16" (640 mm)
- Adjustability: 5/8" (16 mm)
- Size of the base: 3 5/32" x 3 5/32" (80 x 80 mm)
- Sold by pair



ROBUST

EASY TO INSTALL

AVAILABLE IN VARIOUS FINISHES



Stainless Steel  
(170)



Matte Chrome  
(174)



Matte Black  
(900)



Matte Black Iron  
(909)

No.	Material	Height	Load capacity/Pair	Finish
68075710900	Steel	27 15/16" (710 mm)	441 lb (200 kg)	Matte Black
68075710909	Steel			Matte Black Iron
68075710170	Stainless Steel (201)			Stainless Steel
68075710174	Steel	34 1/4" (870 mm)	265 lb (120 kg)	Matte Chrome
68075870900	Steel			Matte Black
68075870170	Stainless Steel (201)			Stainless Steel
68075870174	Steel	43 1/4" (1,100 mm)		Matte Chrome
680751100900	Steel			Matte Black
680751100170	Stainless Steel (201)			Stainless Steel
680751100174	Steel			Matte Chrome



## X-SHAPED TABLE LEGS

## A TRENDY HOURGLASS SILHOUETTE

## AVAILABLE IN VARIOUS FINISHES



## SPECIFICATIONS

- Width: 26 25/32" (680 mm)
- Adjustability: 5/8" (16 mm)
- Size of the base:  
3 5/32" x 3 5/32" (80 x 80 mm)
- Sold by pair

No.	Material	Height	Load capacity/ Pair	Finish
68080710900	Steel	27 15/16 " (710 mm)	441 lb (200 kg)	Matte Black
68080710909	Steel			Matte Black Iron
68080710170	Stainless Steel (201)			Stainless Steel
68080710174	Steel			Matte Chrome
68080870900	Steel	34 1/4 " (870 mm)	265 lb (120 kg)	Matte Black
68080870909	Steel			Matte Black Iron
68080870170	Stainless Steel (201)			Stainless Steel
68080870174	Steel			Matte Chrome
680801100900	Steel	43 1/4 " (1,100 mm)		Matte Black
680801100909	Steel			Matte Black Iron
680801100170	Stainless Steel (201)			Stainless Steel
680801100170	Steel			Matte Chrome



Stainless Steel  
(170)



Matte Chrome  
(174)



Matte Black  
(900)



Matte Black Iron  
(909)

## U-SHAPED TABLE LEGS

### SPECIFICATIONS


- Available in two finishes: Stainless Steel (170) and Matte Black (900)
- Option: matching table and bench legs
- Width: 24 1/32" (610 mm)
- Size of the base: 3 5/32" x 24 1/32" (80 x 610 mm)
- Adjustability: 5/8" (16 mm)
- Sold by pair



VERY POPULAR STYLE

OFFERS AN EXCELLENT LEVEL OF STABILITY

No.	Material	Height	Load capacity/ Pair	Finish
8040900	Steel	27 15/16" (710 mm)	441 lb (200 kg)	Matte Black
8040170	Stainless Steel (201)			Stainless Steel
80870900	Steel	34 1/4" (870 mm)		Matte Black
80870170	Stainless Steel (201)			Stainless Steel
801100900	Steel	43 1/4"		Matte Black
801100170	Stainless Steel (201)	(1,100 mm)		Stainless Steel



Stainless Steel  
(170)



Matte Black  
(900)

## TAPERED BENCH LEGS

- Width: 14" (355 mm)
- Size of the base: 3 5/32" x 14" (80 x 355 mm)
- Adjustability: 5/8" (16 mm)



No.	Material	Height	Load capacity/ Pair	Finish
80404900	Steel	16 5/32" (410 mm)	441 lb (200 kg)	Matte Black
80404170	Stainless Steel (201)			Stainless Steel



## CONTEMPORARY TABLE LEGS

### 1

#### STRUCTURAL LEGS

- Available in two widths
- Height: 27 5/8" (702 mm)
- Size of the base: 2 15/16" x 15/16" (75 x 24 mm)
- Adjustability: 5/8" (16 mm)
- Load capacity/pair: 441 lb (200 kg)
- Adjustability: with the help of leveler **5201211290**

No.	Width	Finish
<b>7525603702900</b>		Matte Black
<b>7525603702030</b>	23 3/4" (603 mm)	White
<b>7525603702174</b>		Matte Chrome
<b>7525755702900</b>		Matte Black
<b>7525755702030</b>	29 23/32" (755 mm)	White
<b>7525755702174</b>		Matte Chrome



### 2

#### REQUIRED BRACES



Matte Chrome	White	Matte Black	Length	Width
<b>75251371174</b>	<b>75251371030</b>	<b>75251371900</b>	54" (1,371 mm)	2 3/8" (60 mm)
<b>75251524174</b>	<b>75251524330</b>	<b>75251524900</b>	60" (1,524 mm)	3 5/32" (80 mm)
<b>75251676174</b>	<b>75251676030</b>	<b>75251676900</b>	65 31/32" (1,675 mm)	3 15/16" (100 mm)




#### SUGGESTED PRODUCT

Round leveler with black nylon base  
Load capacity:  
331 lb (150 kg)

**5201211290**

## TABLE LOCKS

Ref.	No.	Description	Dimensions
<b>A</b>	<b>2992G</b>	Table lock base	1 7/8" (48 mm)
<b>B</b>	<b>56360090*</b>	Table top connector	
<b>C</b>	<b>56360190</b>	Table lock base	L x W 4 3/4" x 2 3/8" (120 x 60 mm)
<b>D</b>	<b>56360290</b>	Table lock wheel	



! \* Required products: **56360190 (C)** and **56360290 (D)**




## SIT2STAND WORKSTATIONS

Convert an existing desk or table into a high-quality and affordable sit2stand workstation and effortlessly go from sitting to standing in seconds. Transform your existing workspace to a healthful environment and immediately benefit from motion and mobility in the work place.

### ADVANTAGES AND BENEFITS

- 18" (457 mm) of vertical height adjustment to accommodate most heights
- 27 1/2" (699 mm) keyboard tray allows space for full-size keyboard and mouse
- Slide in / slide out work surface for additional workspace and storage
- Single-action quick-release adjustment from sitting to standing
- Locking actuator maintains the unit firmly in position at any height
- Telescoping upright column allows for a low profile unit in the seated position
- Standard VESA plate with 2 15/16" (75 mm) and 3 15/16" (100 mm) hole patterns

Desktop workstation	Monitor/Capacity	Monitor width
<b>500S2S001R90</b>	Single/3.5 to 11 lb (1.36 to 5 kg)	N/A
<b>500S2S001R30</b>		
<b>500S2S002R90</b>	Dual/6.5 to 21 lb (3 to 9.5 kg)	24" (610 mm) Monitor 23 1/2" (597 mm) Actual
<b>500S2S002R30</b>		



#### Laptop holder Finish

<b>500S2SLT90</b>	Black
<b>500S2SLT100</b>	White

#### Monitor stand Finish

<b>500S2SNVS90</b>	Black
<b>500S2SNVS30</b>	White



### THE FOLLOWING PRODUCTS ARE AVAILABLE BY SPECIAL ORDER

## SPECIAL ORDER

### VESA MOUNT WITH TILT (FOR DUAL MONITOR SYSTEMS)

- Replaces standard VESA mount
- Vertical and horizontal (forward/backward and left/right) tilt
- Standard VESA mount only has horizontal (left/right) tilt
- Monitor mounting: VESA 2 15/16" and 3 15/16" (75 mm and 100 mm)



No.	Finish
<b>S2S011-B</b>	Black
<b>S2S011-G</b>	Gray

### CROSSBAR

- Length: 29 1/2" (750 mm)
- Replaces crossbar on dual Sit2Stand monitor to support larger monitors
- Supports 2 monitors up to 26 3/8" (670 mm) in width each



No.	Finish
<b>S2S008-B</b>	Black
<b>S2S008-S</b>	Silver



### LARGE WORK SURFACE

- Adds a large desk surface to your Sit2Stand workstation
- Replaces existing work surface
- 27 1/2" x 11 1/2" (698 x 292 mm) work surface
- Slide-in / slide-out functionality

#### No. Finish

<b>S2S007-W</b>	White
<b>S2S007-B</b>	Black

## TOPPER III SIT2STAND DESKTOP WORKSTATION

### SPECIFICATIONS

- Same vertical line during movement
- Gas spring offers smooth support
- Two knobs on each side for easy adjustment and 15 height positions
- Table top size: 26 3/4" x 22 13/16" (680 x 580 mm)
- Keyboard tray size: 12 13/16" x 26 3/4" (325 x 680 mm)
- Load capacity: 33 lb (15 kg)



No.	Finish
500S2S90	Black

## TOPPER HD SIT2STAND DESKTOP WORKSTATION

The Topper HD Desktop Sit2stand Workstation quickly converts an existing desk to a smooth and effortless sit2stand workstation. With a 42" (1.067 m) wide primary work surface, the Topper HD can easily accommodate 2 x 27" (686 mm) monitors and still have extra space for other work tools.

### SPECIFICATIONS

- Primary work surface can be extended 20" (508 mm) above the desk
- Simplified single paddle allows for added control when raising and lowering the workstation
- Three primary work surface grommet holes
- Infinitely adjust the keyboard surface tilt from -10° / +10°
- Quiet and infinite height adjustment through a 13 13/16" (351 mm) range
- Fits easily onto a 24" (610 mm) deep desk
- Load capacity: 45 lb (19 kg)



No.	Finish
500S2SHD90	Black

## THE LAP TOPPER

The construction of most workstations is designed to be strong. These bulky products hamper the style of modern interior designs. The Lap Topper reverses this common feature of current sit2stand workstations.

### SPECIFICATIONS

- 12 height settings
- Steel construction with laminated MDF work surface
- Ultra-slim design for easy storage
- Load capacity: 22 lb (10 kg)

No.	Finish
500TTLTS2S90	Black



## LAPTOP HOLDER

### SPECIFICATIONS

- All-angle suspension height adjustment
- Tiltable plate provides best user viewing angle
- Curved base provides stability and safety
- Rubber mat protects from scratching
- Load capacity: 11 lb (5 kg)
- Dimensions: 14 3/16" x 9" (360 x 229 mm)



No.	Finish
500LTST100	Silver

COMPADRE KEYBOARD ARM

Engineered to fit height-adjustable tables and benching systems, where space is limited and conventional track-mounted keyboard arms do not fit.

SPECIFICATIONS

- Low profile with greater knee clearance under desk surface
- Adjustable: between 1 1/4" to 7" (32 to 178 mm) under desk surface
- Lift-N-Lock™ braking mechanism
- ADA-compliant tilt adjustment with easy access to the tilt knob
- Exceeds HFES and BIFMA 5th percentile seated keyboarding heights
- Direct mount: no track required

No.	Finish
500848290	Black



ULTRA MOMENTUM SERIES

The only arm in its class that fully complies with ANSI/HFES, 100-2007 standards.

SPECIFICATIONS

- Height and tilt indicator
- Lift-N-Lock™ spring-assisted height adjustment
- 19" (482 mm) Teflon glide track
- Height adjustment from 2 3/8" to 6 1/2" (60 to 165 mm)
- Easy access to tilt control knob, with tilt from -20° to +10°
- 360° swivel

No.	Track length	Finish
50074381790	17" (432 mm)	Black
50074382190	19" (483 mm)	






## SIT2STAND ARM SERIES

### SPECIFICATIONS

- Height range: 8 1/4" (210 mm) above track and 5 7/8" (149 mm) below track
- Reduced neck length allows the user to be closer to the desk
- Allows for full storage with most keyboard trays on a 21 3/4" (552 mm) track
- Superior lock-up, increased stability and improved accuracy of tilt position
- Dial tilt gauge shows the angle of the tray from -15° to +10°
- With 360° swivel, user can move keyboard freely from side to side

No.	Finish
500745890	Black



## BASIC KEYBOARD ARM

### SPECIFICATIONS

- Spring-assisted height adjustment with tension knob
- Storable on 17" (432 mm) Teflon glide track
- 25° tilt adjustment
- 360° swivel

No.	Finish
500573390	Black



## BUDGET KEYBOARD ARM

### SPECIFICATIONS

- Track length: 17" (432 mm)
- 6 3/8" (162 mm) of height adjustment
- Tilt: -15° to +10°
- 11 7/8" (302 mm) of travel on a 17" (432 mm) base frame

No.	Finish
50074311790	Black



## GREEN SERIES

### DYNAMITE

- Dimensions W x D: 26 5/8" x 10 7/8" (676 x 276 mm)
- Easy slide-out mouse tray with horizontal adjustment
- Made of 100% recyclable materials
- Built-in wire management and document support
- Padded palm rest
- Material: Phenolic



No.	Finish
50420890	Black

## PHENOLIC SERIES

### 504200 SERIES

- Dimensions W x D: 20 1/4" x 11" (514 x 279 mm)
- Thickness: 1/4" (6 mm)
- Mouse pad with corral to prevent mouse run-off
- Material: Phenolic



No.	Description
504204100	Swivel mouse tray, non-tilting left or right mount
504205100	Clamp-on, height-adjustable swivel and tilt mouse tray

## 27" PHENOLIC SERIES

### SPECIFICATIONS

- Dimensions W x D: 27" x 10 1/2" (686 x 267 mm)
- Thickness: 1/4" (6 mm)
- Accommodates both keyboard and mouse
- Full-length palm-rest
- Mouse pad with corral to prevent run-off
- Can be used with all arms
- Material: Phenolic



No.	Finish
5004227100	Black

## BASIC SERIES

### SPECIFICATIONS

- Can be used with all arms or keyboard slides
- Depth: 11" (279 mm)
- Tray width: 30" (762 mm)
- Material: Textured MDF



No.	Finish
141090	Black

## MOMENTUM SERIES COMBOS KEYBOARD ARM



These Convenience Combos contain our most popular trays with our #1-selling arm, packed in one box with a single part number, which makes for easy ordering and shipping.

### OPTIMAL COMFORT

### EASY OF USE

### ADVANTAGES AND BENEFITS

- Easy tilt adjustment
- Provides optimum comfort to a variety of users
- Features Lift-N-Lock™ technology for effortless height adjustment from -6 1/2" to +2 3/8" (-165 to +60 mm)\*
- Convenient arm for use in the office environment
- Features height and tilt indicator to complement ease of use

### SPECIFICATIONS

- Accommodates both keyboard and mouse
- Dial-knob technology for easy tilt adjustment from -20° to +10°
- 5 1/2" (140 mm) neck with a Teflon glide track
- Made from 100% recyclable materials
- Material: Steel/phenolic
- Height adjustment from -6 1/2" to +2 3/8" (-165 to +60 mm)

(\*Height measured from top of track, positive tilt locked out at factory, user may override with removal of lock-out clip).



### SWIVEL MOUSE TRAY, NON-TILTING

- Dimension: 20" x 9 1/2" (508 x 242 mm)

No.	Finish
5007438C1	Black





MOMENTUM SERIES COMBOS KEYBOARD ARM

The following models are made from 100% recyclable materials.

BUILT-IN MOUSE TRAY

- Dimensions W x D: 27 1/4" x 10" (692 x 254 mm)

No.	Thickness	Finish
5007438C3	1/4" (6 mm)	Black
5007438C6	1/2" (13 mm)	



EASY SLIDE-OUT MOUSE TRAY WITH HORIZONTAL ADJUSTMENT

- Dimensions W x D: 26 5/8" x 10 7/8" (676 x 276 mm)

No.	Finish
5007438C4	Black



CLAMP ON, HEIGHT-ADJUSTABLE SWIVEL AND TILT MOUSE TRAY

- Dimensions W x D: 20" x 9 1/2" (508 x 241 mm)

No.	Finish
5007438C5	Black



## COMPADRE COMBOS

### ADVANTAGES AND BENEFITS

- Full storage in 9 3/8" (238 mm) under-surface space
- Exceeds seated keyboarding height standards
- Easy height adjustment, providing superior lock up and stability with infinite adjustment
- ADA compliant tilt adjustment with easily accessible tilt knob
- Locks out positive tilt for specific ergonomic applications or user preference

Combined with either the **5004227100** or the **504204100** trays, these combos are a sure winner.

### SPECIFICATIONS

- Height Range (below mounting surface):  
-1 1/4" to -6 31/32" (-32 to -177 mm)
- Tilt: -15° to +10°

Keyboard arm and tray	Width	Mouse tray	Finish
<b>5008482C1</b>	20" (508 mm)	Swivel Mouse Tray, Non-Tilting	Black
<b>5008482C3</b>	27 1/4" (692 mm)	Built-in	Black



## BUDGET COMBO

Designed to maintain proper ergonomics when budgets get tight. 50074311790 comes with the same Lift-N-Lock™ technology as our best-selling Momentum arm.

### ADVANTAGES AND BENEFITS

- Accommodates both keyboard and mouse
- Full-length removable palm rest
- Mouse pad with corral to keep mouse on tray

### SPECIFICATIONS

- Dimensions W x D: 27" x 17" (686 x 432 mm)
- Features 6 3/8" (162 mm) of height adjustment
- Tilts from -15° to +10°
- Material: Steel/phenolic

No.	Finish
<b>5007431BC3</b>	Black





## KEYBOARD DRAWERS

### 29 1/2"(752 MM) FIXED PULL-OUT KEYBOARD DRAWER

- Designed to maximize your work space
- Adjustable keyboard platform offers 3 typing positions for maximum user comfort
- Fully concealed, full-extension slides
- Gel palm rest provides additional comfort
- Rear storage compartments with built-in cable management

No.	Finish
530090	Black



### 22" (559 MM) FIXED PULL-OUT KEYBOARD DRAWERS

- Complete with slides
- Slide-out mouse tray, left or right
- Pencil storage
- All brackets included

No.	Finish
50015390	Black
500153100	Gray




## LOCKING LAPTOP DRAWER

Locking Laptop Drawer provides both storage and security. The high-quality 16-gauge metal construction smoothly rolls on 16" (406 mm) ball-bearing slides. The added leatherette palm support provides ergonomic comfort when using your laptop. Locking mechanism with 2 keys ensures that your computer is safe when not in use. 2 cord management holes allow easy access for external peripherals.

- Ventilation holes allow for laptop cooling
- Height: 2" (51 mm)
- Width: 17 1/2" (444 mm)
- Depth: 16 1/2" (419 mm)
- Weight capacity: 11 lb (5 kg)
- 2" (51 mm) drawer slide depth

No.	Finish
50050290	Black



## MINI UNDERMOUNT STORAGE DRAWER

The perfect solution for height-adjustable tables, requiring just over 10" (254 mm) of depth space for mounting. Low-profile design, does not interfere with leg clearance in a seated position.

- Ball-bearing slides
- Durable plastic tray provides excellent storage space

No.	Finish
89320090	Black
893200100	Gray/White



## PELICAN STORAGE DRAWERS

A unique and discreet storage solution that provides a smooth movement under work surfaces.

### SPECIFICATIONS

- Lockable
- Large capacity storage bin
- Bin recessed for knee clearance
- One set of file rods included



Also available: 332090 Additional file rods (sold in pairs)



#### PELICAN I

- Large divided tray



#### PELICAN II

- Fully concealed drawer slides
- Retractable mouse tray/  
Mouse pad included: 8 1/2" x 8 1/2" (216 x 216 mm)
- Large tray section for full-sized keyboard or laptops
- Cable management



#### PELICAN III

- Keyboard tray
- Comfortable palm rest
- Retractable mouse tray

No.	Description	Width	Depth	Height	Finish
330090	PELICAN I	19 1/4" (489 mm)	23 3/4" (603 mm)	10" (254 mm)	Black
333390	PELICAN II	24 1/4" (616 mm)	23 1/4" (590 mm)	10" (254 mm)	
330190	PELICAN III	24 1/4" (616 mm)	17 1/4" (438 mm)	6 1/8" (156 mm)	

## PENCIL DRAWER

### BALL-BEARING SLIDES

- With stationary box and ball-bearing metal slides for mounting under desk

No.	Description	Width	Depth	Finish
89300090	Small drawer	12 15/16" (330 mm)	16 7/8" (429 mm)	Black
897190	Large drawer	21 3/16" (538 mm)	16 5/32" (410 mm)	



### ROLLER SLIDE

- With roller slides and frame for mounting under desk


No.	Width	Depth	Finish
897090	21 3/16" (538 mm)	16 5/32" (409 mm)	Black



Heavy-duty spring-action monitor arms with a space-saving design to free up and gain additional desktop workspace. Tilt up and down with a freely adjusting height for an optimal ergonomic position. Designed for multiple monitor viewing and equipped with a built-in cable management for an organized and a neat workspace.



## FLEXA PRO 500FP SERIES



**Wide Range of Adjustments**  
frees-up workspace

**Clamp & Grommet Mounts Included**  
mounts to most any style desktop



**Effortless Gas Spring Design**  
adjusts easily to the most comfortable viewing position



**Detachable VESA Plate**  
for a quick and easy installation



**Rear Tool Holder**  
easy access for any future adjustment



**Built-in Cable Management** for an organized and neat workspace

## FLEXA PRO 500FP SINGLE AND DUAL MONITORS

The Flexa Pro single and dual monitor arms are a high-end floating monitor arm solution. This heavy-duty aluminum gas spring monitor arm fits monitors from 17" (431.8 mm) to 32" (812.8 mm).



- (1) USB power supply included
- (1) 3.0 USB port



### SINGLE MONITOR

No.	Weight capacity/Screen	Finish
500FP1130	2.2 - 17.6 lb (1 - 8 kg)	Matte White
500FP1190		Matte Black
500FP11100		Silver



### DUAL MONITORS

No.	Weight capacity/Screen	Finish
500FP2230	2.2 - 17.6 lb (1 - 8 kg)	Matte White
500FP2290		Matte Black
500FP22100		Silver

## FLEXA PRO 500FP TRIPLE MONITORS

Dual arms and pole mount.



- (1) USB power supply included
- (1) 3.0 USB port

No.	Weight Capacity/screen	Finish
500FP2330	2.2 - 17.6 lb (1 - 8 kg)	Matte White
500FP2390		Matte Black
500FP23100		Silver




Screen Size	VESA Compatible	Tilt Range	Swivel Range	Screen Rotation	Detachable VESA plate	Cable Management	Curved Monitor	Clamp & Grommet Installation
17" - 32" (432 - 813 mm)	75 x 75 mm 100 x 100 mm	+90° - -90°	+90° - -90°	180°				



FLEXA PRO 500FP ONE ARM, DUAL MONITORS

One single arm that fits 2 monitors.










- 
- (1) USB power supply included

(2) 3.0 USB port



No.	Weight capacity/Screen	Finish
500FP1230	2.2 - 17.6 lb (1 - 8 kg)	Matte White
500FP1290		Matte Black
500FP12100		Silver



								
Screen Size	VESA Compatible	Tilt Range	Swivel Range	Screen Rotation	Detachable VESA plate	Cable Management	Curved Monitor	Clamp & Grommet Installation
17" - 32" (432 - 813 mm)	75 x 75 mm 100 x 100 mm	+10° - -10°	+90° - -90°	90°				



## FLEXA SPACE SAVER 500FS

The advanced mechanism and unique design allow you to control the position of your screen, even to fit flush against a wall.



Single monitor	Dual monitors	Weight capacity/Screen	Finish
500FSS190	500FSS290	2.2 - 17.6 lb (1 - 8 kg)	Black

Screen Size 17" - 32" (432 - 813 mm)	VESA Compatible 75 x 75 mm 100 x 100 mm	Tilt Range +90° - -5°	Swivel Range +90° - -90°	Screen Rotation +180° - -180°	Detachable VESA plate	Cable Management	Curved Monitor	Clamp & Grommet Installation

FLEXA BUILD

FLEXA BUILD IS OUR MOST VERSATILE MONITOR SYSTEM.

With both Fixed and Floating base packages, you can mix and match all the components to achieve the perfect solution from single to quad monitor configurations.



SINGLE-MONITOR FIXED-ARM BASE

The base configuration serves as a basis for a wide range of solutions.



No.	Weight capacity/Screen	Finish
500F1100	2 - 17.6 lb (1 - 8 kg)	Silver
500F190		Black

Screen Size 15" - 27" (381 - 686 mm)	VESA Compatible 75 x 75 mm 100 x 100 mm	Tilt Range +45° - -90°	Swivel Range +90° - -90°	Screen Rotation +180° - -180°	Detachable VESA plate	Cable Management	Curved Monitor	Clamp & Grommet Installation

## DUAL-MONITOR FIXED-ARM WEBKITS

Webkits	Components	Weight capacity/Screen	Finish
<b>WEBKIT1215245</b>	1 x 500F1100 1 x 500F2100	2 - 17.6 lb (1 - 8 kg)	Silver
<b>WEBKIT1214845</b>	1 x 500F190 1 x 500F290		Black



## DUAL-MONITOR FIXED-ARM WITH EXTENSION WEBKITS

Webkits	Components	Weight capacity/Screen	Finish
<b>WEBKIT1217270</b>	1 x 500F1100 1 x 500F2100 2 x 500FE100	2 - 17.6 lb (1 - 8 kg)	Silver
<b>WEBKIT1217269</b>	1 x 500F190 1 x 500F290 2 x 500FE90		Black



## TRIPLE-MONITOR FIXED-ARM WEBKITS

Webkits	Components	Weight capacity/Screen	Finish
<b>WEBKIT1216530</b>	1 x 500F1100 1 x 500F2100 1 x 500F3100 2 x 500FE100 1 x 500FP24100	2 - 17.6 lb (1 - 8 kg)	Silver
<b>WEBKIT1214846</b>	1 x 500F190 1 x 500F290 1 x 500F390 2 x 500FE90 1 x 500FP2490		Black



Screen Size 15" - 27" (381 - 686 mm)	VESA Compatible 75 x 75 mm 100 x 100 mm	Tilt Range +45° - -90°	Swivel Range +90° - -90°	Screen Rotation +180° - -180°	Detachable VESA plate	Cable Management	Curved Monitor	Clamp & Grommet Installation



FLEXA BUILD FLOATING ARMS

The articulated arm adds extra flexibility to accommodate most situations and spaces.



No.	Weight capacity/Screen	Finish
500FFL1100	6.6 - 13.2 lb (3 - 6 kg)	Silver
500FFL190		Black

Screen Size 15" - 27" (381 - 686 mm)	VESA Compatible 75 x 75 mm 100 x 100 mm	Tilt Range +85° - -90°	Swivel Range +90° - -90°	Screen Rotation +180° - -180°	Detachable VESA plate	Cable Management	Curved Monitor	Clamp & Grommet Installation



## DUAL-MONITOR FLOATING-ARM WEBKITS

Webkits	Components	Weight capacity/Screen	Finish
<b>WEBKIT1216531</b>	1 x 500FFL1100 1 x 500FFL2100	6.6 - 13.2 lb (3 - 6 kg)	Silver
<b>WEBKIT1214847</b>	1 x 500FFL190 1 x 500FFL290		Black



## TRIPLE-MONITOR FLOATING-ARM WEBKITS



Webkits	Components	Weight capacity/Screen	Finish
<b>WEBKIT1216533</b>	1 x 500FFL1100 1 x 500FFL2100 1 x 500F3100	6.6 - 13.2 lb (3 - 6 kg)	Silver
<b>WEBKIT1214848</b>	1 x 500FFL190 1 x 500FFL290 1 x 500F390		Black



Screen Size 15" - 27" (381 - 686 mm)	VESA Compatible 75 x 75 mm 100 x 100 mm	Tilt Range +85° - -90°	Swivel Range +90° - -90°	Screen Rotation +180° - -180°	Detachable VESA plate	Cable Management	Curved Monitor	Clamp & Grommet Installation



QUAD-MONITOR FLOATING-ARM WEBKITS



Webkits	Components	Weight Capacity/screen	Finish
WEBKIT1226342	2 x 500FFL100 2 x 500FFL2100 2 x 500FPC90 1 x 500FCM100 1 x 500FP24100	6.6 - 13.2 lb (3 - 6 kg)	Silver
WEBKIT1214849	2 x 500FFL90 2 x 500FFL290 2 x 500FPC90 1 x 500FCM90 1 x 500FP2490		Black



Screen Size 15" - 27" (381 - 686 mm)	VESA Compatible 75 x 75 mm 100 x 100 mm	Tilt Range +85° - -90°	Swivel Range +90° - -90°	Screen Rotation +180° - -180°	Detachable VESA plate	Cable Management	Curved Monitor	Clamp & Grommet Installation

## FLEXA BUILD FLOATING MONITOR ARM WEBKITS



Freely adjusting height for an optimal ergonomic position.

Clamp webkits	Components	Weight Capacity/screen	Finish
<b>WEBKIT1229025</b>	1 x 500FCM100	6.6 - 13.2 lb (3 - 6 kg)	Silver
	1 x 500FP24100		
	1 x 500FFL100		
	1 x 500FPC90		
<b>WEBKIT1229134</b>	1 x 500FCM90		Black
	1 x 500FP2490		
	1 x 500FFL90		
	1 x 500FPC90		

Grommet webkits	Components	Weight Capacity/screen	Finish
<b>WEBKIT1229171</b>	1 x 500FGM100	6.6 - 13.2 lb (3 - 6 kg)	Silver
	1 x 500FP24100		
	1 x 500FFL100		
	1 x 500FPC90		
<b>WEBKIT1229196</b>	1 x 500FGM90		Black
	1 x 500FP2490		
	1 x 500FFL90		
	1 x 500FPC90		

Screen Size 15" - 27" (381 - 686 mm)	VESA Compatible 75 x 75 mm 100 x 100 mm	Tilt Range +85° - -90°	Swivel Range +90° - -90°	Screen Rotation +180° - -180°	Detachable VESA plate	Cable Management	Curved Monitor	Clamp & Grommet Installation

## EXTENSION POLES

No.	Height	Finish
<b>500FP16100</b>	15 3/4"	Silver
<b>500FP1690</b>	(400 mm)	Black
<b>500FP24100</b>	23 5/8"	Silver
<b>500FP2490</b>	(600 mm)	Black



MONITOR MOUNT PARTS AND ACCESSORIES

FIXED EXTENSION ARMS

No.	Finish
500FE90	Black
500FE100	Silver



ADD A SECOND MONITOR TO ANY FLEXA BASE

No.	Finish
500F290	Black
500F2100	Silver



ADD AN ADDITIONAL MONITOR TO ANY FLEXA POLE

No.	Finish
500F390	Black
500F3100	Silver



## FLEXA BUILD FLOATED-ARM COMPONENTS

### ADD AN ARTICULATED ARM TO ANY FLEXA POLE OR "Y" CONNECTOR



No.	Finish
500FFL90	Black
500FFL100	Silver

### HEAVY-DUTY ARMS

Supports monitors up to 44 lb (20 kg)



No.	Finish
500FFLHD90	Black
500FFLHD100	Silver

### DUAL-MONITOR FLOATING-ARM KIT

This kit allows you to add 2 monitors to any Flexa Pole.



No.	Finish
500FFL290	Black
500FFL2100	Silver



MONITOR MOUNTS PARTS AND ACCESSORIES

CLAMP BASES



No.	Finish
500FCM90	Black
500FCM100	Silver

GROMMET BASES



No.	Finish
500FGM90	Black
500FGM100	Silver

MONITOR WALL-MOUNT SUPPORTS



No.	Finish
500FWM90	Black
500FWM100	Silver

POLE CLAMP



No.	Finish
500FPC90	Black


VESA & NON-VESA MOUNTS



VESA MOUNT

7 7/8" x 7 7/8"  
(200 x 200 mm)

No.	Finish
500FVM20090	Black



VESA MOUNT

15 3/4" x 15 3/4"  
(400 x 400 mm)

No.	Finish
500FVM40090	Black



NON-VESA MOUNT

19 5/8" x 19 5/8"  
(500 x 500 mm)

No.	Finish
500FNVM90	Black

## TABLETOP TV MOUNT

### SPECIFICATIONS

- Holds monitors from 26" - 50" (660 mm - 1.27 m)
- Adjustable monitor height
- Monitor can be tilted downward up to 15°
- 270° rotation
- Cables pass through the tube
- Meets with VESA standard – max. 24" x 16" (600 x 400 mm)
- Load capacity: 88 lb (40 kg)

No.	Finish
<b>500TTM90</b>	Black



## MANUAL MONITOR LIFT

Manually operated device designed to hold TV monitors and computer screens on freestanding desks, workstations, and cabinets. When the monitor is not in use, it can easily be pushed down into the desk to maximize the desktop surface.

### SPECIFICATIONS

- Multiple hole mounting configuration on fixed mounting plate provides ample attachment points for any mounting application
- Simple to operate "Push to Open, Push to Lock" feature provides positive locking in stored position
- Load capacity from 5 - 14 lb (2 - 6 kg)

No.	Finish
<b>500981090</b>	Black




Optional:

#### **5009801A90**

counterweight kit for monitors over 14 lb (6 kg)

#### **5009801B90**

Lid attachment kit



## TAB3 SERIES FOLDABLE TABLET STAND

MULTI-SIZE TABLET HOLDER PERFECT FOR THE HOME, OFFICE, OR CLASSROOM

### SPECIFICATIONS

- 360° rotation, desktop, wall or ceiling mount
- Compatible with 7" - 11" (178 - 279 mm) tablets
- Height-adjustable stand with multiple pivoting and rotating joints
- Materials: Plastic and Aluminum
- Load capacity: 3 lb (1.36 kg)

No.	Finish
500TAB390	Black



## LCD ARM MOUNTABLE LAPTOP HOLDER

### SPECIFICATIONS

- Adjustable brackets keep laptop in place
- Mounts to any LCD arm that meets standard Vesa mounting
- Front-mounted handle for easy adjustments
- Fits laptops (diagonal): 12 1/8" - 15 3/8" (308 - 391 mm)
- Metal construction

No.	Finish
5002310	Silver



Arm sold separately

## DUAL-STRAP CPU HOLDER

Streamlined and adjustable device with an innovative strap-support design. This enables the CPU to be off the floor or desk surface to create a space-saving solution. By elevating the unit, the users also benefit from its easy accessibility. CPU retracts on a 17" (432 mm) track and swivels to allow full accessibility and easy storage.

### SPECIFICATIONS

- Full 360° rotation
- Width adjustment: 2 1/2" - 64" (64 mm - 1.626 m) perimeter
- Track length: 17" (432 mm)
- Load capacity: 30 lb (14 kg)

No.	Finish
500732590	Black



## LOCK & STORE™ EASYREACH™ CPU HOLDERS

### SPECIFICATIONS

- Full 360° rotation
- Low-profile clamp
- Teflon glide track: 17" (432 mm)
- Adjustable height: 13 1/2" - 22 1/2" (343 - 572 mm)
- Adjustable width: 3 1/2" - 9 11/32" (89 - 237 mm)
- Adjustable depth: 14 13/16" - 22 5/16" (376 - 567 mm)
- Load capacity: 85 lb (38 kg)

### NON-LOCKING SLIDE & SWIVEL CPU HOLDER



No.	Finish
500735190	Black

### LOCKING SLIDE & SWIVEL CPU HOLDER

- Soft-touch knob with built-in lock mechanism



No.	Finish
500736190	Black

## CONVERTIBLE CPU HOLDER

### SPECIFICATIONS

- Mounts under desk with screws for quick installation
- 3-step conversion process to easily accept horizontal desktop CPUs or vertical tower CPUs
- Height: 15" - 19" (381 - 483 mm)
- Width: 5 1/2" - 9 13/16" (140 - 249 mm)
- Load capacity: 35 - 65 lb (15.9 - 29.5 kg)



No.	Finish
500159890	Black



## ECONO SLIDE & SWIVEL CPU HOLDER

### SPECIFICATIONS

- Mounts CPU horizontally under desk to save space
- Height: 15 11/32" - 21 1/4" (390 - 540 mm)
- Width: 5 1/4" - 9 1/4" (133 - 235 mm)
- 90° to 180° swivel
- Load capability: 66 lb (29.9 kg)

No.	Finish
50011090	Black



## SLIMLINE CPU HOLDERS

### SPECIFICATIONS

- Designed for small CPUs
- Mounts CPU vertically under the desk to save space
- Height: 7 7/8" - 14 1/16" (200 - 358 mm)
- Width: 2" - 3 15/16" (51 - 100 mm)
- Load capacity: ~22 lb (10 kg)

No.	Depth	Description	Finish
5005090	4 1/2" (114 mm)	Fixed mount	Black
50050190	9 5/8" (244 mm)	Sliding and swivel mount 180° pivot	Black

5005090



50050190



## MOBILE CPU CART

### SPECIFICATIONS

- Elevates CPU off floor
- Width: 5 1/8" to 10" (130 - 254 mm)
- Thick foam pads cushion CPU and protect surface

No.	Finish
500102	Black





## PERNO T5 FLUORESCENT TASK LIGHT

WOOD MOUNT  
ONLY

The best T5 fluorescent task light features a silver finish to blend with most office shelving and a convenient white on/off switch located on the fixture.

### SPECIFICATIONS

- 160° swivel feature that allows for complete control
- Quick and easy magnet installation (also included are screws for wood shelf installation)

**Included:** fluorescent T5 tube, on/off switch, 9' (2.743 mm) ground power cord and screw kit for wood shelf-mounting.

Watts	Length	Light color	WITH INTEGRATED ON/OFF SWITCH		WITH MOTION SENSOR
			Silver finish	Black finish	Silver finish
14 W	24 17/32" (623 mm)	Neutral White	<b>94E1424100</b>	<b>94E1424090</b>	<b>94ES1424100</b>
21 W	36 11/32" (923 mm)		<b>94E2136100</b>	<b>94E2136090</b>	<b>94ES2136100</b>
28 W	48" (1.22 m)		<b>94E2848100</b>	<b>94E2848090</b>	<b>94ES2848100</b>



With integrated On/Off switch



With motion sensor

## PERNO III LED TASK LIGHT

LED light featuring a built-in Occupancy Sensor option, preset with 30 minute delay.

### SPECIFICATIONS

- 160° swivel feature that allows for complete control
- Quick and easy magnet installation (also included are screws for wood shelf installation)
- Convenient white on/off switch or Occupancy Sensor located on the fixture

**Included:** LED, 20" (508 mm) connecting cable, built-in on/off switch, Occupancy Sensor, 9' (2.743 m) ground power cord, magnet for metal shelf installation, and screw kit for wood shelf-mounting.



No.	Watts	Length	Light color
<b>94ELS0618100</b>	6 W	18 25/32" (477 mm)	Neutral White
<b>94ELS0824100</b>	8 W	24 17/32" (623 mm)	
<b>94ELS1436100</b>	14 W	36 11/32" (923 mm)	
<b>94ELS1848100</b>	18 W	48 1/4" (1.225 m)	

## FIXED INTERCONNECTABLE LINEAR LED - 120 V 3 CCT

### SPECIFICATIONS

- Linear lighting can be connected in a series with a maximum of 200 W per circuit
- Approved for interior installation on or under a cabinet, with lighting in any direction
- The integrated dimmer is dimmable with most low-voltage dimmers (recommended)
- Dimming range: 10% to 100%

**Included:** 1 pc 120 V linear light, 12" (395 mm) connector cable, 6' (1.829 mm) power cable, 2 wire-clips, 2 swivel-clips, 4 screws and 2 direct connectors



No.	Watts	Length
<b>LNL12008300203</b>	3 W	8" (203 mm)
<b>LNL12020300508</b>	10 W	20" (508 mm)

## PRIME LED TASK LIGHT

### SPECIFICATIONS

- 180° swivel feature that allows for complete control
- Quick and easy magnet installation or holes for wood shelf installation
- Connect up to 100 W max. (total of 12 lights in line)
- Dimensions: 20" x 2 1/3" x 7/8" (508 x 59 x 22 mm)
- Average life: 50,000 hours

**Included:** 9' (2.743 m) power cord, built-in LED power supply, and a 20" (508 mm) connecting cable

No.	Watts	Length	Suggested shelf size	Finish
26121090	7.5 W	20" (508 mm)	Minimum 22" (559 mm)	Black
26121100				Silver



## NOVA LED LIGHT

Richelieu's Nova LED light is encased in the standard T5 housing.

No need to change your designs or re-engineer your installations, simply upgrade from the standard T5 fluorescent to Nova!

- Height x width: 1 5/8" x 7/8" (41 x 22 mm)

**Included:** 1 fixture, 4100° K T5 housing, Plexiglas, hardware mounting kit (plastic clips and direct connector), and a convenient on/off switch located on the fixture

No.	Watts	Length	Light color
4511240413	4 W	13 1/2" (343 mm)	Neutral White
4511240823	8 W	23 3/4" (603 mm)	



### LED NOVA POWER CORD

No.	Length
4511240070	70" (1.778 m)

### LED NOVA CONNECTING CABLES

No.	Length
4511240006	6" (152 mm)
4511240020	20" (508 mm)
4511240040	40" (1.016 m)



## LED PUCK LIGHT - 6W 120V

PERSONALIZE THE AMBIENCE IN A ROOM  
BY PROGRAMMING THE COLOR OF YOUR LIGHTING

- Ideal for different types of applications such as lighting for commercial displays, recessed ceiling applications, ambience lighting, kitchens, recessed furniture and more
- Available with double cable for connecting in a series or for simple wiring
- Comes in Black, White, and Satin Nickel (included), allowing you to complete three types of projects with a single product
- Easy and quick installation thanks to quick connection technology
- Dimming range: 10% to 100%

1 wire	2 wires	Light color
PK1120122	PK2120122	Warm white
PK1120124	PK2120124	Neutral white



Requires the following product to function:  
Power cable - PKPWR1120721829

## SPHERE AND HALF SPHERE

### SPECIFICATIONS

- Due to its design, it is accessible from multiple angles
- Stylish and modern design
- All come with a 72" (6') power cable



### HALF SHPERE

- 2 ports



No.	Finish
HS11242P172	Silver
HS11242P90	Black
HS11242P900	Matte Black

### SHPERE

- 4 ports that allows you to have more energy
- Different technologies that you can incorporate in the open ports



2 Ports, 2 Opens	4 Ports	Finish
SP12892P2O030	SP22104P030	White
SP12892P2O172	SP22104P172	Silver
SP12892P2O90	SP22104P90	Black
SP12892P2O900	SP22104P900	Matte Black

## PDC AND MINIPOINT

### SPECIFICATIONS

- 2 electrical ports, 2 open
- Requires surface drilling
- Structure material: plastic
- All come with a 72" (6') power cable



### PDC

- You can incorporate technologies

No.	Finish
PDC14532P2O030	White
PDC14532P2O172	Silver
PDC14532P2O90	Black
PDC14532P2O900	Matte Black



### MINIPOINT

- Retractable

No.	Finish
MP15252P2O030	White
MP15252P2O172	Silver
MP15252P2O90	Black
MP15252P2O900	Matte Black

## WIRES



## HDMI CONNECTOR

- 18" (457 mm) Cord

No.	Finish
HD064518030	White
HD06451890	Black

RETROFIT USB-A+C  
FOR VARIABLE  
COMBINATION PORTS

No.	Finish
USB6017AC030	White
USB6017AC90	Black

RETROFIT USB-A  
CONNECTION

No.	Finish
USB3844A030	White
USB3844A90	Black

## TABLETOP POWER HARNESS WITH USB PORTS



No.	Plugs	USB	Dimensions (L x H x W)	Finish
201114100	1	2	5 7/8" x 2 5/8" x 5 1/4" (149 x 67 x 133 mm)	Silver/ Matte Black
201214100	2	-		
201314100	3	2	10 1/2" x 2 5/8" x 4 21/32" (266 x 67 x 118 mm)	

## POWER HARNESS WITH 2 OUTLETS AND 2 USB PORTS

- Surface-mounted
- Installed with screws so it won't shift around

No.	Finish
432290	Black



## POP-UP POWER SOLUTIONS

- Pull-up handle for easy access to the pop-up power bar
- Simple press to release the power bar and return it to the recessed position
- IP54 waterproof and dust proof design

No.	Plugs	USB	RJ45	Top	Finish
100492140	2	2	N/A	Aluminum	Chrome
100492185	2	2	N/A	Aluminum	Satin Nickel
100492090	2	2	2	Plastic	Black



## GROMMET CHARGE PORTS

A new way to charge items and get power at a workstation while keeping your workspace neat and cluster-free.

No.	Plugs	USB	Bore hole Ø	Finish
7188101090	1	1	2 3/8" (60 mm)	Black
7188102090	-	2	2 3/8" (60 mm)	Black



## ROUND POWER STATIONS

- 3 grounded outlets
- Universal jack for both RJ45 and RJ11
- Quickly adapts to any desk or conference table
- Diameter: 4 5/16" (110 mm)

No.	Finish
100413090	Black



- 2 powered USB ports 2.1A
- 3 grounded outlets
- Combo style, universal jack for both RJ45 and RJ11 connections
- Included 2 USB cables and power adaptor
- 10' (3.048 m) grounded power cord
- Outside Ø: 4 5/16" (110 mm)
- Bore hole Ø: 4 3/16" (106 mm)

No.	Finish
100213090	Black



## 4-PORT USB 2.0 HUB WITH CABLE

### A NEW WAY TO CHARGE YOUR DEVICES

- Connect up to 4 USB 2.0 devices simultaneously
- Cable length: 39 3/8" (1 m)
- Bore hole Ø: 1 31/32" (50 mm)
- Height: 1 1/4" (32 mm)
- Material: Plastic

No.	Finish
71881040100	Silver







## POWER BAR AND USB CHARGING STATION

MAKE YOUR OFFICE SPACE ERGONOMIC WITH THIS CHARGING SOLUTION

Combine your charging station and power bar optimizing your office space, living room or bedroom. Ideal for arranging and organizing electronic devices.

- Overcharge protection of 800 J

**Included:** Power bar(s), Fixtures for hanging installation


### CLAMP-ON

- Single power bar counter thickness: 25/32" - 2 3/8" (20 - 60 mm)
- Dual power bar counter thickness: max. 1 3/16" (30 mm)
- Adhesive surface for solid installation and to protect the surface of the table

No.	Power Bar		Finish
<b>23213900</b>	Single	3 x 120V outlets,	Black
<b>23213030</b>		1 x USB-A outlet	White
<b>3641313900</b>	Dual	and	Black
<b>3641313030</b>		1 x USB-C outlet	White



SINGLE



DUAL



HANGING  
FIXTURES

### HANGING

- Ergonomic and easy to install
- Can be clamped to tables or desks

No.			Finish
<b>3313900</b>		3 x 120V outlets,	Black
<b>3213030</b>		1 x USB-A outlet and 1 x USB-C outlet	White



HANGING  
FIXTURES

## CLAMP-MOUNT POWER BARS

Power and USB come together in this clamp-mount power-bar solution. Built in surge protection with 3 - 125V, 15A outlets, 2 USB ports for a combined 5 V, 3.1A output for smartphone or tablet-charging.

- Easy and quick installation with clamp on mounting bracket (included)
- UL-approved
- 8' (2.4 m) power cord
- Surge protection: 510 J

No.	Finish
100716090	Black
100716030	White



## POWER PLANT POWER BARS

- 9' (2.7 m) SJT #14 cord 90° plug
- Input: 110V 12A
- USB output: 5V 2.4A charging only
- Aluminum construction
- Wire distance between the socket box and the adjustable box is 18" (457 mm) SJT #14 cord

No.	Finish
500222PP90	Black
500222PP30	White



## POWER BAR WITH 3 OUTLETS AND 2 USB PORTS

An ideal solution for any hotel desk, computer station, office or home office where space is limited but additional outlets and charge ports are a must!

- Voltage: 125 V, 120 V

No.	Finish
100312090	Black



## POWER BAR

- Power receptacles: 6
- 10' (3 m) power cord with 90° plug
- Voltage: 120 V

No.	Finish
10046905	Black



## WIRELESS DRAWER / CHARGER

### QI-ENABLED WIRELESS CHARGING

New wireless drawer charger will change how you feel about drawers forever! Now you can easily charge your smart phone or tablet in two ways! If you have a wireless transmitter built into your phone, simply place your phone on the red built-in charger pad and charging begins. Or use one of the two integrated USB ports.

No.	L x H x W	Finish
718813090	12 5/8" x 1 7/8" x 8 21/32" (320 x 48 x 220 mm)	Black



## WIRELESS CHARGERS

### SLIM AND SMART SOLUTION

Get rid of the clutter of wires with this ergonomic and easy to install charging solution from Richelieu.

### SPECIFICATIONS

- Integrated bottom recessed installation will keep your workspace flat and free of clutter
- Ideal for night tables, desks, coffee tables, countertops, or for any other furniture or space that wants to maintain its flat surface
- Integrated radiator to prevent overheating of the charger
- 10 W charging power
- Drilling diameter: 2 3/8" (60 mm)
- Charging distance: 1/4" - 1/2" (6 - 13 mm)
- Qi-certified

**Included:** Identification sticker of recharge station, Hidden wireless charger, power cable 59" (1.5 m) and USB-A power supply

### HIDDEN

- Counter thickness: 1/8" - 3/16" (3 - 5 mm) inside the hole
- Adjustable drilling depth: 5/8", 11/16" or 1" (16, 18 or 25 mm)



No.	Finish
OEXH700A900	Black
OEXH700A030	White

### RECESSED

- Flat drilling diameter: 3" (77 mm), 1/16" (2 mm) depth



No.	Finish
OEXH702A900	Black
OEXH702A030	White

#### Compatibility list:

iPhone: iPhone 8, iPhone 8 Plus, iPhone X, iPhone XR, iPhone XS, iPhone XS Max, iPhone 11, iPhone 11 Pro, iPhone 12, iPhone 12 Pro, iPhone SE; Samsung: S7, S8, S10, S10+, S20, Note20; Huawei: Mate20, Mate20 Pro, P30 Pro, Mate30, Mate30 Pro, Mate40, Mate40 Pro, Mate40 Pro+; Xiaomi: Mix2S, Mix2, xiaomi9, xiaomi10; Google: Pixel3, Pixel3L, Pixel4, Pixel4L, Pixel5L; LG: G7, G8, V30, V30+, V35, V40 ThinQ, V50 Sony: Xperia XZ2, Xperia XZ2 Premium, Xperia XZ3; Lenovo: Motorola Edge+

\* The above list is for reference only. The Richelieu wireless charging station is Qi-certified and works with all Qi-enabled devices. Please check with the manufacturer to see if your device is Qi-enabled.



## USB CHARGERS

### OPTIMIZE YOUR SPACE

Make your office space ergonomic thanks to this charging solution equipped with USB-A and USB-C connection technology. Ideal for optimizing your office space, night tables, coffee tables, countertops or any other furniture where you set down your rechargeable devices.

### SPECIFICATIONS

- Connection technology: 1 USB-A, 1 USB-C

### RECTANGULAR

- Surface or recess installation:  
L x W x H: 3 7/8" x 11/16" x 1/2" (98 x 18 x 13 mm)
- Drilling dimensions:  
L x W: 3 3/8" x 1/2" (86 x 13 mm)
- Material thickness: 11/16" - 1" (18 - 25 mm)

**Included:** USB-A + 1 USB-C charging port,  
Recessed faceplate, Set of mounting hardware,  
Power cable 59" (1.5 m) and AC power supply

No.	Finish
<b>OEXH715B900</b>	Black
<b>OEXH715B100</b>	Gray
<b>OEXH715B030</b>	White



SURFACE INSTALLATION



RECESS INSTALLATION

### ROUND

- L x W x H: 1 3/8" x 1 3/8" x 1 7/16" (35 x 35 x 36 mm)
- Drilling diameter: 1 3/16" (30 mm)
- Max. material thickness: 1" (25 mm)

**Included:** USB-A + 1 USB-C  
charging port, Fixing ring,  
Power cable 59" (1.5 m)  
and AC power supply

No.	Finish
<b>OEXH716B900</b>	Black
<b>OEXH716B100</b>	Gray
<b>OEXH716B030</b>	White





## ALUMINUM GROMMETS WITH BRUSH

Aluminum cover with straight flap, a black brush seal and smooth closing mechanism.

### RECTANGULAR

No.	Overall length	Overall width	Height	Finish
<b>213427890</b>	12 5/8"	4 11/32"		Black
<b>2134278100</b>	(320 mm)	(110 mm)		Silver
<b>213520690</b>	9 7/16"		1 1/32"	Black
<b>2135206100</b>	(240 mm)	4 23/32"	(26 mm)	Silver
<b>213532290</b>	17 3/4"	(120 mm)		Black
<b>2135322100</b>	(450 mm)			Silver

### SQUARE

No.	Overall length	Overall width	Height	Finish
<b>2135115100</b>	4 7/16"	4 7/16"	1 1/32"	Silver
<b>213511590</b>	(113 mm)	(113 mm)	(26 mm)	Black

### RECTANGULAR WITH FLAP COVER

Cable rectangular outlet in aluminum with straight flap cover and black brush seal.

No.	Overall length	Overall width	Height	Finish
<b>2341212100</b>	4 23/32"	2 3/4"	1 1/32"	Silver
	(120 mm)	(70 mm)	(26 mm)	

### RECTANGULAR WITH DUAL BRUSH

Dual cable outlet in aluminum with straight magnet cover and black brush seal on both sides.

No.	Overall length	Overall width	Height	Finish
<b>2134301100</b>	12 5/8"	4 11/32"	15/16"	Silver
	(320 mm)	(110 mm)	(24 mm)	

### RECTANGULAR - ROUNDED ENDS

Cable outlet in aluminum with straight flap cover and rounded ends with black brush seal.

No.	Overall length	Overall width	Height	Finish
<b>209010890</b>	17 23/32"	1 25/32"	13/16"	Silver
<b>2090108100</b>	(450 mm)	(45 mm)	(21 mm)	Black





## ROUND GROMMETS WITH BRUSH

### METAL



No.	Bore hole Ø	Overall Ø	Height	Finish
166012140	2 3/8" (60 mm)	2 5/8" (67 mm)	1/2" (13 mm)	Chrome
166012174				Satin Chrome
16601290				Black
168012140	3 5/32" (80 mm)	3 1/2" (89 mm)	13/16" (21 mm)	Chrome
168012174				Satin Chrome
16801290				Black
166021140	2 3/8" (60 mm)	2 5/8" (67 mm)	13/16" (21 mm)	Chrome
166021174				Satin Chrome
16602190				Black
168021140	3 5/32" (80 mm)	3 1/2" (89 mm)	13/16" (21 mm)	Chrome
168021174				Satin Chrome
16802190				Black



### ZAMAK

No.	Bore hole Ø	Overall Ø	Height	Finish
6026195	2 3/8" (60 mm)	2 11/16" (68 mm)	19/32" (15 mm)	Brushed Nickel



## ROUND GROMMETS FOR GLASS

### METAL

No.	Bore hole Ø	Overall Ø	Height	Finish
608015170	2 3/8" (60 mm)	3 5/32" (80 mm)	25/32" (20 mm)	Stainless Steel
60801510				Satin Aluminum



### ZAMAK

No.	Bore hole Ø	Overall Ø	Height	Finish
20692170	1 27/32" (47 mm)	2 7/32" (56 mm)	21/32" (16 mm)	Stainless Steel
20694170	2 13/32" (61 mm)	2 15/16" (75 mm)		



## PLASTIC GROMMETS

No.	Bore hole Ø	Overall Ø	Finish
510	1 3/4" (45 mm)	2 1/32" (51 mm)	30, 90
600	1 7/8" (48 mm)	2 3/8" (60 mm)	30, 90, 100
760	2 15/32" (63 mm)	3" (76 mm)	30, 90, 100
890	3" (76 mm)	3 1/2" (89 mm)	30, 90, 100



30 White



90 Black



100 Gray

## ABS GROMMETS

### GROMMET WITH PENCIL HOLDER

No.	Bore hole Ø	Overall Ø	Height	Finish
60903090	3 5/32" (80 mm)	3 19/32" (91 mm)	2 1/2" (64 mm)	Black



### SECTIONAL CABLE ENTRY PLUG

No.	Height	Finish
20910106	1" (25 mm)	Silver
2091090	1" (25 mm)	Black
2095890	5/8" (16 mm)	Black



## 2" (51 MM) HOLE SAW

IDEAL FOR CUTTING WOOD, LAMINATE, SHEET METAL, THICK METAL, STAINLESS STEEL OR PLASTIC

- Teeth in cobalt alloy (8%) for longer life and higher heat resistance
- Works with standard or Quick Change mandrels (Quick Change requires adapters)
- Reinforced shoulder for added strength and longer life
- Progressor™ tooth design cuts faster and lasts longer
- 10° cutting angle for high performance



No.	Bore hole Ø
BSHB200	2" (51 mm)

## CABLE GUIDES

1

### VERTICAL CABLE GUIDES

Column grommet designed for tables with a maximum height of 28 11/32" (720 mm).

No.	Finish
1672010	Satin Aluminum
1672090	Black

2

### HORIZONTAL CABLE GUIDES

- High quality with a stylish modern look
- Three removable clamps to hold cables in position
- Height: 25 19/32" (650 mm)

No.	Finish
1689010	Satin Aluminum
1689090	Black



## 500CW CABLE HOLDER

The perfect solution for all your cable management. Simply clamp in your cables into the holder and slide through the spiral wrap for a clean and simple wire-management solution.

- Diameter: 1" (25 mm)
- Length: 78 3/4" (2 m)

No.	Finish
500CW90	Black
500CW30	White
500CW100	Gray



## CABLE MANAGEMENT SPINES

### SPIRAL SPINE

- Spiral tube in black plastic
- Spiral Ø: 3 5/8" (92 mm), stretches to 84" (2.134 m)
- Base Ø: 6" (152 mm)

No.	Finish
663000090	Black
663000030	White
663000106	Silver



### ROUND SPINE

- Separates wire into different channels for easier maintenance
- Length: 35 7/16" (900 mm)

**Included:** 1 top bracket, 15 spine wheels, 2 fixing clips (for horizontal applications) and 1 weighted base

No.	Finish
50808090	Black
508080106	Silver



## WIRE MANAGEMENT MOLDING, CLIP AND CLAMPS

### MOLDING

This PVC molding is designed to conceal lighting wires, giving you a space that is both functional and aesthetically pleasing. Easy to install just peel & stick.

No.	Length	Width	Height	Finish
512490	72" (1.829 m)	1 1/2" (38 mm)	2" (51 mm)	Black
PF5690 (pack of 5)	6' (1.83 m)	1 5/8" (41 mm)	1" (25 mm)	
PF3430	96" (2.438 m)	11/16" (17 mm)	1/2" (13 mm)	



### WIRE CLIP

- Width: 3/8" (9.5 mm)
- Thickness: 3/64" (1.2 mm)
- Screw size: #8

No.	Finish
3309090	Black



### 1691 CABLE CLAMP

No.	Size	Finish
1691490	3 19/32" (91 mm)	Black
1691690	5 5/16" (135 mm)	



## STAINLESS STEEL SHELF

- Stainless Steel shelf for mounting under mirror
- Gives a contemporary designer look to mirrors of the same size
- Pre-perforated for easy installation



No.	Dimensions
185518170	18" x 5" x 2 1/2" (457 x 127 x 63 mm)
185524170	24" x 5" x 2 1/2" (610 x 127 x 63 mm)

## CORNER MAKERS

- Converts 90° corners to usable work areas
- Steel



No.	Description	Width	Finish
500179090	To create 18" (457 mm) diagonal, recommended for use with Momentum series	18" (457 mm)	Black

## KEYBOARD ACCESSORIES AND PENCIL TRAY

### GEL PALM REST

- 19" keyboard premium quality gel palm rest



No.	Finish
<b>GEL300K</b>	Black

### PENCIL TRAY


- Dimensions:  
12 1/4" x 1" x 5 3/8"  
(311 x 25 x 137 mm)



No.	Finish
<b>506127590</b>	Black

## FILE-RAIL SYSTEMS

### PLASTIC FILE HOLDERS



No.	Width	Finish
<b>124230</b>	1/2" (13 mm)	White
<b>124290</b>	1/2" (13 mm)	Black
<b>141230</b>	5/8" (16 mm)	White
<b>141290</b>	5/8" (16 mm)	Black

### ANODIZED ALUMINUM FLAT BARS



No.	Length	Width	Thickness	Finish
<b>71280810</b>	8' (2.438 m)	1/2" (13 mm)	1/8" (3 mm)	Satin Aluminum
<b>7128140</b>	8' (2.438 m)			Polished Chrome
<b>71281290</b>	12' (3.658 m)			Gloss Black

### CORNER BRACKET FOR FILE RAILS

- Mounts to inside of drawer and allows file bar to snap in



No.	Finish
<b>500482190</b>	Black

### SLIDER CLIP FOR FILE RAILS

- Instantly doubles your filing capacity
- For flat bars 1/8" thick x 1/2" wide




No.	Finish
<b>500482290</b>	Black



## ANTIBACTERIAL BRASS PULLS

An assortment of cabinet hardware products with highly effective, certified antibacterial finish and recycled content for LEED certification. Improve hygiene at home, in the workplace or in any traffic area by minimizing bacteria and risks of cross-contamination.



Ref.	No.	Center to Center	Diameter Overall Dimensions	Length Overall Dimensions	Width Overall Dimensions	Including screws	Finish
1	93896195AB	3 25/32" (96 mm)	3/8" (10 mm)	4 3/16" (106 mm)	3/8" (10 mm)	8/32	Brushed Nickel
2	938128195AB	5 1/32" (128 mm)		5 15/32" (139 mm)			
3	938192195AB	7 9/16" (192 mm)		7 15/16" (202 mm)			
4	938224195AB	8 13/16" (224 mm)		9 7/32" (234 mm)			
5	93232195AB	-	1 1/4" (32 mm)	-	3/4" (19 mm)	1/4 - 20	
6	938203195AB	8" (203 mm)	3/4" (19 mm)	8 3/4" (222 mm)			
7	938305195AB	12" (305 mm)		12 3/4" (323 mm)			

## PRIVACY SCREEN BRACKETS

Richelieu's privacy screen brackets are the perfect solution for adding privacy screens to any work surface.

Single-surface	Dual-surface	Flush-surface	Screen thickness	Finish
500SB190	500SB290	500SB390	3/4" (19 mm)	Black
500SB130	500SB230	500SB330		White
500SB1100	500SB2100	500SB3100		Silver
500SB1195	500SB2195	500SB3195		Brushed Nickel



500SB1100



500SB2100



500SB3100

## D-SHAPED ADJUSTABLE GLASS CLAMP

For flat mounting. Adjustable glass clip with two set screws on the side to facilitate installations.

- Height: 2 6/32" (55 mm)
- Width: 2 1/8" (54 mm)
- Thickness: 31/32" (25 mm)
- Glass thickness: 7/32" - 3/8" (5 - 10 mm)

No.	Finish
BP3100174	Satin Chrome
BP3100195	Satin Nickel



## ELECTRONIC LOCK WITH KEYPAD

THIS ELECTRONIC LOCK IS THE PERFECT SOLUTION FOR APPLICATIONS WHERE SECURITY AND CONVENIENCE ARE KEY!

It can be standalone or included in a master key system. Banks, jewelry stores, offices, dental, locker rooms, school boards and medical offices are perfect places for this solution. Simple to install and program, this electronic lock is your ultimate access-management solution.

### SPECIFICATIONS

- Offers 2 operating modes: fixed code (only one code for every user) or user-selected code (each user can have a personal code)
- Up to 10 digits
- Very easy to program new codes
- Elegant finish keypad
- No more physical keys to manage
- More security: no cylinder
- Easy to install, only a few screws and snap on frame on the keypad
- The lock works with AA batteries
- Warning signal 40 to 60 cycles before the battery runs out (red permanent signal)

### INCLUDES

- keypad, lock, striker plate, fitting bolt protector, screws, operating instructions and two AA batteries

No.	Finish
4001490	Nickel



### OPTIONAL HANDLE

- Handle for electronic lock 4001490 to facilitates the opening and closing of the door

No.	Finish
40063100	Aluminum





CAPTURA ELECTRONIC LOCK WITH CARD

Captura is the ideal electronic lock solution for lockers, office or residential furniture, hotel and institutional furnishings, as well as for the healthcare and laboratory sectors. Regardless of cabinet type, Captura is easy to install thanks to its symmetrical design and locking pins which automatically compensate for installation tolerances.

ADVANTAGES AND BENEFITS

- RFID lock with integrated antenna
- Compact and concealed installation
- 13.56 MHz MIFARE® Classic, MIFARE® DESFire® EV1/EV2
- Up to 250 transponders can be programme per lock
- Automatic locking configurable
- Material thickness:  
Metal: 1/64" to 3/32" (0.5 to 2.5 mm)  
HPL: 3/8" to 19/32" (10 to 15 mm)  
Panel thickness: 5/8" to 1" (16 to 25 mm)
- Optional: optical indicator by light point
- Optional: ejector pin on the lock pushes the door open automatically
- Locking pin: 1/8" (3 mm) adjustable in each direction



No.	Finish
40160290	Black

## RFID PROGRAMMING CARD SET (REQUIRED)


- Compact and concealed installation
- Up to 250 transponders can be programmed per lock

### INCLUDING PRODUCTS

- Installation card
- Master card
- Identical clone of the master card
- Service key
- Mode card
- Sound card
- Reset card
- Autolocking card

No.

5125039



## OPTIONAL ACCESSORIES




### METAL MOUNTING FRONT COVER

- For metal thickness from 1/64" - 3/32" (0.5 - 2.5 mm)

No.

4483090



### OPTICAL PIN FOR WOOD FURNITURE

- Optical indicator by lightpoint
- For wood thickness from 5/8" - 27/32" (16 - 21 mm)

No.

433314



### EJECTOR PIN

- Ejector pin on the lock pushes the door open automatically

No.

46610195





#### Customer service

Tel. : 1 866 440-0448

Fax : 1 800 890-4139

[www.richelieuergo.com](http://www.richelieuergo.com)

[ergoinfo@richelieu.com](mailto:ergoinfo@richelieu.com)



## SERVING YOU ACROSS NORTH AMERICA

### CANADA

Tel. : 1 800 361-6000

Fax : 1 800 363-0193

### UNITED STATES

Tel. : 1 800 619-5446

Fax : 1 800 876-7454



**Richelieu**  
[richelieu.com](http://richelieu.com)