



WASTE MANAGEMENT AND RECYCLING CENTERS

Manage your kitchen waste with style!

HIGH-QUALITY
FINISH

DURABLE
MATERIALS



Richelieu



CONTENTS

US CARGO RECYCLING CENTERS	3
US CARGO SYNCHRO RECYCLING CENTERS	4-5
EURO-CARGO II RECYCLING CENTERS.....	6-7
SE-CARGO RECYCLING CENTERS.....	8-9
SE-CARGO SHORT RECYCLING CENTERS.....	10
EASY-CARGO RECYCLING CENTERS.....	11
UNIVERSAL RECYCLING CENTER	12
UNDERSINK WASTEBIN PULL-OUTS.....	13
PIVOTING ROUND WASTEBINS	14
FOLDING STEP STOOL.....	14
LIBERO 30.....	15

US CARGO RECYCLING CENTERS

TOP-MOUNT / FACE-FRAME CABINETS



No. 461324100

The US Cargo Series is designed for **imperial-sized face-frame cabinets**. Over-travel slides allow for total access to the bins. Available in different bin capacities and configurations with soft-close mechanism included. Also comes with an internal fixed metal lid that provides additional storage space.

- Top-mount installation for greater stability
- Tested to 100,000+ cycles
- 110-lb (50-kg) load capacity
- Increased strength with heavy-duty ball-bearing slides allowing for smooth opening and closing
- Door-mounted for full access in a single motion
- Internal fixed metal lid included
- Small bin comes with individual lid



No. 461315100

15" wide cabinet

Product	Color	Soft close	Bin configuration	Total capacity
461315100	Silver gray	Yes	1 x 44.4Qt (42 L) + 1 x 9Qt (8.5 L)	53.4Qt (50.5 L)
Interior dimensions required				
Cabinet internal depth			min. 22 9/16" (573 mm)	
Product installation height			min. 20 7/8" (531 mm)	
Cabinet internal width			13 1/2" - 14 1/8" (343 - 359mm)	
Opening width for face-frame application			12" (305 mm)	

18" wide cabinet

Product	Color	Soft close	Bin configuration	Total capacity
461318100	Silver gray	Yes	1 x 44.4Qt (42 L) + 1 x 12.7Qt (12 L)	57.1Qt (54 L)
Interior dimensions required				
Cabinet internal depth			min. 22 9/16" (573 mm)	
Product installation height			min. 20 7/8" (531 mm)	
Cabinet internal width			16 1/2" - 16 3/4" (419 - 425mm)	
Opening width for face-frame application			14 5/8" (371 mm)	



No. 461324100

21" wide cabinet

Product	Color	Soft close	Bin configuration	Total capacity
461321100	Silver gray	Yes	2 x 44.4Qt (42 L)	88.8Qt (84 L)
Interior dimensions required				
Cabinet internal depth			min. 22 9/16" (573 mm)	
Product installation height			min. 20 7/8" (531 mm)	
Cabinet internal width			19 7/16" - 20" (493 - 508mm)	
Opening width for face-frame application			17 7/8" (455 mm)	

24" wide cabinet

Product	Color	Soft close	Bin configuration	Total capacity
461324100	Silver gray	Yes	2 x 37 Qt (35 L) + 2 x 10.6 Qt (10 L)	95.1 Qt (90 L)
Interior dimensions required				
Cabinet internal depth			min. 22 3/8" (568 mm)	
Product installation height			min. 22 7/16" (570 mm)	
Cabinet internal width			22 7/16" - 23" (570 - 584mm)	
Opening width for face-frame application			20 15/16" (531 mm)	

Replacement bins or lids

Product	Color	Bin capacity
361340100	Silver gray	44.4Qt (42 L)
361485100	Silver gray	9 Qt (8.5 L)
361312100	Silver gray	12.7Qt (12 L)
461335100	Silver gray	37 Qt (35 L)
461310100	Silver gray	10.6Qt (10 L)

Product	Color	Lid
L361485100	Silver gray	for 9 Qt (8.5 L) bin
364286100	Silver gray	for 10.6Qt (10 L) bin
L361312100	Silver gray	for 12.7Qt (12 L) bin



US CARGO SYNCHRO RECYCLING CENTERS


TOP-MOUNT / FRAMELESS CABINETS



The US Cargo Synchro Series is designed for imperial-sized face-frame or frameless cabinets. The over-travel undermount synchronized slides allow for total access to the bins. Available in different bin capacities and configurations with soft-close mechanism included. Comes with an internal fixed metal lid that also provides additional storage space.

- Top-mount installation for greater stability
- Tested to 100,000+ cycles
- 110-lb (50-kg) load capacity
- Over-Travel undermount synchronized slides for smooth opening and closing
- Door-mounted for full access in a single motion
- Internal fixed metal lid included
- Small 15-liter bin comes with individual lid

FRAMELESS



15" wide cabinet

Product	Color	Soft close	Bin configuration	Total capacity
481315100	Silver gray	Yes	1 x 39Qt (37 L) + 1 x 15.9Qt (15 L)	54.9 Qt (52 L)
Interior dimensions required				
Cabinet internal depth			min. 22 7/16" (569 mm)	
Product installation height			min. 20 17/32" (521 mm)	
Cabinet internal width*			13 1/2" - 13 3/4" (343 - 349 mm)	

18" wide cabinet

Product	Color	Soft close	Bin configuration	Total capacity
481318100	Silver gray	Yes	2 x 39Qt (37 L)	78 Qt (74 L)
Interior dimensions required				
Cabinet internal depth			min. 22 7/16" (569 mm)	
Product installation height			min. 20 17/32" (521 mm)	
Cabinet internal width*			16 1/2" - 16 3/4" (419 - 425 mm)	



21" wide cabinet

Product	Color	Soft close	Bin configuration	Total capacity
481321100	Silver gray	Yes	2 x 44.4Qt (42 L)	88.8 Qt (84 L)
Interior dimensions required				
Cabinet internal depth			min. 22 7/16" (569 mm)	
Product installation height			min. 20 17/32" (521 mm)	
Cabinet internal width*			19 1/2" - 19 3/4" (495 - 501 mm)	

24" wide cabinet


Product	Color	Soft close	Bin configuration	Total capacity
481324100	Silver gray	Yes	2 x 44.4 Qt (42 L)	88.8 Qt (84 L)
Interior dimensions required				
Cabinet internal depth			min. 22 7/16" (569 mm)	
Product installation height			min. 20 17/32" (521 mm)	
Cabinet internal width*			21 1/2" - 21 3/4" (572 - 578 mm)	

US CARGO SYNCHRO RECYCLING CENTERS

TOP-MOUNT / FACE-FRAME CABINETS



FACE-FRAME



Small bins
and individual
lids, perfect
for compost



Replacement bins or lids

Product	Color	Bin capacity
B481337100	Silver gray	39 Qt (37 L)
B481342100	Silver gray	44.4Qt (42 L)
B481315100	Silver gray	15.9 Qt (15 L)

Product	Color	Lid
L481315100	Silver gray	for 15.9 Qt (15 L) bin

15" wide cabinet

Product	Color	Soft close	Bin configuration	Total capacity
491315100	Silver gray	Yes	1 x 39Qt (37 L) + 1 x 15.9Qt (15 L)	54.9Qt (52 L)
Interior dimensions required				
Cabinet internal depth			min. 22 7/16" (569 mm) + faceframe thickness	
Product installation height			min. 20 3/4" (527 mm)	
Cabinet internal width*			13 1/2" - 17 31/32" (343 - 457 mm)	
Opening width for face-frame application			12" (305 mm)	

18" wide cabinet

Product	Color	Soft close	Bin configuration	Total capacity
491318100	Silver gray	Yes	1 x 39Qt (37 L) + 1 x 15.9Qt (15 L)	54.9Qt (52 L)
Interior dimensions required				
Cabinet internal depth			min. 22 7/16" (569 mm) + faceframe thickness	
Product installation height			min. 20 3/4" (527 mm)	
Cabinet internal width*			16 1/2" - 17 1/32" (419 - 433 mm)	
Opening width for face-frame application			15" (382 mm)	

21" wide cabinet

Product	Color	Soft close	Bin configuration	Total capacity
491321100	Silver gray	Yes	2 x 44.4Qt (42 L)	88.8Qt (84 L)
Interior dimensions required				
Cabinet internal depth			min. 22 7/16" (569 mm) + faceframe thickness	
Product installation height			min. 20 3/4" (527 mm)	
Cabinet internal width*			19 1/2" - 20 1/16" (495 - 510 mm)	
Opening width for face-frame application			18" (457 mm)	

24" wide cabinet

Product	Color	Soft close	Bin configuration	Total capacity
491324100	Silver gray	Yes	2 x 44.4Qt (42 L)	88.8Qt (84 L)
Interior dimensions required				
Cabinet internal depth			min. 22 7/16" (569 mm) + faceframe thickness	
Product installation height			min. 20 3/4" (527 mm)	
Cabinet internal width*			18 9/16" - 23 1/32" (472 - 585 mm)	
Opening width for face-frame application			21" (533 mm)	

*All face-frame models are designed for cabinets using 1/2" (12 mm) to 3/4" (19 mm) side panels.

EURO-CARGO II RECYCLING CENTERS

TOP-MOUNT / FRAMELESS CABINETS



No. 8461412100

Richelieu's exclusive Euro Cargo II Series is designed for imperial- and metric-sized **frameless cabinets**.* Featuring industry-leading heavy-duty ball-bearing slides with over-travel for easy access to all the bins. Available in different bin capacities and configurations and offered with or without soft-close mechanism (depending on the model). Each system comes with an integrated fixed metal lid that also provides additional storage space.

- Top-mount installation for greater stability
- Over-travel heavy-duty ball-bearing slides for easy bin access
- Tested to 50,000 cycles at 165 lb (75 kg) and to 100,000 cycles at 110 lb (50 kg)
- Door-mounted for full access in a single motion
- 3-way adjustment front-fixing brackets
- Comes with an internal fixed metal lid that can also be used as a shelf
- Some models include individual lids for the small bins

*May also be used in face-frame cabinets by blocking the sides of the cabinet behind the frame to mount the slides

30er / 12"

Product	Color	Soft close	Bin configuration	Total capacity
8461412100	Silver gray	Yes	1 x 31.7 Qt (1 x 30 L)	31.7 Qt (30 L)
8461412910	Dark gray	Yes		
Interior dimensions required				
Cabinet internal depth			min. 15 7/8" (403 mm)	
Product installation height			min. 18 3/16" (461 mm)	
Cabinet internal width			10 5/16" - 10 3/4" (262 - 273 mm)	

35er

Product	Color	Soft close	Bin configuration	Total capacity
8461435100	Silver gray	Yes	1 x 44.4 Qt (1 x 42 L)	44.4 Qt (42 L)
Interior dimensions required				
Cabinet internal depth			min. 21 3/4" (553 mm)	
Product installation height			min. 21 1/16" (535 mm)	
Cabinet internal width			12 1/4" - 12 1/2" (312 - 318 mm)	

40er

Product	Color	Soft close	Bin configuration	Total capacity
8461440100	Silver gray	Yes	1 x 40.2 Qt (38 L) + 1 x 12.7 Qt (12 L)	52.9 Qt (50 L)
Interior dimensions required				
Cabinet internal depth			min. 21 3/4" (553 mm)	
Product installation height			min. 21 15/16" (557 mm)	
Cabinet internal width			14 1/4" - 14 1/2" (362 - 368 mm)	

45er / 18"

Product	Color	Soft close	Bin configuration	Total capacity
83614100	Silver gray	No	2 x 40.2 Qt (2 x 38 L)	80.4 Qt (76 L)
84614100	Silver gray	Yes		
84614910	Dark gray	Yes		
Interior dimensions required				
Cabinet internal depth			min. 21 3/4" (553 mm)	
Product installation height			min. 21 15/16" (557 mm)	
Cabinet internal width			16 1/4" - 16 3/4" (412 - 425 mm)	



No. 8461435100



No. 83614100

EURO-CARGO II RECYCLING CENTERS

TOP-MOUNT / FRAMELESS CABINETS



No. 8361460100



No. 8461464910

50er

Product	Color	Soft close	Bin configuration	Total capacity
8461450100	Silver gray	Yes	2 x 44.4 Qt (2 x 42 L)	88.8 Qt (84 L)
Interior dimensions required				
Cabinet internal depth	min. 22 9/16" (573 mm)			
Product installation height	min. 21 1/16" (535 mm)			
Cabinet internal width	18 3/16" - 18 7/16" (462 - 468 mm)			

60er / 24"

Product	Color	Soft close	Bin configuration	Total capacity
8461463100	Silver gray	Yes	2 x 44.4 Qt (2 x 42 L)	88.8 Qt (84 L)
8461463910	Dark gray	Yes		
Interior dimensions required				
Cabinet internal depth	min. 22 9/16" (573 mm)			
Product installation height	min. 21 1/16" (535 mm)			
Cabinet internal width	22 1/8" - 22 3/4" (562 - 578 mm)			

Product	Color	Soft close	Bin configuration	Total capacity
8361460100	Silver gray	No	2 x 40.2 Qt (38 L) + 2 x 9 Qt (8.5 L)	98.4 Qt (93 L)
8461460100	Silver gray	Yes		
8461460910	Dark gray	Yes		
Interior dimensions required				
Cabinet internal depth	min. 21 3/4" (553 mm)			
Product installation height	min. 21 15/16" (557 mm)			
Cabinet internal width	22 1/8" - 22 3/4" (562 - 578 mm)			

Product	Color	Soft close	Bin configuration	Total capacity
8461464100	Silver gray	Yes	2 x 40.2 Qt (38 L) + 1 x 20 Qt (19 L)	100.4 Qt (95 L)
8461464910	Dark gray	Yes		
Interior dimensions required				
Cabinet internal depth	min. 22 9/16" (573 mm)			
Product installation height	min. 21 15/16" (557 mm)			
Cabinet internal width	22 1/8" - 22 3/4" (562 - 578 mm)			



No. 8461450100



Replacement bins or lids


Product	Color	Bin capacity
361485100	Silver gray	9 Qt (8.5 L)
B461485910	Dark gray	9 Qt (8.5 L)
361312100	Silver gray	12.7 Qt (12 L)
361319100	Silver gray	20 Qt (19 L)
B461419910	Dark gray	20 Qt (19 L)
361330100	Silver gray	31.7 Qt (30 L)
361330910	Dark gray	31.7 Qt (30 L)
361435100	Silver gray	40.2 Qt (38 L)
361435910	Dark gray	40.2 Qt (38 L)
B481342100	Silver gray	44.4 Qt (42 L)
B461442910	Dark gray	44.4 Qt (42 L)



Product	Color	Lid
L361485100	Silver gray	for 9 Qt (8.5 L) bin
L461485910	Dark gray	for 9 Qt (8.5 L) bin
L361312100	Silver gray	for 12.7 Qt (12 L) bin

SE-CARGO RECYCLING CENTERS

TOP-MOUNT / FRAMELESS CABINETS



The SE-Cargo Series features a redesigned straight side with concealed synchronized undermount slides. Equipped with soft-close mechanisms, this series provides smooth and long-lasting operation. Designed for **frameless cabinets**.*

- Latest generation of on-trend top-mount waste bins
- Comes with an internal metal lid offering more storage space
- Tested to 100,000+ cycles
- 110-lb (50-kg) load capacity
- Over-travel slides allow for easier removal of bins
- Door-mounted for full access in a single motion
- 3-way adjustment front-fixing brackets
- 12-liter bin comes with an individual lid

*May be used in face-frame cabinets by blocking the sides of the cabinet behind the frame to mount the slides

No. 471940100

35er

Product	Color	Soft close	Bin configuration	Total capacity
471935100	Silver gray	Yes	1 x 40.2Qt (38 L) + 1 x 7.4Qt (7 L)	47.6 Qt (45 L)
Interior dimensions required				
Cabinet internal depth			min. 20 25/32" (528 mm)	
Product installation height			min. 21 21/32" (550 mm)	
Cabinet internal width			12 1/4" - 12 1/2" (312 - 318 mm)	

40er

Product	Color	Soft close	Bin configuration	Total capacity
471940100	Silver gray	Yes	1 x 40.2Qt (38 L) + 1 x 7.4Qt (7 L)	47.6 Qt (45 L)
Interior dimensions required				
Cabinet internal depth			min. 20 25/32" (528 mm)	
Product installation height			min. 21 21/32" (550 mm)	
Cabinet internal width			14 1/4" - 14 1/2" (362 - 368 mm)	

45er

Product	Color	Soft close	Bin configuration	Total capacity
4719100	Silver gray	Yes	2 x 40.2Qt (2 x 38 L)	80.3Qt (76 L)
4719910	Dark gray	Yes		
Interior dimensions required				
Cabinet internal depth			min. 20 25/32" (528 mm)	
Product installation height			min. 21 21/32" (550 mm)	
Cabinet internal width			16 1/4" - 16 7/16" (412 - 418 mm)	



No. 4719910

SE-CARGO RECYCLING CENTERS

TOP-MOUNT / FRAMELESS CABINETS



No. 471945100



No. 471960910

45er / 18"

Product	Color	Soft close	Bin configuration	Total capacity
471945100	Silver gray	Yes	1 x 31.7 Qt (30 L)	59.2 Qt (56 L)
471945910	Dark gray	Yes	+ 2 x 13.7 Qt (13 L)	
Interior dimensions required				
Cabinet internal depth			min. 20 25/32" (528 mm)	
Product installation height			min. 18 1/32" (458 mm)	
Cabinet internal width			16 1/4" - 16 3/4" (412 - 425 mm)	

50er

Product	Color	Soft close	Bin configuration	Total capacity
471950100	Silver gray	Yes	2 x 40.2 Qt (2 x 38 L)	80.4 Qt (76 L)
471950910	Dark gray	Yes		
Interior dimensions required				
Cabinet internal depth			min. 20 25/32" (528 mm)	
Product installation height			min. 21 21/32" (550 mm)	
Cabinet internal width			18 3/16" - 18 7/16" (462 - 468 mm)	



No. 471950100

Small bins and individual lids, perfect for compost

60er

Product	Color	Soft close	Bin configuration	Total capacity
471960100	Silver gray	Yes	2 x 40.2 Qt (2 x 38 L) + 1 x 12.7 Qt (12 L) + 1 x 2.6 Qt (2.5 L)	95.6 Qt (90.5 L)
471960910	Dark gray	Yes		
Interior dimensions required				
Cabinet internal depth			min. 20 25/32" (528 mm)	
Product installation height			min. 21 21/32" (550 mm)	
Cabinet internal width			22 1/8" - 22 3/8" (562 - 568 mm)	

Replacement bins or lids

Product	Color	Bin capacity
361435100	Silver gray	40.2 Qt (38 L)
361435910	Dark gray	40.2 Qt (38 L)
361312100	Silver gray	12.7 Qt (12 L)
B361412910	Dark gray	12.7 Qt (12 L)
361407100	Silver gray	7.4 Qt (7 L)
461925100	Silver gray	2.6 Qt (2.5 L)
B461925910	Dark gray	2.6 Qt (2.5 L)

Product	Color	Lid
L361312100	Silver gray	for 12.7 Qt (12 L) bin
L361412910	Dark gray	for 12.7 Qt (12 L) bin



SE-CARGO SHORT RECYCLING CENTERS

TOP MOUNT / FRAMELESS CABINETS



No. 461156100

The SE-Cargo Short series features concealed synchronized undermount slides with soft-close mechanism. Protected from dust or debris, it provides a smooth and long-lasting operation. Compact design for **frameless cabinets** with reduced clearance at the rear and/or top of cabinet.*

- Top-mount waste bins
- Comes with an internal lid offering more storage space above it
- Tested to 100,000+ cycles
- 110-lb (50-kg) load capacity
- Over-travel slides allowing for easier removal of bins
- Door-mounted for full access in a single motion
- 3-way adjustment front-fixing brackets
- The two 3-bin models also include one individual lid for a 13 L bin

*May be used in face-frame cabinets by blocking the sides of the cabinet behind the frame to mount the slides

30er / 12"

Product	Color	Soft close	Bin configuration	Total capacity
461912100	Silver gray	Yes	1 x 31.7 Qt (30 L)	31.7 Qt (30 L)
Interior dimensions required				
Cabinet internal depth			min. 17 5/8" (448 mm)	
Product installation height			min. 18 1/8" (460 mm)	
Cabinet internal width			10 5/16" - 10 9/16" (262 - 268 mm)	

60er

Product	Color	Soft close	Bin configuration	Total capacity
461162100	Silver gray	Yes	2 x 31.7 Qt (30 L)	63.4 Qt (60 L)
461156100	Silver gray	Yes	1 x 31.7 Qt (30 L) + 2 x 13.7 Qt (2 x 13 L)	59.1 Qt (56 L)
Interior dimensions required				
Cabinet internal depth			min. 17 5/8" (448 mm)	
Product installation height			min. 17 7/8" (453 mm)	
Cabinet internal width			22 1/8" - 22 3/8" (562 - 568 mm)	



No. 461912100



No. 461162100

60er – With integrated pull-out lid

Product	Color	Soft close	Bin configuration	Total capacity
360860905	Dark gray	Yes	1 x 29.6 Qt (28 L) + 2 x 13.7 Qt. (2 x 13 L)	57.1 Qt (54 L)
Interior dimensions required				
Cabinet internal depth			min. 15 3/4" (400 mm)	
Product installation height			min. 16 7/8" (429 mm)	
Cabinet internal width			22 1/8" - 22 3/8" (562 - 568 mm)	



No. 360860905

Replacement bins or lids

Product	Color	Bin capacity
361330100	Silver gray	31.7 Qt (30 L)
361330910	Dark gray	31.7 Qt (30 L)
B471928910	Dark gray	29.6 Qt (28 L)
B461113100	Silver gray	13.7 Qt (13 L)
B461913910	Dark gray	13.7 Qt (13 L)
Product	Color	Lid
L461113100	Silver gray	for 13.7 Qt (13 L) bin
L471913910	Dark gray	for 13.7 Qt (13 L) bin



EASY-CARGO RECYCLING CENTERS

BOTTOM-MOUNT / HINGED-DOOR CABINETS



- Fast and easy installation: 4 screws and you're done!
- Comes in two configurations, with one or two bins
- Heavy-duty ball-bearing slides
- 66-lb (30-kg) load capacity
- Full extension for easier bin removal
- Available in silver gray
- Comes with internal lid offering extra storage space



No. 366840100



No. 366850100

Product	Color	Soft close	Bin configuration	Total capacity
366840100	Silver gray	No	1 x 44.4Qt (42 L)	44.4Qt (42 L)
Interior dimensions required				
Cabinet internal depth			min. 18 5/16" (465mm)	
Product installation height			min. 21 1/2" (546mm)	
Cabinet internal width			min. 13 9/16" (345mm)	

Product	Color	Soft close	Bin configuration	Total capacity
366850100	Silver gray	No	1 x 31.7Qt (30 L) + 1 x 20Qt (19 L)	51.8Qt (49 L)
Interior dimensions required				
Cabinet internal depth			min. 18 5/16" (465mm)	
Product installation height			min. 18 1/8" (460mm)	
Cabinet internal width			min. 17 15/16" (456mm)	

UNIVERSAL RECYCLING CENTER


BOTTOM-MOUNT / HINGED-DOOR / DOOR-MOUNTED



This versatile bottom-mount pull-out can easily be installed in a frameless or face-frame cabinet. It can also be door-mounted or installed in a hinged-door application by removing the front-fixing brackets.

- Comes with 2 bins (each with lids)
- Bins include ergonomic handles for ease of use
- Full-extension soft-closing slides
- Tested to 100,000+ cycles
- 88-lb (40-kg) load capacity
- Front-fixing brackets with a wide adjustment range

Bottom-mounting allows for face-frame and frameless applications. Minimum opening 14 1/4" (361,9 mm) on face-frame cabinets, including hinge protrusion on a swing door application.



Replacement bins or lids

Product	Color	Bin capacity
362440100	Silver gray	30.6 Qt (29 L)

Product	Color	Lid
362441100	Silver gray	for 30.6 Qt (29 L) bin



Product	Color	Soft close	Bin configuration	Total capacity
461640100	Gray	Yes	2 x 30.6Qt (29 L)	61.2 Qt (58 L)
Interior dimensions required				
Cabinet internal depth			min. 20 27/32" (530mm)	
Product installation height			min. 20 3/4" (528mm)	
Cabinet width for door-mounted version			14 1/4" - 22 3/8" (362 - 568mm)	
Cabinet width for hinged-door version			min. 14 3/4" (375mm)	

UNDERSINK WASTEBIN PULL-OUTS

BOTTOM-MOUNT / IDEAL FOR REDUCED SPACES



No. 3635910

- Designed to make maximum use of cabinet space
- Full-extension slides for total access
- Bottom-mount, so no width restrictions
- Fit many cabinet sizes



No. 364090


SPACE SAVER:

Large capacity with a compact size

- Low height
- Ideal for undersink cabinets
- Lid can be used as storage shelf



No. 3650100



Delivers permanent antibacterial protection using Silver Ion technology

No. 3667030



No. 3641100



No. 3642100

Minimum interior dimensions required

Product	Color	Width	Depth	Height	Opening
3635910	Dark gray	10 5/8" (270 mm)	16 13/16" (427 mm)	15 3/4" (401 mm)	Manual
3636910*	Dark gray	14 3/16" (360 mm)	16 13/16" (427 mm)	15 3/4" (401 mm)	With door
3666100	Gray	10 7/8" (276 mm)	19 3/32" (485 mm)	16 1/8" (410 mm)	Manual
3650100	Gray	10 7/8" (276 mm)	19 7/8" (505 mm)	18 1/8" (460 mm)	Manual
3667030	White and blue	10 7/8" (276 mm)	19 3/32" (485 mm)	16 1/8" (410 mm)	Manual
3641100	Gray	14 5/8" (371 mm)	18 11/16" (475 mm)	13 7/16" (341 mm)	Manual
3642100	Gray	14 5/8" (371 mm)	18 11/16" (475 mm)	13 7/16" (341 mm)	Manual
364090	Gray and black	14 5/8" (371 mm)	18 1/2" (470 mm)	12 13/16" (325 mm)	Manual

*This model, which opens with the door, requires a cabinet width of at least 15 3/4" (400 mm).

UNDERSINK WASTEBINS

SIDE & DOOR MOUNT / PIVOTING ROUND BINS



- Attaches to the inside of the cabinet and the door
- Lid is equipped with a spring and lifts out of the way when the door is opened, preventing waste from spilling out when the bin is full
- Internal removable bin for easy cleaning
- Reversible, can be installed on left or right side
- Outside metal container ensures lasting durability
- Recommended for use with "non-soft close" door hinges (max 95° opening)

Product	Pivoting bin capacity	Color	Minimum interior dimensions required		
			Width	Depth	Height
371530	15.8Qt (15 L)	White	14 1/4" (362mm)	12 1/4" (311 mm)	16 3/4" (425mm)
3715100	15.8Qt (15 L)	Gray	14 1/4" (362mm)	12 1/4" (311 mm)	16 3/4" (425mm)
3715140	15.8Qt (15 L)	Chrome	14 1/4" (362mm)	12 1/4" (311 mm)	16 3/4" (425mm)
372030	21Qt (20 L)	White	14 1/4" (362mm)	12 1/4" (311 mm)	20 15/16" (531 mm)
3720100	21Qt (20 L)	Gray	14 1/4" (362mm)	12 1/4" (311 mm)	20 15/16" (531 mm)
3720140	21Qt (20 L)	Chrome	14 1/4" (362mm)	12 1/4" (311 mm)	20 15/16" (531 mm)



- Attaches to the inside of the cabinet and to the door
- Reversible, can be installed on left or right side
- The lid tilts open when you open the door for easy access
- Suitable for cabinet doors equipped with soft-close hinges (max 95° opening)

Product	Pivoting bin capacity	Color	Minimum interior dimensions required		
			Width	Depth	Height
3515905	15.8Qt (15 L)	Graphite	14 3/8" (365mm)	12 3/16" (309mm)	18 1/8" (460 mm)

Folding Step Stool

Unfolds in a flash!

A great solution to get easy access to your upper cabinets. Can be hidden in the kick plate (using our special kick-plate bracket) or stored inside a cabinet (with or without a wall-mounted support). Each sold separately.

Product	Description	Product dimensions (WxDxH)
4410905	Folding step tool – gray	Opened: 16" x 15 3/8" x 15" (405 x 390 x 382mm) Closed: 16" x 3 7/8" x 18 1/2" (405 x 98 x 470mm) Load capacity: 331 lb (150kg)
44962G	Step stool kick-plate bracket with wheels	16 1/16" x 3 1/2" x 1 1/4" (408 x 89 x 31 mm)



No. 4495905 Wall support – graphite



No. 44962G Bracket for kick plate



The kick-plate bracket allows you to hide the step stool behind the baseboard. Order separately.

LIBERO 3.0 – SMART ELECTRONIC DOOR OPENER FOR RECYCLING CENTERS




- ✓ Hands-free opening system
- ✓ Foot-activated laser sensor
- ✓ Optional voice activated “smart” feature compatible with Amazon’s ALEXA



- This “plug & play” system mounts at the bottom front edge of the cabinet and only needs to be plugged into a standard 110 V outlet. Easy to install, it can also be retrofitted
- It is mainly used with our popular waste management systems in a frameless cabinet application but can also be used for deep drawers
- An integrated LED light indicates the laser position
- To open the door, simply move your foot up towards the LED light under the kick plate. The device will push open the door and allow full “hands-free” access to the cabinet
- It also works with wastebins equipped with soft-close runners
- Last but not least, Libero 3.0 is compatible with Smart Homes using ALEXA for the voice-activated feature
- All Libero settings can be easily adjusted via web browsers



Product	Description	Product dimensions (WxDxH)
36973100	Electronic door opener	6 3/16" x 11 13/16" x 1 5/16" (157 x 300 x 33mm)



For more solutions, visit
kitchen section at richelieu.com



Serving you across North America

CANADA
Tel.: 1 800 361-6000
Fax: 1 800 363-0193

UNITED STATES
Tel.: 1 800 619-5446
Fax: 1 800 876-7454



Follow us on



WASTE032023U 09-2023
Printed in Canada \$ 2