



KOLOSSUS

COUNTERTOP AND SHELF
BRACKETS & SUPPORTS

Custom-made designs for robust storage



Richelieu

Organize your workspace

A complete range of countertop supports and shelf brackets to maximize your floor space and improve your overall productivity. Concealed or visible, our brackets and supports offer the ideal solution for your storage challenges.



K-FOLD HEAVY DUTY FOLDING BRACKETS



The folding brackets lock automatically when raised and are released by light upward pressure on the locking arm.

- Load capacity: 1,102 lb (500 kg) per pair
- Finish: Gray primed
- Material: Steel

Sold individually



No.	Height	Projection
625042000	16 1/2" (420 mm)	16 1/2" (420 mm)
625058000	22 7/8" (580 mm)	22 7/8" (580 mm)

FOLDING L-SUPPORT



- The L-support can be mounted to any type of wall
- Adjustable to four positions: 90°, 80°, 70°, and 0°
- Material: Cold rolled steel

Sold individually

Height	Projection	Load cap./ pair	White	Zinc
7 7/8" (200 mm)	11 13/16" (300 mm)	750 lb (340 kg)	621860112	621861112
10 5/8" (270 mm)	15 3/4" (400 mm)		621860116	621861116

FUNCTIONAL SHELF BRACKETS

VANITY SUPPORT BRACKET

A convenient and easy way to install sinks with millwork enclosures.

- Vanity brackets provide a stable mounting surface for counters up to 24" (610 mm) deep
- Material: Aluminum
- Mill finish

Sold individually

No.	Height	Projection	Load cap./ pair
62501418	18" (457 mm)	21 1/2" (546 mm)	450 lb (204 kg)



K-300 COUNTERTOP BRACKETS

Low-profile plate installation that provides a clean, "floating" look to kitchen countertop.

- Easy to install
- No special hardware or tools required
- Countersunk screw holes for a flush installation
- Finish: Black powder coated
- Material: Steel

Sold individually

No.	Length	Bracket thick.	Load cap./ pair
623161290	12" (305 mm)	3/16" (4.8 mm)	600 lb (272 kg)
62141290	12" (305 mm)	1/4" (6.4 mm)	
623161690	16" (406 mm)	3/16" (4.8 mm)	
623162490	24" (610 mm)	3/16" (4.8 mm)	



No.	Length	Bracket thick.	Load cap./ pair
62381690	16" (406 mm)	3/8" (9.5 mm)	1,000 lb (454 kg)
62382490	24" (610 mm)	3/8" (9.5 mm)	
62383090	30" (762 mm)	3/8" (9.5 mm)	

FLOATING COUNTER BRACKETS

Are made for mounting directly in the wall. They are ideal for supporting a variety of materials including granite countertops, vanities, hardwood desks, glass shelves, and more.

- 8" (203 mm) vertical flange is mounted directly to the side of the stud. Fasteners included
- Finish: Black powder coated

Sold per pair



No.	Projection	Load cap./ pair
68121690	16" (406 mm)	300 lb (136 kg)
68122290	22" (559 mm)	

HIDDEN COUNTER BRACKETS

To create a floating countertop. Provides maximum legroom under your countertop area.

- Finish: Black powder coated
- Material: Steel

Sold per pair



No.	Height	Projection	Load cap./ pair
6802121290	12" (305 mm)	12" (305 mm)	375 lb (170 kg)
6802181890	18" (457 mm)	18" (457 mm)	

HEAVY-DUTY SHELF BRACKETS

HEAVY-DUTY WORKSTATION BRACKETS

Reversible design (length/height) makes brackets versatile and easy to use. Ideal for countertops, work surfaces, bookshelves and benches.

- Load capacity: 1,000 lb (454 kg) per pair
- Brackets are reversible (length/height)
- Leaves floors unobstructed
- Material: 1/8" (3 mm) steel
- Finish: Powder coated black or white

Sold per pair

Height	Projection	Black	White
8" (203 mm)	12" (305 mm)	9910081290	9910081230
12" (305 mm)	18" (457 mm)	9910121890	9910121830
15" (381 mm)	21" (533 mm)	9910152190	9910152130
18" (457 mm)	18" (457 mm)	9910181890	9910181830
18" (457 mm)	24" (610 mm)	9910182490	9910182430
24" (610 mm)	24" (610 mm)	9910242490	9910242430
24" (610 mm)	29" (737 mm)	9910242990	9910242930



K-R650 HEAVY-DUTY ALUMINUM BRACKETS

Ideal for residential or commercial applications. Provides sturdy and unobtrusive support for counters, work surfaces, vanities, and more.

- Supports counters up to 30" (762 mm) deep
- Easy to install without visible hardware
- Material: 6063-T6 extruded aluminum
- Finish: Powder coated black or white and mill finish

Sold individually

Height	Projection	Load cap./ pair	Black	White	Mill finish	Satin anodized
12" (305 mm)	12" (305 mm)	1,300 lb (590 kg)	40121290	40121230	40121210	47121210
18" (457 mm)	18" (457 mm)	900 lb (408 kg)	40181890	40181830	40181810	47181810
18" (457 mm)	24" (610 mm)		40182490	40182430	40182410	47182410



K-500 INDUSTRIAL HEAVY-DUTY BRACKETS


Perfect for the workshop, home office, basement, living room, kitchen, garage, or anywhere extra space is needed.

- Material: Steel
- Finish: Primed

Sold individually



No.	Height	Projection	Load cap./ pair	Width
624038000	7 3/32" (180 mm)	15" (380 mm)	1,100 lb (500 kg)	3 5/32" (80 mm)
624048000		18 7/8" (480 mm)		



CONCEALED SHELF BRACKETS

CONCEALED BRACKETS

Perfect for residential or commercial applications, including countertops, bar tops, office workstations, shelving, floating islands, and more.

L-shaped vertical leg is mounted directly to the wall stud. Drywall is mounted to the studs, hiding the vertical support leg.



ALUMINUM

Height	Projection	Load cap./ pair	Black	White	Mill finish
12" (305 mm)	9" (229 mm)	650 lb (295 kg)	624114120990	624114120930	624114120910
	12" (305 mm)		624114121290	624114121230	624114121210
18" (457 mm)	18" (457 mm)	450 lb (204 kg)	624114181890	624114181830	624114181810
	24" (610 mm)	300 lb (136 kg)	624114182490	624114182430	624114182410

- Material: 6063-T6 extruded aluminum
- Brackets can be easily cut down to desired size
- Finish: Powder coated black, white or mill finish

Sold individually

STEEL

Height	Projection	Load cap./ pair	Black	White
12" (305 mm)	9" (229 mm)	4,520 lb (2050 kg)	64091490	640140930
12" (305 mm)	12" (305 mm)	2,500 lb (1134 kg)	640141290	640141230
18" (457 mm)	18" (457 mm)	2,060 lb (934 kg)	640141890	640141830
18" (457 mm)	24" (610 mm)	1,830 lb (830 kg)	640142490	640142430

- Material: Carbon steel
- All welds on reverse for easy, clean installation
- Mounting hardware included
- Finish: Powder coated black or white

Sold per pair

FLOATING SHELF BRACKETS

Both brackets have more than enough strength for all of your shelf needs. The brackets can be completely hidden in a boxed shelf.



- Material: Steel
- Finish: White

No.	Height	Projection	Load cap./pair
62400630	1 3/4" (44 mm)	6" (152 mm)	2,000 lb (907 kg)
62400930		9" (229 mm)	1,500 lb (680 kg)
62401230		12" (305 mm)	1,000 lb (454 kg)



TUBE MOUNTING BRACKET


Strong and functional design for shelves up to 11 3/4" deep.



- Load capacity: 200 lb (90 kg) per pair
- L x W x H: 12" x 1" x 1" (305 x 25 x 25 mm)
- Material: Steel
- Finish: Black powder coated

Sold individually

No. 0201140



STANDARDS AND BRACKETS

SUPER-DUTY SINGLE-SLOT STANDARD AND BRACKET SYSTEM

Versatile shelving system for residential or commercial applications, including garage storage, retail displays, offices, and more.

- Load capacity: 150 to 210 lb (68 to 95 kg) per pair, see our website
- Adjustable in 2" (51 mm) increments
- Width: 7/8" (22 mm)
- Depth: 11/16" (17.5 mm)
- Material: 12 gauge steel
- Finish: Zinc

Standards and brackets are sold separately



STANDARDS

Length	No.
36" (914 mm)	6287362G
48" (1219 mm)	6287482G
60" (1524 mm)	6287602G
72" (1829 mm)	6287722G
84" (2134 mm)	6287842G
96" (2438 mm)	6287962G



BRACKETS

Length	No.
12" (305 mm)	62187122G
14" (356 mm)	62187142G
16" (406 mm)	62187162G
18" (457 mm)	62187182G
20" (508 mm)	62187202G
22" (559 mm)	62187222G
24" (610 mm)	62187242G

HEAVY-DUTY DOUBLE-SLOT STANDARD AND BRACKET SYSTEM

Adjustable shelving system ideal for residential applications, including home office, pantry storage, garage, and more.

- Load capacity: 450 lb (204 kg) per pair
- Adjustable in 1 1/4" (32 mm) increments
- Width: 1 1/16" (27 mm)
- Depth: 11/16" (17.5 mm)
- Material: 16 gauge steel
- Finish: Black and white

Standards and brackets are sold separately



STANDARDS

Length	Black	White
28" (711 mm)	62822890	62822830
39" (991 mm)	62823990	62823930
48" (1219 mm)	62824890	62824830
63" (1600 mm)	62826390	62826330
78" (1981 mm)	62827890	62827830
94" (2388 mm)	62829490	62829430

BRACKETS

Length	Black	White
10 1/2" (267 mm)	621821090	621821030
12 1/2" (318 mm)	621821290	621821230
14 1/2" (368 mm)	621821490	621821430
18 1/2" (470 mm)	621821890	621821830
24" (610 mm)	621822490	621822430



EXTRA-DUTY DOUBLE-SLOT STANDARD AND BRACKET SYSTEM

Designed for extra-heavy adjustable storage needs or long extended runs of shelving in residential, commercial and industrial applications.

- Adjustable in 1" (25 mm) increments
- Width: 1 1/4" (32 mm)
- Depth: 1/2" (13 mm)
- Material: 16 gauge steel
- Finish: Zinc and white

Standards and brackets are sold separately



STANDARDS

Length	Zinc	White
24" (610 mm)	6285242G	62852430
36" (914 mm)	6285362G	62853630
48" (1219 mm)	6285482G	62854830
60" (1524 mm)	6285602G	62856030
72" (1829 mm)	6285722G	62857230
84" (2134 mm)	6285842G	62858430
96" (2438 mm)	6285962G	62859630



BRACKETS

Length	Zinc	White
Load capacity/pair: 320 lb (145 kg)		
8" (203 mm)	62185082G	621850830
10" (254 mm)	62185102G	621851030
12" (305 mm)	62185122G	621851230
14" (356 mm)	62185142G	621851430
Load capacity/pair: 210 lb (95.3 kg)		
16" (406 mm)	62185162G	621851630
18" (457 mm)	62185182G	621851830
20" (508 mm)	62185202G	621852030
22" (559 mm)	62185222G	621852230
24" (610 mm)	62185242G	-

SHELVING SYSTEMS

PILASTER STANDARDS AND SHELF CLIPS

Adjustable shelving system for built-in shelving and bookcase applications. Can be either surface mounted or recessed. The shelf clips (sold separately) lock in place providing sturdy performance.

- Load capacity: 500 lb (227 kg) per shelf (4 shelf clips)
- Material: 19 gauge steel
- Finish: Zinc

Standards and shelf clips sold separately



STANDARDS

- Adjustable in 1/2" (13 mm) increments
- Width: 5/8" (16 mm)
- Depth: 3/16" (5 mm)

Sold in box of 10



Length	No.
12" (305 mm)	62162552G12
18" (457 mm)	62162552G18
24" (610 mm)	62162552G24
30" (762 mm)	62162552G30
36" (914 mm)	62162552G36
48" (1219 mm)	62162552G48
60" (1524 mm)	62162552G60
72" (1829 mm)	62162552G72
84" (2134 mm)	62162552G84
96" (2438 mm)	62162552G96



SHELF CLIPS

Used with Richelieu standards (sold separately).

- Easily clips in for a fast installation
- Sold in box of 100*

No. 6216256R2G



DECORATIVE BRACKETS

Sturdy and durable support with an industrial style.

- Load capacity: 150 lb (68 kg) per pair
- Heavy-duty design
- Suitable for wood or laminate shelves
- Material: Carbon steel
- Finish: Black powder coated

Sold per pair



For	No.	Projection	Shelf width
Lumber shelf	68081001900	9 9/16" (243 mm)	10" (254 mm)
	68101201900	11 9/16" (294 mm)	12" (305 mm)
Laminate shelf	68081002900	10 5/16" (262 mm)	10" (254 mm)
	68101202900	12 5/16" (313 mm)	12" (305 mm)



Serving you across North America

CANADA

Tel.: 1 800 361-6000
Fax: 1 800 363-0193

UNITED STATES

Tel.: 1 800 619-5446
Fax: 1 800 876-7454



Follow us on



KOLOSSEN 11-2023
Printed in Canada \$2